

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF070722\
 Data File : BF129154.D
 Acq On : 07 Jul 2022 11:46
 Operator : CG\JU
 Sample : PB146026BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB146026BL

Quant Time: Jul 07 14:25:17 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF062922.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 29 17:05:31 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.951	152	371515	20.000	ng	-0.01
21) Naphthalene-d8	8.234	136	1440251	20.000	ng	-0.01
39) Acenaphthene-d10	9.992	164	681905	20.000	ng	-0.01
64) Phenanthrene-d10	11.486	188	1244893	20.000	ng	-0.01
76) Chrysene-d12	14.139	240	913564	20.000	ng	-0.01
86) Perylene-d12	15.663	264	753782	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.587	112	2200351	100.130	ng	0.00
7) Phenol-d6	6.575	99	2794876	102.406	ng	-0.01
23) Nitrobenzene-d5	7.516	82	1765057	73.098	ng	-0.01
42) 2,4,6-Tribromophenol	10.786	330	912146	123.019	ng	-0.01
45) 2-Fluorobiphenyl	9.310	172	3396950	79.694	ng	-0.01
79) Terphenyl-d14	13.080	244	3793937	86.240	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF070722\
Data File : BF129154.D
Acq On : 07 Jul 2022 11:46
Operator : CG\JU
Sample : PB146026BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB146026BL

Quant Time: Jul 07 14:25:17 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF062922.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 29 17:05:31 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.951 min Scan# 795
Delta R.T. -0.012 min
Lab File: BF129154.D
Acq: 07 Jul 2022 11:46




Instrument :
BNA_F
ClientSampleId :
PB146026BL


Tgt Ion:152 Resp: 371515
Ion Ratio Lower Upper
152 100
150 157.1 123.7 185.5
115 57.8 49.9 74.9



#5
2-Fluorophenol
Concen: 100.130 ng
RT: 5.587 min Scan# 561
Delta R.T. -0.000 min
Lab File: BF129154.D
Acq: 07 Jul 2022 11:46

Tgt Ion:112 Resp: 2200351
Ion Ratio Lower Upper
112 100
64 55.4 53.3 79.9
63 27.5 28.0 42.0









#7
Phenol-d6
Concen: 102.406 ng
RT: 6.575 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF129154.D
Acq: 07 Jul 2022 11:46




Instrument :
BNA_F
ClientSampleId :
PB146026BL


Tgt Ion: 99 Resp: 2794876
Ion Ratio Lower Upper
99 100
42 17.0 17.3 25.9#
71 33.1 28.9 43.3



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.234 min Scan# 1011
Delta R.T. -0.011 min
Lab File: BF129154.D
Acq: 07 Jul 2022 11:46

Tgt Ion: 136 Resp: 1440251
Ion Ratio Lower Upper
136 100
137 11.6 8.8 13.2
54 8.0 7.5 11.3
68 6.8 4.7 7.1





#23

Nitrobenzene-d5

Concen: 73.098 ng

RT: 7.516 min Scan# 81

Delta R.T. -0.012 min

Lab File: BF129154.D

Acq: 07 Jul 2022 11:46

Instrument :





BNA_F

ClientSampleId :

PB146026BL

Tgt Ion: 82 Resp: 1765057

Ion	Ratio	Lower	Upper
82	100		
128	47.9	34.0	51.0
54	47.9	46.9	70.3



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.992 min Scan# 1310




Delta R.T. -0.012 min


Lab File: BF129154.D

Acq: 07 Jul 2022 11:46

Tgt Ion: 164 Resp: 681905

Ion	Ratio	Lower	Upper
164	100		
162	98.7	79.5	119.3
160	44.4	34.2	51.4









#42
2,4,6-Tribromophenol
Concen: 123.019 ng
RT: 10.786 min Scan# 1445
Delta R.T. -0.012 min
Lab File: BF129154.D
Acq: 07 Jul 2022 11:46




Instrument :
BNA_F
ClientSampleId :
PB146026BL


Tgt Ion:330 Resp: 912146
Ion Ratio Lower Upper
330 100
332 95.9 76.8 115.2
141 27.9 28.0 42.0#



#45
2-Fluorobiphenyl
Concen: 79.694 ng
RT: 9.310 min Scan# 1194
Delta R.T. -0.012 min
Lab File: BF129154.D
Acq: 07 Jul 2022 11:46

Tgt Ion:172 Resp: 3396950
Ion Ratio Lower Upper
172 100
171 37.5 28.8 43.2
170 25.8 19.8 29.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.486 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF129154.D
Acq: 07 Jul 2022 11:46




Instrument :
BNA_F
ClientSampleId :
PB146026BL


Tgt Ion:188 Resp: 1244893
Ion Ratio Lower Upper
188 100
94 10.5 7.0 10.6
80 11.2 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.139 min Scan# 2015
Delta R.T. -0.012 min
Lab File: BF129154.D
Acq: 07 Jul 2022 11:46

Tgt Ion:240 Resp: 913564
Ion Ratio Lower Upper
240 100
120 11.2 8.9 13.3
236 25.9 20.8 31.2









#79
 Terphenyl-d14
 Concen: 86.240 ng
 RT: 13.080 min Scan# 1835
 Delta R.T. -0.006 min
 Lab File: BF129154.D
 Acq: 07 Jul 2022 11:46

Instrument :
 BNA_F
 ClientSampleId :
 PB146026BL

Tgt Ion:244 Resp: 3793937
 Ion Ratio Lower Upper
 244 100
 212 7.9 6.1 9.1
 122 11.7 8.8 13.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.663 min Scan# 2274
 Delta R.T. -0.012 min
 Lab File: BF129154.D
 Acq: 07 Jul 2022 11:46

Tgt Ion:264 Resp: 753782
 Ion Ratio Lower Upper
 264 100
 260 23.6 18.4 27.6
 265 21.3 17.2 25.8

