

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF070722\
 Data File : BF129161.D
 Acq On : 07 Jul 2022 16:19
 Operator : CG\JU
 Sample : N3597-05
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 20220510-COMPOSITE-E

Quant Time: Jul 07 16:59:18 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF062922.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 29 17:05:31 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.951	152	271639	20.000	ng	-0.01
21) Naphthalene-d8	8.234	136	974197	20.000	ng	-0.01
39) Acenaphthene-d10	9.992	164	524135	20.000	ng	-0.01
64) Phenanthrene-d10	11.486	188	1019773	20.000	ng	-0.01
76) Chrysene-d12	14.133	240	853982	20.000	ng	-0.02
86) Perylene-d12	15.657	264	626193	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.575	112	1719914	107.044	ng	-0.01
7) Phenol-d6	6.569	99	2170158	108.752	ng	-0.02
23) Nitrobenzene-d5	7.510	82	1160887	71.077	ng	-0.02
42) 2,4,6-Tribromophenol	10.786	330	669531	117.478	ng	-0.01
45) 2-Fluorobiphenyl	9.310	172	2048737	62.532	ng	-0.01
79) Terphenyl-d14	13.075	244	2389032	58.094	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF070722\
Data File : BF129161.D
Acq On : 07 Jul 2022 16:19
Operator : CG\JU
Sample : N3597-05
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
20220510-COMPOSITE-E

Quant Time: Jul 07 16:59:18 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF062922.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 29 17:05:31 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.951 min Scan# 795
Delta R.T. -0.012 min
Lab File: BF129161.D
Acq: 07 Jul 2022 16:19




Instrument :
BNA_F
ClientSampleId :
20220510-COMPOSITE-E


Tgt Ion:152 Resp: 271639
Ion Ratio Lower Upper
152 100
150 156.6 123.7 185.5
115 57.8 49.9 74.9



#5
2-Fluorophenol
Concen: 107.044 ng
RT: 5.575 min Scan# 559
Delta R.T. -0.012 min
Lab File: BF129161.D
Acq: 07 Jul 2022 16:19

Tgt Ion:112 Resp: 1719914
Ion Ratio Lower Upper
112 100
64 56.6 53.3 79.9
63 28.1 28.0 42.0









#7
Phenol-d6
Concen: 108.752 ng
RT: 6.569 min Scan# 71
Delta R.T. -0.018 min
Lab File: BF129161.D
Acq: 07 Jul 2022 16:19




Instrument :
BNA_F
ClientSampleId :
20220510-COMPOSITE-E


Tgt Ion: 99 Resp: 2170158
Ion Ratio Lower Upper
99 100
42 17.0 17.3 25.9#
71 32.7 28.9 43.3



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.234 min Scan# 1011
Delta R.T. -0.011 min
Lab File: BF129161.D
Acq: 07 Jul 2022 16:19

Tgt Ion: 136 Resp: 974197
Ion Ratio Lower Upper
136 100
137 11.0 8.8 13.2
54 8.0 7.5 11.3
68 6.2 4.7 7.1









#23
Nitrobenzene-d5
Concen: 71.077 ng
RT: 7.510 min Scan# 81
Delta R.T. -0.018 min
Lab File: BF129161.D
Acq: 07 Jul 2022 16:19




Instrument :
BNA_F
ClientSampleId :
20220510-COMPOSITE-E


Tgt Ion: 82 Resp: 1160887
Ion Ratio Lower Upper
82 100
128 45.2 34.0 51.0
54 49.3 46.9 70.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.992 min Scan# 1310
Delta R.T. -0.012 min
Lab File: BF129161.D
Acq: 07 Jul 2022 16:19

Tgt Ion: 164 Resp: 524135
Ion Ratio Lower Upper
164 100
162 101.2 79.5 119.3
160 46.2 34.2 51.4









#42
2,4,6-Tribromophenol
Concen: 117.478 ng
RT: 10.786 min Scan# 1445
Delta R.T. -0.012 min
Lab File: BF129161.D
Acq: 07 Jul 2022 16:19




Instrument :
BNA_F
ClientSampleId :
20220510-COMPOSITE-E


Tgt Ion: 330 Resp: 669531
Ion Ratio Lower Upper
330 100
332 96.6 76.8 115.2
141 28.9 28.0 42.0



#45
2-Fluorobiphenyl
Concen: 62.532 ng
RT: 9.310 min Scan# 1194
Delta R.T. -0.012 min
Lab File: BF129161.D
Acq: 07 Jul 2022 16:19

Tgt Ion: 172 Resp: 2048737
Ion Ratio Lower Upper
172 100
171 36.3 28.8 43.2
170 24.4 19.8 29.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.486 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF129161.D
Acq: 07 Jul 2022 16:19




Instrument :
BNA_F
ClientSampleId :
20220510-COMPOSITE-E


Tgt Ion:188 Resp: 1019773
Ion Ratio Lower Upper
188 100
94 9.9 7.0 10.6
80 10.5 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.133 min Scan# 2014
Delta R.T. -0.018 min
Lab File: BF129161.D
Acq: 07 Jul 2022 16:19

Tgt Ion:240 Resp: 853982
Ion Ratio Lower Upper
240 100
120 13.0 8.9 13.3
236 25.8 20.8 31.2









#79
 Terphenyl-d14
 Concen: 58.094 ng
 RT: 13.075 min Scan# 1834
 Delta R.T. -0.012 min
 Lab File: BF129161.D
 Acq: 07 Jul 2022 16:19

Instrument :
 BNA_F
 ClientSampleId :
 20220510-COMPOSITE-E

Tgt Ion:244 Resp: 2389032
 Ion Ratio Lower Upper
 244 100
 212 7.4 6.1 9.1
 122 12.2 8.8 13.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.657 min Scan# 2273
 Delta R.T. -0.018 min
 Lab File: BF129161.D
 Acq: 07 Jul 2022 16:19

Tgt Ion:264 Resp: 626193
 Ion Ratio Lower Upper
 264 100
 260 24.6 18.4 27.6
 265 21.6 17.2 25.8

