

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081222\
 Data File : BF129759.D
 Acq On : 12 Aug 2022 23:12
 Operator : CG\JU
 Sample : N4152-03 5X
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 EO-03-081022

Quant Time: Aug 13 02:10:30 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF072522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 12 15:52:45 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.834	152	106231	20.000	ng	0.00
21) Naphthalene-d8	8.116	136	371914	20.000	ng	# 0.00
39) Acenaphthene-d10	9.869	164	185526	20.000	ng	0.00
64) Phenanthrene-d10	11.363	188	347045	20.000	ng	0.00
76) Chrysene-d12	14.021	240	261923	20.000	ng	0.01
86) Perylene-d12	15.498	264	207203	20.000	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.481	112	95145	14.590	ng	0.01
7) Phenol-d6	6.492	99	111692	13.626	ng	0.00
23) Nitrobenzene-d5	7.398	82	59770	8.773	ng	0.00
42) 2,4,6-Tribromophenol	10.669	330	25068	14.054	ng	0.00
45) 2-Fluorobiphenyl	9.186	172	115510	9.631	ng	0.00
79) Terphenyl-d14	12.945	244	157128	11.318	ng	0.00
Target Compounds						
						Qvalue
25) Isophorone	7.398	82	59769	4.894	ng	# 66
31) Naphthalene	8.139	128	627186	33.192	ng	99
33) 4-Chloroaniline	8.139	127	81988	10.569	ng	# 36
35) Caprolactam	8.828	113	3547	2.036	ng	# 1
37) 2-Methylnaphthalene	8.828	142	162246	13.213	ng	100
38) 1-Methylnaphthalene	8.928	142	84551	7.133	ng	100
46) 1,1'-Biphenyl	9.292	154	41281	3.049	ng	96
49) Acenaphthylene	9.733	152	33351	2.005	ng	98
51) 2,6-Dinitrotoluene	9.869	165	28555	9.961	ng	# 26
52) Acenaphthene	9.904	154	167923	15.458	ng	99
55) Dibenzofuran	10.075	168	248352	16.585	ng	97
56) 4-Nitrophenol	10.075	139	97835	39.177	ng	# 9
58) Fluorene	10.422	166	310451	25.911	ng	99
71) Phenanthrene	11.392	178	1710376	90.285	ng	99
72) Anthracene	11.439	178	522833	28.084	ng	99
73) Carbazole	11.598	167	204175	11.651	ng	99
75) Fluoranthene	12.592	202	1592386	82.959	ng	99
78) Pyrene	12.821	202	1273102	58.125	ng	99
81) Benzo(a)anthracene	14.010	228	621290	34.725	ng	98
83) Chrysene	14.045	228	419013	24.849	ng	96
87) Indeno(1,2,3-cd)pyrene	16.986	276	177979	12.755	ng	94
88) Benzo(b)fluoranthene	15.068	252	621809	45.241	ng	# 95
89) Benzo(k)fluoranthene	15.068	252	621809	46.166	ng	# 95
90) Benzo(a)pyrene	15.433	252	333137	29.858	ng	# 95
91) Dibenzo(a,h)anthracene	16.986	278	49157	4.328	ng	# 71
92) Benzo(g,h,i)perylene	17.439	276	157816	13.599	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081222\
Data File : BF129759.D
Acq On : 12 Aug 2022 23:12
Operator : CG\JU
Sample : N4152-03 5X
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
EO-03-081022

Quant Time: Aug 13 02:10:30 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF072522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 12 15:52:45 2022
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.834 min Scan# 71
 Delta R.T. 0.006 min
 Lab File: BF129759.D
 Acq: 12 Aug 2022 23:12




Instrument :
 BNA_F
 ClientSampleId :
 EO-03-081022


Tgt Ion:152 Resp: 106231
 Ion Ratio Lower Upper
 152 100
 150 156.9 123.7 185.5
 115 62.6 49.9 74.9



#5
 2-Fluorophenol
 Concen: 14.590 ng
 RT: 5.481 min Scan# 543
 Delta R.T. 0.012 min
 Lab File: BF129759.D
 Acq: 12 Aug 2022 23:12

Tgt Ion:112 Resp: 95145
 Ion Ratio Lower Upper
 112 100
 64 54.4 53.3 79.9
 63 29.8 28.0 42.0





#7
Phenol-d6
Concen: 13.626 ng
RT: 6.492 min Scan# 719
Delta R.T. -0.000 min
Lab File: BF129759.D
Acq: 12 Aug 2022 23:12





Instrument :

BNA_F

ClientSampleId :




EO-03-081022


Tgt Ion: 99 Resp: 111692
Ion Ratio Lower Upper
99 100
42 17.2 17.3 25.9#
71 34.8 28.9 43.3



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.116 min Scan# 991
Delta R.T. -0.000 min
Lab File: BF129759.D
Acq: 12 Aug 2022 23:12

Tgt Ion: 136 Resp: 371914
Ion Ratio Lower Upper
136 100
137 10.7 8.8 13.2
54 7.4 7.5 11.3#
68 5.4 4.7 7.1









#23
 Nitrobenzene-d5
 Concen: 8.773 ng
 RT: 7.398 min Scan# 869
 Delta R.T. -0.006 min
 Lab File: BF129759.D
 Acq: 12 Aug 2022 23:12




Instrument :
 BNA_F
 ClientSampleId :
 EO-03-081022


Tgt Ion: 82 Resp: 59770
 Ion Ratio Lower Upper
 82 100
 128 44.6 34.0 51.0
 54 43.9 46.9 70.3#



#25
 Isophorone
 Concen: 4.894 ng
 RT: 7.398 min Scan# 869
 Delta R.T. -0.259 min
 Lab File: BF129759.D
 Acq: 12 Aug 2022 23:12

Tgt Ion: 82 Resp: 59769
 Ion Ratio Lower Upper
 82 100
 95 0.4 5.7 8.5#
 138 0.0 14.2 21.2#









#31
Naphthalene
Concen: 33.192 ng
RT: 8.139 min Scan# 995
Delta R.T. -0.000 min
Lab File: BF129759.D
Acq: 12 Aug 2022 23:12




Instrument :
BNA_F
ClientSampleId :
EO-03-081022


Tgt Ion:128 Resp: 627186
Ion Ratio Lower Upper
128 100
129 10.7 9.2 13.8
127 13.4 10.5 15.7



#33
4-Chloroaniline
Concen: 10.569 ng
RT: 8.139 min Scan# 995
Delta R.T. -0.053 min
Lab File: BF129759.D
Acq: 12 Aug 2022 23:12

Tgt Ion:127 Resp: 81988
Ion Ratio Lower Upper
127 100
129 79.8 26.4 39.6#
65 0.0 26.4 39.6#
92 0.0 16.0 24.0#









#35
 Caprolactam
 Concen: 2.036 ng
 RT: 8.828 min Scan# 1112
 Delta R.T. 0.253 min
 Lab File: BF129759.D
 Acq: 12 Aug 2022 23:12




Instrument :
 BNA_F
 ClientSampleId :
 EO-03-081022


Tgt Ion:113 Resp: 3547
 Ion Ratio Lower Upper
 113 100
 55 26.5 188.5 228.5#
 56 18.7 130.6 170.6#



#37
 2-Methylnaphthalene
 Concen: 13.213 ng
 RT: 8.828 min Scan# 1112
 Delta R.T. -0.000 min
 Lab File: BF129759.D
 Acq: 12 Aug 2022 23:12

Tgt Ion:142 Resp: 162246
 Ion Ratio Lower Upper
 142 100
 141 88.7 71.0 106.4









#38
1-Methylnaphthalene
Concen: 7.133 ng
RT: 8.928 min Scan# 1138
Delta R.T. -0.000 min
Lab File: BF129759.D
Acq: 12 Aug 2022 23:12




Instrument :
BNA_F
ClientSampleId :
EO-03-081022


Tgt Ion:142 Resp: 84551
Ion Ratio Lower Upper
142 100
141 93.0 74.2 111.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.869 min Scan# 1289
Delta R.T. -0.000 min
Lab File: BF129759.D
Acq: 12 Aug 2022 23:12

Tgt Ion:164 Resp: 185526
Ion Ratio Lower Upper
164 100
162 99.2 79.5 119.3
160 44.8 34.2 51.4





#42

2,4,6-Tribromophenol

Concen: 14.054 ng

RT: 10.669 min Scan# 1434

Delta R.T. -0.000 min

Lab File: BF129759.D

Acq: 12 Aug 2022 23:12

Instrument :

BNA_F

ClientSampleId :

EO-03-081022





Tgt Ion:330 Resp: 25068

Ion Ratio Lower Upper

330 100

332 101.2 76.8 115.2

141 39.8 28.0 42.0



#45

2-Fluorobiphenyl

Concen: 9.631 ng

RT: 9.186 min Scan# 1173

Delta R.T. -0.006 min

Lab File: BF129759.D

Acq: 12 Aug 2022 23:12




Tgt Ion:172 Resp: 115510


Ion Ratio Lower Upper

172 100

171 34.1 28.8 43.2

170 23.0 19.8 29.8









#46
1,1'-Biphenyl
Concen: 3.049 ng
RT: 9.292 min Scan# 1191
Delta R.T. -0.000 min
Lab File: BF129759.D
Acq: 12 Aug 2022 23:12




Instrument :
BNA_F
ClientSampleId :
EO-03-081022


Tgt Ion:154 Resp: 41281
Ion Ratio Lower Upper
154 100
153 38.4 20.6 60.6
76 11.9 0.0 33.3



#49
Acenaphthylene
Concen: 2.005 ng
RT: 9.733 min Scan# 1266
Delta R.T. -0.000 min
Lab File: BF129759.D
Acq: 12 Aug 2022 23:12

Tgt Ion:152 Resp: 33351
Ion Ratio Lower Upper
152 100
151 20.5 16.2 24.4
153 15.7 10.7 16.1









#51
2,6-Dinitrotoluene
Concen: 9.961 ng
RT: 9.869 min Scan# 1289
Delta R.T. 0.206 min
Lab File: BF129759.D
Acq: 12 Aug 2022 23:12




Instrument :
BNA_F
ClientSampleId :
EO-03-081022


Tgt Ion:165 Resp: 28555
Ion Ratio Lower Upper
165 100
63 2.4 44.9 67.3#
89 1.7 43.6 65.4#



#52
Acenaphthene
Concen: 15.458 ng
RT: 9.904 min Scan# 1295
Delta R.T. -0.000 min
Lab File: BF129759.D
Acq: 12 Aug 2022 23:12

Tgt Ion:154 Resp: 167923
Ion Ratio Lower Upper
154 100
153 112.6 89.6 134.4
152 53.9 42.4 63.6









#55
Dibenzenofuran
Concen: 16.585 ng
RT: 10.075 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF129759.D
Acq: 12 Aug 2022 23:12




Instrument :
BNA_F
ClientSampleId :
EO-03-081022


Tgt Ion:168 Resp: 248352
Ion Ratio Lower Upper
168 100
139 40.4 30.6 46.0
169 14.5 11.0 16.6



#56
4-Nitrophenol
Concen: 39.177 ng
RT: 10.075 min Scan# 1324
Delta R.T. 0.047 min
Lab File: BF129759.D
Acq: 12 Aug 2022 23:12

Tgt Ion:139 Resp: 97835
Ion Ratio Lower Upper
139 100
109 1.4 50.7 90.7#
65 1.8 74.5 114.5#









#58
 Fluorene
 Concen: 25.911 ng
 RT: 10.422 min Scan# 11
 Delta R.T. -0.000 min
 Lab File: BF129759.D
 Acq: 12 Aug 2022 23:12




Instrument :
 BNA_F
 ClientSampleId :
 EO-03-081022


Tgt Ion:166 Resp: 310451
 Ion Ratio Lower Upper
 166 100
 165 96.4 78.1 117.1
 167 13.9 10.5 15.7



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.363 min Scan# 1543
 Delta R.T. -0.000 min
 Lab File: BF129759.D
 Acq: 12 Aug 2022 23:12

Tgt Ion:188 Resp: 347045
 Ion Ratio Lower Upper
 188 100
 94 10.3 7.0 10.6
 80 11.0 7.6 11.4









#71
Phenanthrene
Concen: 90.285 ng
RT: 11.392 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF129759.D
Acq: 12 Aug 2022 23:12




Instrument :
BNA_F
ClientSampleId :
EO-03-081022


Tgt Ion:178 Resp: 1710376
Ion Ratio Lower Upper
178 100
176 19.9 16.0 24.0
179 16.2 12.6 19.0



#72
Anthracene
Concen: 28.084 ng
RT: 11.439 min Scan# 1556
Delta R.T. -0.000 min
Lab File: BF129759.D
Acq: 12 Aug 2022 23:12

Tgt Ion:178 Resp: 522833
Ion Ratio Lower Upper
178 100
176 18.5 15.4 23.2
179 15.6 12.6 19.0









#73
 Carbazole
 Concen: 11.651 ng
 RT: 11.598 min Scan# 11
 Delta R.T. -0.000 min
 Lab File: BF129759.D
 Acq: 12 Aug 2022 23:12




Instrument :
 BNA_F
 ClientSampleId :
 EO-03-081022


Tgt Ion:167 Resp: 204175
 Ion Ratio Lower Upper
 167 100
 166 22.7 17.7 26.5
 139 13.4 11.2 16.8



#75
 Fluoranthene
 Concen: 82.959 ng
 RT: 12.592 min Scan# 1752
 Delta R.T. 0.012 min
 Lab File: BF129759.D
 Acq: 12 Aug 2022 23:12

Tgt Ion:202 Resp: 1592386
 Ion Ratio Lower Upper
 202 100
 101 10.7 0.0 31.4
 203 17.5 0.0 38.0





#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.021 min Scan# 1995

Delta R.T. 0.012 min

Lab File: BF129759.D

Acq: 12 Aug 2022 23:12

Instrument :

BNA_F

ClientSampleId :

EO-03-081022





Tgt Ion:240 Resp: 261923

Ion Ratio Lower Upper

240 100

120 11.5 8.9 13.3

236 24.9 20.8 31.2



#78

Pyrene

Concen: 58.125 ng

RT: 12.821 min Scan# 1791

Delta R.T. 0.012 min

Lab File: BF129759.D

Acq: 12 Aug 2022 23:12




Tgt Ion:202 Resp: 1273102


Ion Ratio Lower Upper

202 100

200 21.4 17.7 26.5

203 18.1 14.6 21.8









#79
 Terphenyl-d14
 Concen: 11.318 ng
 RT: 12.945 min Scan# 11
 Delta R.T. -0.000 min
 Lab File: BF129759.D
 Acq: 12 Aug 2022 23:12




Instrument :
 BNA_F
 ClientSampleId :
 EO-03-081022


Tgt Ion:244 Resp: 157128
 Ion Ratio Lower Upper
 244 100
 212 7.1 6.1 9.1
 122 11.9 8.8 13.2



#81
 Benzo(a)anthracene
 Concen: 34.725 ng
 RT: 14.010 min Scan# 1993
 Delta R.T. 0.012 min
 Lab File: BF129759.D
 Acq: 12 Aug 2022 23:12

Tgt Ion:228 Resp: 621290
 Ion Ratio Lower Upper
 228 100
 226 28.1 22.1 33.1
 229 20.9 15.8 23.8





#83

Chrysene

Concen: 24.849 ng

RT: 14.045 min Scan# 14

Delta R.T. 0.006 min

Lab File: BF129759.D

Acq: 12 Aug 2022 23:12

Instrument :

BNA_F

ClientSampleId :

EO-03-081022





Tgt Ion:228 Resp: 419013

Ion Ratio Lower Upper

228 100

226 29.4 24.3 36.5

229 23.0 15.9 23.9



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.498 min Scan# 2246

Delta R.T. 0.018 min

Lab File: BF129759.D

Acq: 12 Aug 2022 23:12




Tgt Ion:264 Resp: 207203


Ion Ratio Lower Upper

264 100

260 24.0 18.4 27.6

265 22.6 17.2 25.8





#87

Indeno(1,2,3-cd)pyrene

Concen: 12.755 ng

RT: 16.986 min Scan# 2499

Delta R.T. 0.012 min

Lab File: BF129759.D

Acq: 12 Aug 2022 23:12

Instrument :

BNA_F

ClientSampleId :

EO-03-081022





Tgt Ion:276 Resp: 177979

Ion Ratio Lower Upper

276 100

138 21.4 21.1 31.7

277 24.3 20.3 30.5



#88

Benzo(b)fluoranthene

Concen: 45.241 ng

RT: 15.068 min Scan# 2173

Delta R.T. 0.018 min

Lab File: BF129759.D

Acq: 12 Aug 2022 23:12




Tgt Ion:252 Resp: 621809


Ion Ratio Lower Upper

252 100

253 24.1 17.7 26.5

125 13.0 8.0 12.0#





#89

Benzo(k)fluoranthene

Concen: 46.166 ng

RT: 15.068 min Scan# 21

Delta R.T. -0.012 min

Lab File: BF129759.D

Acq: 12 Aug 2022 23:12

Instrument :

BNA_F

ClientSampleId :

EO-03-081022





Tgt Ion:252 Resp: 621809

Ion Ratio Lower Upper

252 100

253 24.1 17.8 26.6

125 13.0 8.3 12.5#



#90

Benzo(a)pyrene

Concen: 29.858 ng

RT: 15.433 min Scan# 2235

Delta R.T. 0.012 min

Lab File: BF129759.D

Acq: 12 Aug 2022 23:12




Tgt Ion:252 Resp: 333137


Ion Ratio Lower Upper

252 100

253 23.5 17.0 25.6

125 13.5 8.8 13.2#









#91
Dibenzo(a,h)anthracene
Concen: 4.328 ng
RT: 16.986 min Scan# 24
Delta R.T. 0.006 min
Lab File: BF129759.D
Acq: 12 Aug 2022 23:12

Instrument :
BNA_F
ClientSampleId :
EO-03-081022

Tgt Ion:278 Resp: 49157
Ion Ratio Lower Upper
278 100
139 0.0 12.8 19.2#
279 34.3 18.6 28.0#



#92
Benzo(g,h,i)perylene
Concen: 13.599 ng
RT: 17.439 min Scan# 2576
Delta R.T. 0.018 min
Lab File: BF129759.D
Acq: 12 Aug 2022 23:12

Tgt Ion:276 Resp: 157816
Ion Ratio Lower Upper
276 100
277 24.4 19.1 28.7
138 22.2 18.0 27.0

