

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF082918\
 Data File : BF108612.D
 Acq On : 29 Aug 2018 18:43
 Operator : JU/SJ
 Sample : J4683-05
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 082718-SIDI-F-D-B

Quant Time: Aug 30 01:27:30 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF080818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 22 11:01:45 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.00	152	108742	20.00	ng	0.00
21) Naphthalene-d8	8.28	136	410774	20.00	ng	0.00
38) Acenaphthene-d10	10.04	164	186051	20.00	ng	-0.01
63) Phenanthrene-d10	11.54	188	300145	20.00	ng	0.00
75) Chrysene-d12	14.19	240	240006	20.00	ng	0.00
86) Perylene-d12	15.75	264	242710	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	255082	42.47	ng	0.00
7) Phenol-d6	6.62	99	234709	29.41	ng	0.00
23) Nitrobenzene-d5	7.57	82	803553	109.16	ng	0.00
41) 2,4,6-Tribromophenol	10.84	330	176308	95.00	ng	-0.01
44) 2-Fluorobiphenyl	9.35	172	1438897	124.17	ng	-0.01
78) Terphenyl-d14	13.12	244	989975	104.88	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.75	163	103332	7.973	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF082918\
Data File : BF108612.D
Acq On : 29 Aug 2018 18:43
Operator : JU/SJ
Sample : J4683-05
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
082718-SIDI-F-D-B

Quant Time: Aug 30 01:27:30 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF080818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 22 11:01:45 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.00 min Scan# 793
Delta R.T. -0.01 min
Lab File: BF108612.D
Acq: 29 Aug 2018 18:43

Instrument :
BNA_F
ClientSampleId :
082718-SIDI-F-D-B

Tot Ion	Ratio	Lower	Upper
152	100		
150	160.2	124.6	186.8
115	60.1	50.1	75.1






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 42.469 ng
RT: 5.63 min Scan# 560
Delta R.T. -0.00 min
Lab File: BF108612.D
Acq: 29 Aug 2018 18:43

Tgt Ion	Ratio	Lower	Upper
112	100		
64	65.8	47.9	71.9
63	35.3	23.7	35.5






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 29.406 ng

RT: 6.62 min Scan# 729

Delta R.T. -0.01 min

Lab File: BF108612.D

Acq: 29 Aug 2018 18:43

Instrument :

BNA_F

ClientSampleId :

082718-SIDI-F-D-B


Tot Ion: 99 Resp: 234709

Ion Ratio Lower Upper




99 100

42 21.3 14.5 21.7

71 34.5 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.28 min Scan# 1011

Delta R.T. -0.01 min

Lab File: BF108612.D

Acq: 29 Aug 2018 18:43

Tgt Ion: 136 Resp: 410774


Ion Ratio Lower Upper

136 100



137 10.9 8.9 13.3


54 9.3 6.6 9.8

68 5.8 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 109.158 ng
RT: 7.57 min Scan# 889
Delta R.T. -0.01 min
Lab File: BF108612.D
Acq: 29 Aug 2018 18:43

Instrument :
BNA_F
ClientSampleId :
082718-SIDI-F-D-B

Tot Ion: 82 Resp: 803553
Ion Ratio Lower Upper
82 100
128 41.5 36.1 54.1
54 56.4 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): BF1
Ion 54.00 (53.70 to 54.70): BF1






#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.04 min Scan# 1310
Delta R.T. -0.01 min
Lab File: BF108612.D
Acq: 29 Aug 2018 18:43

Tgt Ion:164 Resp: 186051
Ion Ratio Lower Upper
164 100
162 103.2 86.1 129.1
160 46.2 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 95.003 ng
 RT: 10.84 min Scan# 1445
 Delta R.T. -0.01 min
 Lab File: BF108612.D
 Acq: 29 Aug 2018 18:43

Instrument :
 BNA_F
 ClientSampleId :
 082718-SIDI-F-D-B

Tot Ion:330 Resp: 176308
 Ion Ratio Lower Upper
 330 100
 332 96.1 77.0 115.6
 141 33.1 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 124.165 ng
 RT: 9.35 min Scan# 1193
 Delta R.T. -0.01 min
 Lab File: BF108612.D
 Acq: 29 Aug 2018 18:43

Tgt Ion:172 Resp: 1438897
 Ion Ratio Lower Upper
 172 100
 171 36.4 29.7 44.5
 170 24.7 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 7.973 ng
RT: 9.75 min Scan# 1260
Delta R.T. -0.02 min
Lab File: BF108612.D
Acq: 29 Aug 2018 18:43

Instrument :
BNA_F
ClientSampleId :
082718-SIDI-F-D-B

Tot Ion:163 Resp: 103332
Ion Ratio Lower Upper
163 100
194 3.9 2.7 4.1
164 10.3 8.2 12.2




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.54 min Scan# 1565
Delta R.T. -0.01 min
Lab File: BF108612.D
Acq: 29 Aug 2018 18:43

Tgt Ion:188 Resp: 300145
Ion Ratio Lower Upper
188 100
94 8.0 8.5 12.7#
80 8.6 9.2 13.8#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.19 min Scan# 2016

Delta R.T. -0.01 min

Lab File: BF108612.D

Acq: 29 Aug 2018 18:43

Instrument :

BNA_F

ClientSampleId :

082718-SIDI-F-D-B


Tot Ion:240 Resp: 240006

Ion Ratio Lower Upper

240 100

120 9.1 9.5 14.3#




236 26.4 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 104.876 ng

RT: 13.12 min Scan# 1834

Delta R.T. -0.01 min

Lab File: BF108612.D

Acq: 29 Aug 2018 18:43


Tgt Ion:244 Resp: 989975

Ion Ratio Lower Upper

244 100

212 7.1 5.4 8.0



122 9.5 11.0 16.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.75 min Scan# 2280
Delta R.T. -0.01 min
Lab File: BF108612.D
Acq: 29 Aug 2018 18:43

Instrument :
BNA_F
ClientSampleId :
082718-SIDI-F-D-B

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.4	19.2	28.8
265	21.6	17.5	26.3

