

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF091319\
 Data File : BF117029.D
 Acq On : 13 Sep 2019 18:25
 Operator : HP/JU
 Sample : K4851-07
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-4C-(9-10)

Quant Time: Sep 14 00:17:10 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF091319.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 13 16:23:17 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.82	152	67941	20.00	ng	0.00
21) Naphthalene-d8	8.10	136	272576	20.00	ng	0.00
39) Acenaphthene-d10	9.85	164	141317	20.00	ng	0.00
64) Phenanthrene-d10	11.33	188	244063	20.00	ng	0.00
76) Chrysene-d12	13.97	240	186556	20.00	ng	0.00
87) Perylene-d12	15.42	264	168822	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.45	112	566389	130.15	ng	0.00
7) Phenol-d6	6.46	99	779084	138.53	ng	0.00
23) Nitrobenzene-d5	7.38	82	477208	91.99	ng	0.00
42) 2,4,6-Tribromophenol	10.64	330	169231	143.28	ng	0.00
45) 2-Fluorobiphenyl	9.17	172	854294	94.52	ng	0.00
79) Terphenyl-d14	12.92	244	858216	85.99	ng	0.00
Target Compounds						
9) Benzaldehyde	6.46	77	1455	Below Cal		Qvalue
10) Phenol	6.47	94	33999	5.484	ng	# 1
19) n-Nitroso-di-n-propylamine	7.38	70	64110	18.721	ng	# 79
25) Isophorone	7.38	82	473399	51.539	ng	# 66
50) Dimethylphthalate	9.57	163	70962	7.092	ng	# 99
57) 2,4-Dinitrotoluene	9.85	165	17691	6.688	ng	# 19
65) 4,6-Dinitro-2-methylphenol	10.63	198	368	7.186	ng	# 1
67) 4-Bromophenyl-phenylether	10.64	248	10911	4.378	ng	# 1
77) Benzidine	12.92	184	12446	2.071	ng	# 94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF091319\
Data File : BF117029.D
Acq On : 13 Sep 2019 18:25
Operator : HP/JU
Sample : K4851-07
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-4C-(9-10)

Quant Time: Sep 14 00:17:10 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF091319.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 13 16:23:17 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.82 min Scan# 805
Delta R.T. 0.00 min
Lab File: BF117029.D
Acq: 13 Sep 2019 18:25

Instrument :
BNA_F
ClientSampleId :
SB-4C-(9-10)

Tot Ion:152 Resp: 67941
Ion Ratio Lower Upper
152 100
150 153.5 127.5 191.3
115 62.8 55.0 82.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 130.153 ng
RT: 5.45 min Scan# 571
Delta R.T. 0.01 min
Lab File: BF117029.D
Acq: 13 Sep 2019 18:25

Tgt Ion:112 Resp: 566389
Ion Ratio Lower Upper
112 100
64 56.8 45.7 68.5
63 30.0 24.9 37.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 138.529 ng

RT: 6.46 min Scan# 743

Delta R.T. 0.00 min

Lab File: BF117029.D

Acq: 13 Sep 2019 18:25

Instrument :

BNA_F

ClientSampleId :

SB-4C-(9-10)


Tot Ion: 99 Resp: 779084

Ion Ratio Lower Upper




99 100

42 15.9 12.2 18.2

71 37.3 29.8 44.8



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#9

Benzaldehyde

Concen: Below Cal

RT: 6.46 min Scan# 744

Delta R.T. 0.09 min

Lab File: BF117029.D

Acq: 13 Sep 2019 18:25


Tgt Ion: 77 Resp: 1455

Ion Ratio Lower Upper



77 100


105 0.0 81.8 121.8#

106 0.0 77.3 117.3#



Abundance Ion 77.00 (76.70 to 77.70): BF1
Ion 105.00 (104.70 to 105.70): E
Ion 106.00 (105.70 to 106.70): E





#10

Phenol

Concen: 5.484 ng

RT: 6.47 min Scan# 745

Delta R.T. -0.01 min

Lab File: BF117029.D

Acq: 13 Sep 2019 18:25

Instrument :

BNA_F

ClientSampleId :

SB-4C-(9-10)


Tot Ion: 94 Resp: 33999

Ion Ratio Lower Upper




94 100

65 25.1 12.5 52.5

66 41.8 28.9 68.9



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 18.721 ng

RT: 7.38 min Scan# 900

Delta R.T. 0.14 min

Lab File: BF117029.D

Acq: 13 Sep 2019 18:25

Tgt Ion: 70 Resp: 64110


Ion Ratio Lower Upper

70 100



42 37.6 34.0 51.0


101 0.0 7.8 11.6#

130 1.6 17.8 26.8#



Abundance Ion 70.00 (69.70 to 70.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 101.00 (100.70 to 101.70): BF1
Ion 130.00 (129.70 to 130.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.10 min Scan# 1023
Delta R.T. 0.00 min
Lab File: BF117029.D
Acq: 13 Sep 2019 18:25




Instrument :
BNA_F
ClientSampleId :
SB-4C-(9-10)


Tot Ion:136	Resp:	272576
Ion Ratio	Lower	Upper
136 100		
137 10.6	9.0	13.4
54 5.2	4.5	6.7
68 4.0	4.0	6.0



#23
Nitrobenzene-d5
Concen: 91.988 ng
RT: 7.38 min Scan# 900
Delta R.T. -0.01 min
Lab File: BF117029.D
Acq: 13 Sep 2019 18:25

Tgt Ion: 82	Resp: 477208
Ion Ratio	Lower Upper
82 100	
128 39.8	32.3 48.5
54 41.2	33.3 49.9









#25
Isophorone
Concen: 51.539 ng
RT: 7.38 min Scan# 900
Delta R.T. -0.26 min
Lab File: BF117029.D
Acq: 13 Sep 2019 18:25




Instrument :
BNA_F
ClientSampleId :
SB-4C-(9-10)


Tot Ion: 82 Resp: 473399
Ion Ratio Lower Upper
82 100
95 0.0 5.8 8.6#
138 0.0 13.5 20.3#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.85 min Scan# 1320
Delta R.T. -0.01 min
Lab File: BF117029.D
Acq: 13 Sep 2019 18:25

Tgt Ion: 164 Resp: 141317
Ion Ratio Lower Upper
164 100
162 101.3 83.4 125.2
160 44.3 36.4 54.6





#42

2,4,6-Tribromophenol

Concen: 143.284 ng

RT: 10.64 min Scan# 1454

Delta R.T. -0.01 min

Lab File: BF117029.D

Acq: 13 Sep 2019 18:25

Instrument :

BNA_F

ClientSampleId :

SB-4C-(9-10)


Tot Ion:330 Resp: 169231

Ion Ratio Lower Upper

330 100

332 95.1 78.0 117.0




141 45.0 35.8 53.6



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 94.522 ng

RT: 9.17 min Scan# 1205

Delta R.T. 0.00 min

Lab File: BF117029.D

Acq: 13 Sep 2019 18:25


Tgt Ion:172 Resp: 854294

Ion Ratio Lower Upper

172 100

171 35.0 28.2 42.2



170 23.5 18.9 28.3




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#50
Dimethylphthalate
Concen: 7.092 ng
RT: 9.57 min Scan# 1272
Delta R.T. -0.01 min
Lab File: BF117029.D
Acq: 13 Sep 2019 18:25




Instrument :
BNA_F
ClientSampleId :
SB-4C-(9-10)


Tot Ion:	163	Resp:	70962
Ion	Ratio	Lower	Upper
163	100		
194	3.9	2.9	4.3
164	10.0	8.2	12.4



#57
2,4-Dinitrotoluene
Concen: 6.688 ng
RT: 9.85 min Scan# 1320
Delta R.T. -0.19 min
Lab File: BF117029.D
Acq: 13 Sep 2019 18:25

Tgt Ion:	165	Resp:	17691
Ion	Ratio	Lower	Upper
165	100		
63	0.0	35.0	52.4#
89	1.9	66.1	99.1#
182	0.0	2.0	3.0#









#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.33 min Scan# 1572
 Delta R.T. 0.00 min
 Lab File: BF117029.D
 Acq: 13 Sep 2019 18:25




Instrument :
 BNA_F
 ClientSampleId :
 SB-4C-(9-10)


Tot Ion	Ratio	Lower	Upper
188	100		
94	8.9	8.2	12.2
80	10.1	9.0	13.6



#65
 4,6-Dinitro-2-methylphenol
 Concen: 7.186 ng
 RT: 10.63 min Scan# 1453
 Delta R.T. 0.18 min
 Lab File: BF117029.D
 Acq: 13 Sep 2019 18:25

Tgt Ion	Ratio	Lower	Upper
198	100		
51	134.5	18.7	58.7#
105	172.5	30.2	70.2#









#67
4-Bromophenyl-phenylether
Concen: 4.378 ng
RT: 10.64 min Scan# 1454
Delta R.T. -0.24 min
Lab File: BF117029.D
Acq: 13 Sep 2019 18:25

Instrument :
BNA_F
ClientSampleId :
SB-4C-(9-10)

Tot Ion:248 Resp: 10911
Ion Ratio Lower Upper
248 100
250 206.8 76.2 114.4#
141 692.0 75.0 112.4#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.97 min Scan# 2020
Delta R.T. -0.01 min
Lab File: BF117029.D
Acq: 13 Sep 2019 18:25

Tgt Ion:240 Resp: 186556
Ion Ratio Lower Upper
240 100
120 10.6 8.3 12.5
236 26.1 20.3 30.5



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#77

Benzidine

Concen: 2.071 ng

RT: 12.92 min Scan# 1841

Delta R.T. 0.25 min

Lab File: BF117029.D

Acq: 13 Sep 2019 18:25

Instrument :

BNA_F

ClientSampleId :

SB-4C-(9-10)


Tot Ion:184 Resp: 12446

Ion Ratio Lower Upper

184 100

185 16.7 11.6 17.4




183 8.5 9.0 13.4#



Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E



#79

Terphenyl-d14

Concen: 85.990 ng

RT: 12.92 min Scan# 1841

Delta R.T. 0.00 min

Lab File: BF117029.D

Acq: 13 Sep 2019 18:25


Tgt Ion:244 Resp: 858216

Ion Ratio Lower Upper

244 100

212 7.2 5.8 8.8



122 14.0 11.3 16.9




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Pervlene-d12
Concen: 20.000 ng
RT: 15.42 min Scan# 2267
Delta R.T. 0.00 min
Lab File: BF117029.D
Acq: 13 Sep 2019 18:25

Instrument :
BNA_F
ClientSampleId :
SB-4C-(9-10)

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.2	17.6	26.4
265	21.1	16.6	24.8

