

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF091319\
 Data File : BF117047.D
 Acq On : 14 Sep 2019 2:26
 Operator : HP/JU
 Sample : K4862-06 10X
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CSA-4-4

Quant Time: Sep 14 06:19:39 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF091319.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 13 16:23:17 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.82	152	54425	20.00	ng	0.00
21) Naphthalene-d8	8.10	136	246979	20.00	ng	0.00
39) Acenaphthene-d10	9.85	164	118712	20.00	ng	0.00
64) Phenanthrene-d10	11.33	188	168048	20.00	ng	0.00
76) Chrysene-d12	13.96	240	124486	20.00	ng	-0.01
87) Perylene-d12	15.41	264	96648	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.45	112	2873	0.82	ng	0.00
7) Phenol-d6	6.46	99	3873	0.86	ng	0.00
23) Nitrobenzene-d5	7.40	82	2092	0.45	ng	0.01
42) 2,4,6-Tribromophenol	10.65	330	591	0.60	ng	0.00
45) 2-Fluorobiphenyl	9.18	172	7628	1.00	ng	0.00
79) Terphenyl-d14	12.91	244	7427	1.12	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF091319\
Data File : BF117047.D
Acq On : 14 Sep 2019 2:26
Operator : HP/JU
Sample : K4862-06 10X
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CSA-4-4

Quant Time: Sep 14 06:19:39 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF091319.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 13 16:23:17 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.82 min Scan# 805
Delta R.T. 0.00 min
Lab File: BF117047.D
Acq: 14 Sep 2019 2:26

Instrument :
BNA_F
ClientSampleId :
CSA-4-4

Tot Ion:152 Resp: 54425
Ion Ratio Lower Upper
152 100
150 162.2 127.5 191.3
115 67.0 55.0 82.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 0.824 ng
RT: 5.45 min Scan# 571
Delta R.T. 0.01 min
Lab File: BF117047.D
Acq: 14 Sep 2019 2:26

Tgt Ion:112 Resp: 2873
Ion Ratio Lower Upper
112 100
64 54.1 45.7 68.5
63 27.1 24.9 37.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 0.860 ng

RT: 6.46 min Scan# 744

Delta R.T. 0.01 min

Lab File: BF117047.D

Acq: 14 Sep 2019 2:26

Instrument :

BNA_F

ClientSampleId :

CSA-4-4


Tot Ion: 99 Resp: 3873

Ion Ratio Lower Upper




99 100

42 0.0 12.2 18.2#

71 28.7 29.8 44.8#



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.10 min Scan# 1023

Delta R.T. 0.00 min

Lab File: BF117047.D

Acq: 14 Sep 2019 2:26

Tgt Ion: 136 Resp: 246979


Ion Ratio Lower Upper

136 100



137 10.8 9.0 13.4


54 5.1 4.5 6.7

68 4.3 4.0 6.0



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 0.445 ng
 RT: 7.40 min Scan# 903
 Delta R.T. 0.01 min
 Lab File: BF117047.D
 Acq: 14 Sep 2019 2:26




Instrument :
 BNA_F
 ClientSampled :
 CSA-4-4


Tot Ion	82	Resp	2092
Ion Ratio	Lower	Upper	
82	100		
128	33.7	32.3	48.5
54	32.8	33.3	49.9#



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.85 min Scan# 1320
 Delta R.T. -0.01 min
 Lab File: BF117047.D
 Acq: 14 Sep 2019 2:26

Tgt Ion	164	Resp	118712
Ion Ratio	Lower	Upper	
164	100		
162	99.0	83.4	125.2
160	44.9	36.4	54.6









#42
 2,4,6-Tribromophenol
 Concen: 0.596 ng
 RT: 10.65 min Scan# 1455
 Delta R.T. 0.00 min
 Lab File: BF117047.D
 Acq: 14 Sep 2019 2:26




Instrument :
 BNA_F
 ClientSampleId :
 CSA-4-4


Tot Ion:330 Resp: 591
 Ion Ratio Lower Upper
 330 100
 332 104.4 78.0 117.0
 141 39.9 35.8 53.6



#45
 2-Fluorobiphenyl
 Concen: 1.005 ng
 RT: 9.18 min Scan# 1206
 Delta R.T. 0.01 min
 Lab File: BF117047.D
 Acq: 14 Sep 2019 2:26

Tgt Ion:172 Resp: 7628
 Ion Ratio Lower Upper
 172 100
 171 30.5 28.2 42.2
 170 23.6 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.33 min Scan# 1572
Delta R.T. 0.00 min
Lab File: BF117047.D
Acq: 14 Sep 2019 2:26

Instrument :
BNA_F
ClientSampleId :
CSA-4-4

Tot Ion	Ratio	Lower	Upper
188	100		
94	8.4	8.2	12.2
80	10.4	9.0	13.6




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.96 min Scan# 2019
Delta R.T. -0.01 min
Lab File: BF117047.D
Acq: 14 Sep 2019 2:26

Tgt Ion	Ratio	Lower	Upper
240	100		
120	11.3	8.3	12.5
236	24.9	20.3	30.5



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#79
 Terphenyl-d14
 Concen: 1.115 ng
 RT: 12.91 min Scan# 1840
 Delta R.T. -0.01 min
 Lab File: BF117047.D
 Acq: 14 Sep 2019 2:26

Instrument :
 BNA_F
 ClientSampleId :
 CSA-4-4

Tot Ion	Ratio	Lower	Upper
244	100		
212	7.3	5.8	8.8
122	12.3	11.3	16.9



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.41 min Scan# 2265
 Delta R.T. -0.01 min
 Lab File: BF117047.D
 Acq: 14 Sep 2019 2:26

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.6	17.6	26.4
265	22.0	16.6	24.8

