

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092022\
 Data File : BF130340.D
 Acq On : 20 Sep 2022 12:45
 Operator : CG\JU
 Sample : PB147724BL
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB147724BL

Quant Time: Sep 21 05:12:00 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 19 15:06:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.657	152	108328	20.000	ng	0.00
21) Naphthalene-d8	7.939	136	429626	20.000	ng	0.00
39) Acenaphthene-d10	9.692	164	234822	20.000	ng	0.00
64) Phenanthrene-d10	11.169	188	411475	20.000	ng	0.00
76) Chrysene-d12	13.798	240	297131	20.000	ng	0.00
86) Perylene-d12	15.192	264	220052	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.275	112	912592	146.117	ng	0.02
7) Phenol-d6	6.304	99	1101690	140.976	ng	0.00
23) Nitrobenzene-d5	7.228	82	719121	85.513	ng	0.00
42) 2,4,6-Tribromophenol	10.480	330	373900	166.175	ng	0.00
45) 2-Fluorobiphenyl	9.022	172	1372313	85.101	ng	0.00
79) Terphenyl-d14	12.763	244	1634891	91.144	ng	0.00
Target Compounds						
						Qvalue
19) n-Nitroso-di-n-propyla...	7.222	70	97753	18.538	ng	# 74
25) Isophorone	7.228	82	715308	52.775	ng	# 66
50) Dimethylphthalate	9.692	163	44720	2.757	ng	# 1
51) 2,6-Dinitrotoluene	9.692	165	30666	9.040	ng	# 15
57) 2,4-Dinitrotoluene	9.692	165	30666	7.073	ng	# 15
67) 4-Bromophenyl-phenylether	10.480	248	22605	4.980	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092022\
Data File : BF130340.D
Acq On : 20 Sep 2022 12:45
Operator : CG\JU
Sample : PB147724BL
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB147724BL

Quant Time: Sep 21 05:12:00 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091422.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 19 15:06:14 2022
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.657 min Scan# 71
 Delta R.T. -0.006 min
 Lab File: BF130340.D
 Acq: 20 Sep 2022 12:45




Instrument :
 BNA_F
 ClientSampleId :
 PB147724BL

Tgt Ion:152 Resp: 108328
 Ion Ratio Lower Upper
 152 100
 150 155.5 122.8 184.2
 115 65.6 53.8 80.8



#5
 2-Fluorophenol
 Concen: 146.117 ng
 RT: 5.275 min Scan# 542
 Delta R.T. 0.018 min
 Lab File: BF130340.D
 Acq: 20 Sep 2022 12:45

Tgt Ion:112 Resp: 912592
 Ion Ratio Lower Upper
 112 100
 64 58.6 51.4 77.0
 63 32.4 28.8 43.2









#7
Phenol-d6
Concen: 140.976 ng
RT: 6.304 min Scan# 71
Delta R.T. 0.006 min
Lab File: BF130340.D
Acq: 20 Sep 2022 12:45




Instrument :
BNA_F
ClientSampleId :
PB147724BL

Tgt Ion: 99 Resp: 1101690
Ion Ratio Lower Upper
99 100
42 18.8 17.0 25.6
71 38.5 32.3 48.5



#19
n-Nitroso-di-n-propylamine
Concen: 18.538 ng
RT: 7.222 min Scan# 873
Delta R.T. 0.129 min
Lab File: BF130340.D
Acq: 20 Sep 2022 12:45

Tgt Ion: 70 Resp: 97753
Ion Ratio Lower Upper
70 100
42 47.0 50.8 76.2#
101 0.0 8.2 12.4#
130 2.0 16.6 25.0#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 7.939 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF130340.D
Acq: 20 Sep 2022 12:45




Instrument :
BNA_F
ClientSampleId :
PB147724BL

Tgt Ion:136	Resp: 429626
Ion Ratio	Lower Upper
136 100	
137 10.8	9.1 13.7
54 7.3	7.1 10.7
68 4.9	4.5 6.7



#23
Nitrobenzene-d5
Concen: 85.513 ng
RT: 7.228 min Scan# 874
Delta R.T. -0.006 min
Lab File: BF130340.D
Acq: 20 Sep 2022 12:45

Tgt Ion: 82	Resp: 719121
Ion Ratio	Lower Upper
82 100	
128 46.0	32.6 49.0
54 49.9	43.8 65.6









#25
Isophorone
Concen: 52.775 ng
RT: 7.228 min Scan# 81
Delta R.T. -0.265 min
Lab File: BF130340.D
Acq: 20 Sep 2022 12:45




Instrument :
BNA_F
ClientSampleId :
PB147724BL


Tgt Ion: 82 Resp: 715308
Ion Ratio Lower Upper
82 100
95 0.0 6.4 9.6#
138 0.0 13.8 20.6#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.692 min Scan# 1293
Delta R.T. 0.000 min
Lab File: BF130340.D
Acq: 20 Sep 2022 12:45

Tgt Ion:164 Resp: 234822
Ion Ratio Lower Upper
164 100
162 103.1 81.4 122.0
160 44.7 36.2 54.4





#42

2,4,6-Tribromophenol

Concen: 166.175 ng

RT: 10.480 min Scan# 1427

Delta R.T. 0.000 min

Lab File: BF130340.D

Acq: 20 Sep 2022 12:45

Instrument :

BNA_F

ClientSampleId :

PB147724BL





Tgt Ion:330 Resp: 373900

Ion Ratio Lower Upper

330 100

332 102.7 83.4 125.2

141 33.2 34.0 51.0#



#45

2-Fluorobiphenyl

Concen: 85.101 ng

RT: 9.022 min Scan# 1179

Delta R.T. 0.000 min

Lab File: BF130340.D

Acq: 20 Sep 2022 12:45




Tgt Ion:172 Resp: 1372313


Ion Ratio Lower Upper

172 100

171 34.5 28.3 42.5

170 23.1 18.7 28.1









#50
Dimethylphthalate
Concen: 2.757 ng
RT: 9.692 min Scan# 1293
Delta R.T. 0.265 min
Lab File: BF130340.D
Acq: 20 Sep 2022 12:45




Instrument :
BNA_F
ClientSampleId :
PB147724BL


Tgt Ion:163 Resp: 44720
Ion Ratio Lower Upper
163 100
194 0.0 2.8 4.2#
164 504.8 8.2 12.2#



#51
2,6-Dinitrotoluene
Concen: 9.040 ng
RT: 9.692 min Scan# 1293
Delta R.T. 0.206 min
Lab File: BF130340.D
Acq: 20 Sep 2022 12:45

Tgt Ion:165 Resp: 30666
Ion Ratio Lower Upper
165 100
63 0.8 58.8 88.2#
89 1.0 54.5 81.7#









#57
2,4-Dinitrotoluene
Concen: 7.073 ng
RT: 9.692 min Scan# 11
Delta R.T. -0.194 min
Lab File: BF130340.D
Acq: 20 Sep 2022 12:45




Instrument :
BNA_F
ClientSampleId :
PB147724BL


Tgt Ion:165 Resp: 30666
Ion Ratio Lower Upper
165 100
63 0.8 44.7 67.1#
89 1.0 69.0 103.4#
182 0.0 1.9 2.9#



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.169 min Scan# 1544
Delta R.T. -0.006 min
Lab File: BF130340.D
Acq: 20 Sep 2022 12:45

Tgt Ion:188 Resp: 411475
Ion Ratio Lower Upper
188 100
94 9.4 7.4 11.2
80 10.0 7.9 11.9









#67
4-Bromophenyl-phenylether
Concen: 4.980 ng
RT: 10.480 min Scan# 1437
Delta R.T. -0.241 min
Lab File: BF130340.D
Acq: 20 Sep 2022 12:45




Instrument :
BNA_F
ClientSampleId :
PB147724BL


Tgt Ion:248 Resp: 22605
Ion Ratio Lower Upper
248 100
250 200.6 80.0 120.0#
141 503.9 68.5 102.7#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.798 min Scan# 1991
Delta R.T. -0.006 min
Lab File: BF130340.D
Acq: 20 Sep 2022 12:45

Tgt Ion:240 Resp: 297131
Ion Ratio Lower Upper
240 100
120 11.4 8.7 13.1
236 25.1 20.9 31.3









#79
 Terphenyl-d14
 Concen: 91.144 ng
 RT: 12.763 min Scan# 11
 Delta R.T. 0.006 min
 Lab File: BF130340.D
 Acq: 20 Sep 2022 12:45

Instrument :
 BNA_F
 ClientSampleId :
 PB147724BL

Tgt Ion:244 Resp: 1634891
 Ion Ratio Lower Upper
 244 100
 212 7.1 5.9 8.9
 122 11.1 8.5 12.7



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.192 min Scan# 2228
 Delta R.T. 0.006 min
 Lab File: BF130340.D
 Acq: 20 Sep 2022 12:45

Tgt Ion:264 Resp: 220052
 Ion Ratio Lower Upper
 264 100
 260 23.8 19.3 28.9
 265 21.4 17.0 25.4

