

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092022\
 Data File : BF130348.D
 Acq On : 20 Sep 2022 17:16
 Operator : CG\JU
 Sample : N4703-02
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 ETGI-363

Quant Time: Sep 21 05:16:10 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 19 15:06:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.657	152	69381	20.000	ng	0.00
21) Naphthalene-d8	7.939	136	239809	20.000	ng	# 0.00
39) Acenaphthene-d10	9.686	164	104364	20.000	ng	0.00
64) Phenanthrene-d10	11.169	188	158536	20.000	ng	0.00
76) Chrysene-d12	13.798	240	166984	20.000	ng	0.00
86) Perylene-d12	15.192	264	199774	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.263	112	385071	96.264	ng	0.00
7) Phenol-d6	6.298	99	431351	86.182	ng	0.00
23) Nitrobenzene-d5	7.222	82	282658	60.217	ng	-0.01
42) 2,4,6-Tribromophenol	10.474	330	96519	96.518	ng	0.00
45) 2-Fluorobiphenyl	9.016	172	475439	66.338	ng	0.00
79) Terphenyl-d14	12.751	244	451359	44.775	ng	0.00
Target Compounds						
						Qvalue
19) n-Nitroso-di-n-propyla...	7.222	70	37704	11.164	ng	# 75
25) Isophorone	7.222	82	281376	37.192	ng	# 66
50) Dimethylphthalate	9.686	163	20554	2.851	ng	# 1
51) 2,6-Dinitrotoluene	9.686	165	13610	9.027	ng	# 16
57) 2,4-Dinitrotoluene	9.686	165	13610	7.063	ng	# 16
67) 4-Bromophenyl-phenylether	10.474	248	5849	3.344	ng	# 1
71) Phenanthrene	11.192	178	29936	3.363	ng	99
75) Fluoranthene	12.374	202	93040	10.817	ng	98
78) Pyrene	12.604	202	84090	5.756	ng	98
81) Benzo(a)anthracene	13.786	228	66564	5.992	ng	95
83) Chrysene	13.821	228	64587	6.123	ng	97
84) Bis(2-ethylhexyl)phtha...	13.792	149	60865	9.819	ng	98
85) Di-n-octyl phthalate	14.404	149	42998	4.535	ng	# 74
87) Indeno(1,2,3-cd)pyrene	16.503	276	44875	3.168	ng	# 93
88) Benzo(b)fluoranthene	14.798	252	119687	9.179	ng	100
89) Benzo(k)fluoranthene	14.798	252	119687	9.331	ng	99
90) Benzo(a)pyrene	15.127	252	74622	7.224	ng	99
92) Benzo(g,h,i)perylene	16.898	276	39224	3.350	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092022\
Data File : BF130348.D
Acq On : 20 Sep 2022 17:16
Operator : CG\JU
Sample : N4703-02
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ETGI-363

Quant Time: Sep 21 05:16:10 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091422.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 19 15:06:14 2022
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.657 min Scan# 71
 Delta R.T. -0.006 min
 Lab File: BF130348.D
 Acq: 20 Sep 2022 17:16




Instrument :
 BNA_F
 ClientSampleId :
 ETGI-363


Tgt Ion:152 Resp: 69381
 Ion Ratio Lower Upper
 152 100
 150 158.3 122.8 184.2
 115 65.2 53.8 80.8



#5
 2-Fluorophenol
 Concen: 96.264 ng
 RT: 5.263 min Scan# 540
 Delta R.T. 0.006 min
 Lab File: BF130348.D
 Acq: 20 Sep 2022 17:16

Tgt Ion:112 Resp: 385071
 Ion Ratio Lower Upper
 112 100
 64 55.4 51.4 77.0
 63 31.0 28.8 43.2





#7
Phenol-d6
Concen: 86.182 ng
RT: 6.298 min Scan# 71
Delta R.T. -0.000 min
Lab File: BF130348.D
Acq: 20 Sep 2022 17:16





Instrument :

BNA_F

ClientSampleId :




ETGI-363


Tgt Ion: 99 Resp: 431351
Ion Ratio Lower Upper
99 100
42 19.5 17.0 25.6
71 38.9 32.3 48.5



#19
n-Nitroso-di-n-propylamine
Concen: 11.164 ng
RT: 7.222 min Scan# 873
Delta R.T. 0.129 min
Lab File: BF130348.D
Acq: 20 Sep 2022 17:16

Tgt Ion: 70 Resp: 37704
Ion Ratio Lower Upper
70 100
42 47.9 50.8 76.2#
101 0.0 8.2 12.4#
130 2.1 16.6 25.0#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 7.939 min Scan# 94
Delta R.T. -0.006 min
Lab File: BF130348.D
Acq: 20 Sep 2022 17:16




Instrument :
BNA_F
ClientSampleId :
ETGI-363


Tgt Ion:136 Resp: 239809
Ion Ratio Lower Upper
136 100
137 11.1 9.1 13.7
54 6.9 7.1 10.7#
68 4.8 4.5 6.7



#23
Nitrobenzene-d5
Concen: 60.217 ng
RT: 7.222 min Scan# 873
Delta R.T. -0.012 min
Lab File: BF130348.D
Acq: 20 Sep 2022 17:16

Tgt Ion: 82 Resp: 282658
Ion Ratio Lower Upper
82 100
128 43.2 32.6 49.0
54 52.5 43.8 65.6









#25
Isophorone
Concen: 37.192 ng
RT: 7.222 min Scan# 81
Delta R.T. -0.271 min
Lab File: BF130348.D
Acq: 20 Sep 2022 17:16




Instrument :
BNA_F
ClientSampleId :
ETGI-363


Tgt Ion: 82 Resp: 281376
Ion Ratio Lower Upper
82 100
95 0.0 6.4 9.6#
138 0.0 13.8 20.6#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.686 min Scan# 1292
Delta R.T. -0.006 min
Lab File: BF130348.D
Acq: 20 Sep 2022 17:16

Tgt Ion: 164 Resp: 104364
Ion Ratio Lower Upper
164 100
162 104.0 81.4 122.0
160 45.3 36.2 54.4





#42

2,4,6-Tribromophenol

Concen: 96.518 ng

RT: 10.474 min Scan# 1426

Delta R.T. -0.006 min

Lab File: BF130348.D

Acq: 20 Sep 2022 17:16

Instrument :

BNA_F

ClientSampleId :

ETGI-363





Tgt Ion:330 Resp: 96519

Ion Ratio Lower Upper

330 100

332 101.3 83.4 125.2

141 36.7 34.0 51.0



#45

2-Fluorobiphenyl

Concen: 66.338 ng

RT: 9.016 min Scan# 1178

Delta R.T. -0.006 min

Lab File: BF130348.D

Acq: 20 Sep 2022 17:16




Tgt Ion:172 Resp: 475439


Ion Ratio Lower Upper

172 100

171 34.8 28.3 42.5

170 23.0 18.7 28.1









#50
Dimethylphthalate
Concen: 2.851 ng
RT: 9.686 min Scan# 1217
Delta R.T. 0.259 min
Lab File: BF130348.D
Acq: 20 Sep 2022 17:16




Instrument :
BNA_F
ClientSampleId :
ETGI-363


Tgt Ion:163 Resp: 20554
Ion Ratio Lower Upper
163 100
194 0.0 2.8 4.2#
164 553.6 8.2 12.2#



#51
2,6-Dinitrotoluene
Concen: 9.027 ng
RT: 9.686 min Scan# 1292
Delta R.T. 0.200 min
Lab File: BF130348.D
Acq: 20 Sep 2022 17:16

Tgt Ion:165 Resp: 13610
Ion Ratio Lower Upper
165 100
63 1.3 58.8 88.2#
89 1.8 54.5 81.7#









#57
2,4-Dinitrotoluene
Concen: 7.063 ng
RT: 9.686 min Scan# 11
Delta R.T. -0.200 min
Lab File: BF130348.D
Acq: 20 Sep 2022 17:16




Instrument :
BNA_F
ClientSampleId :
ETGI-363


Tgt Ion:165 Resp: 13610
Ion Ratio Lower Upper
165 100
63 1.3 44.7 67.1#
89 1.8 69.0 103.4#
182 0.0 1.9 2.9#



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.169 min Scan# 1544
Delta R.T. -0.006 min
Lab File: BF130348.D
Acq: 20 Sep 2022 17:16

Tgt Ion:188 Resp: 158536
Ion Ratio Lower Upper
188 100
94 7.7 7.4 11.2
80 8.6 7.9 11.9









#67
4-Bromophenyl-phenylether
Concen: 3.344 ng
RT: 10.474 min Scan# 14
Delta R.T. -0.247 min
Lab File: BF130348.D
Acq: 20 Sep 2022 17:16




Instrument :
BNA_F
ClientSampleId :
ETGI-363


Tgt Ion:248 Resp: 5849
Ion Ratio Lower Upper
248 100
250 190.0 80.0 120.0#
141 560.1 68.5 102.7#



#71
Phenanthrene
Concen: 3.363 ng
RT: 11.192 min Scan# 1548
Delta R.T. -0.006 min
Lab File: BF130348.D
Acq: 20 Sep 2022 17:16

Tgt Ion:178 Resp: 29936
Ion Ratio Lower Upper
178 100
176 19.1 15.4 23.0
179 14.7 12.4 18.6









#75
Fluoranthene
Concen: 10.817 ng
RT: 12.374 min Scan# 1749
Delta R.T. -0.006 min
Lab File: BF130348.D
Acq: 20 Sep 2022 17:16




Instrument :
BNA_F
ClientSampleId :
ETGI-363


Tgt Ion:202 Resp: 93040
Ion Ratio Lower Upper
202 100
101 10.0 0.0 31.8
203 18.1 0.0 37.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.798 min Scan# 1991
Delta R.T. -0.006 min
Lab File: BF130348.D
Acq: 20 Sep 2022 17:16

Tgt Ion:240 Resp: 166984
Ion Ratio Lower Upper
240 100
120 10.4 8.7 13.1
236 25.6 20.9 31.3









#78
Pyrene
Concen: 5.756 ng
RT: 12.604 min Scan# 1813
Delta R.T. -0.006 min
Lab File: BF130348.D
Acq: 20 Sep 2022 17:16




Instrument :
BNA_F
ClientSampleId :
ETGI-363


Tgt Ion:202 Resp: 84090
Ion Ratio Lower Upper
202 100
200 20.1 17.2 25.8
203 18.1 14.3 21.5



#79
Terphenyl-d14
Concen: 44.775 ng
RT: 12.751 min Scan# 1813
Delta R.T. -0.006 min
Lab File: BF130348.D
Acq: 20 Sep 2022 17:16

Tgt Ion:244 Resp: 451359
Ion Ratio Lower Upper
244 100
212 7.4 5.9 8.9
122 12.0 8.5 12.7









#81
Benzo(a)anthracene
Concen: 5.992 ng
RT: 13.786 min Scan# 1989
Delta R.T. -0.006 min
Lab File: BF130348.D
Acq: 20 Sep 2022 17:16




Instrument :
BNA_F
ClientSampleId :
ETGI-363


Tgt Ion:228 Resp: 66564
Ion Ratio Lower Upper
228 100
226 31.0 21.9 32.9
229 19.2 16.1 24.1



#83
Chrysene
Concen: 6.123 ng
RT: 13.821 min Scan# 1995
Delta R.T. -0.006 min
Lab File: BF130348.D
Acq: 20 Sep 2022 17:16

Tgt Ion:228 Resp: 64587
Ion Ratio Lower Upper
228 100
226 30.1 23.8 35.8
229 21.9 15.3 22.9









#84
Bis(2-ethylhexyl)phthalate
Concen: 9.819 ng
RT: 13.792 min Scan# 1959
Delta R.T. -0.000 min
Lab File: BF130348.D
Acq: 20 Sep 2022 17:16




Instrument :
BNA_F
ClientSampleId :
ETGI-363


Tgt Ion:149 Resp: 60865
Ion Ratio Lower Upper
149 100
167 26.7 20.5 30.7
279 3.3 2.9 4.3



#85
Di-n-octyl phthalate
Concen: 4.535 ng
RT: 14.404 min Scan# 2094
Delta R.T. -0.000 min
Lab File: BF130348.D
Acq: 20 Sep 2022 17:16

Tgt Ion:149 Resp: 42998
Ion Ratio Lower Upper
149 100
167 4.9 1.2 1.8#
43 21.5 8.7 13.1#





#86

Perylene-d12

Concen: 20.000 ng

RT: 15.192 min Scan# 2197

Delta R.T. 0.006 min

Lab File: BF130348.D

Acq: 20 Sep 2022 17:16

Instrument :

BNA_F

ClientSampleId :

ETGI-363





Tgt Ion:264 Resp: 199774

Ion Ratio Lower Upper

264 100

260 23.8 19.3 28.9

265 21.8 17.0 25.4



#87

Indeno(1,2,3-cd)pyrene

Concen: 3.168 ng

RT: 16.503 min Scan# 2451

Delta R.T. -0.006 min

Lab File: BF130348.D

Acq: 20 Sep 2022 17:16




Tgt Ion:276 Resp: 44875


Ion Ratio Lower Upper

276 100

138 16.8 18.5 27.7#

277 24.4 20.2 30.4









#88
Benzo(b)fluoranthene
Concen: 9.179 ng
RT: 14.798 min Scan# 2161
Delta R.T. -0.000 min
Lab File: BF130348.D
Acq: 20 Sep 2022 17:16




Instrument :
BNA_F
ClientSampleId :
ETGI-363


Tgt Ion:252 Resp: 119687
Ion Ratio Lower Upper
252 100
253 22.1 17.7 26.5
125 10.4 8.1 12.1



#89
Benzo(k)fluoranthene
Concen: 9.331 ng
RT: 14.798 min Scan# 2161
Delta R.T. -0.030 min
Lab File: BF130348.D
Acq: 20 Sep 2022 17:16

Tgt Ion:252 Resp: 119687
Ion Ratio Lower Upper
252 100
253 22.1 17.4 26.2
125 10.4 7.9 11.9





#90

Benzo(a)pyrene

Concen: 7.224 ng

RT: 15.127 min Scan# 2187

Delta R.T. -0.006 min

Lab File: BF130348.D

Acq: 20 Sep 2022 17:16

Instrument :

BNA_F

ClientSampleId :

ETGI-363





Tgt Ion:252 Resp: 74622

Ion Ratio Lower Upper

252 100

253 21.6 17.8 26.6

125 11.4 9.0 13.6



#92

Benzo(g,h,i)perylene

Concen: 3.350 ng

RT: 16.898 min Scan# 2518

Delta R.T. -0.012 min

Lab File: BF130348.D

Acq: 20 Sep 2022 17:16

Tgt Ion:276 Resp: 39224

Ion Ratio Lower Upper

276 100

277 25.8 18.6 27.8

138 17.9 14.6 21.8

