

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092622\
 Data File : BF130415.D
 Acq On : 26 Sep 2022 19:09
 Operator : CG\JU
 Sample : N4742-09
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TWP-21

Quant Time: Sep 27 01:07:50 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 27 01:00:47 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.651	152	91654	20.000	ng	0.00
21) Naphthalene-d8	7.934	136	339606	20.000	ng	# 0.00
39) Acenaphthene-d10	9.686	164	160704	20.000	ng	0.00
64) Phenanthrene-d10	11.163	188	225150	20.000	ng	0.00
76) Chrysene-d12	13.798	240	157538	20.000	ng	0.00
86) Perylene-d12	15.192	264	205228	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.251	112	241636	45.727	ng	0.00
7) Phenol-d6	6.287	99	188051	28.441	ng	0.00
23) Nitrobenzene-d5	7.216	82	543758	81.800	ng	0.00
42) 2,4,6-Tribromophenol	10.469	330	135934	88.277	ng	-0.01
45) 2-Fluorobiphenyl	9.010	172	990537	89.756	ng	0.00
79) Terphenyl-d14	12.751	244	728322	76.582	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092622\
Data File : BF130415.D
Acq On : 26 Sep 2022 19:09
Operator : CG\JU
Sample : N4742-09
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TWP-21

Quant Time: Sep 27 01:07:50 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091422.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 27 01:00:47 2022
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.651 min Scan# 71
 Delta R.T. 0.000 min
 Lab File: BF130415.D
 Acq: 26 Sep 2022 19:09




Instrument :
 BNA_F
 ClientSampleId :
 TWP-21


Tgt Ion:152 Resp: 91654
 Ion Ratio Lower Upper
 152 100
 150 152.6 122.8 184.2
 115 63.9 53.8 80.8



#5
 2-Fluorophenol
 Concen: 45.727 ng
 RT: 5.251 min Scan# 538
 Delta R.T. 0.006 min
 Lab File: BF130415.D
 Acq: 26 Sep 2022 19:09

Tgt Ion:112 Resp: 241636
 Ion Ratio Lower Upper
 112 100
 64 57.8 51.4 77.0
 63 31.3 28.8 43.2









#7
Phenol-d6
Concen: 28.441 ng
RT: 6.287 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF130415.D
Acq: 26 Sep 2022 19:09




Instrument :
BNA_F
ClientSampleId :
TWP-21


Tgt Ion: 99 Resp: 188051
Ion Ratio Lower Upper
99 100
42 17.6 17.0 25.6
71 35.8 32.3 48.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 7.934 min Scan# 994
Delta R.T. -0.006 min
Lab File: BF130415.D
Acq: 26 Sep 2022 19:09

Tgt Ion: 136 Resp: 339606
Ion Ratio Lower Upper
136 100
137 10.6 9.1 13.7
54 6.7 7.1 10.7#
68 4.6 4.5 6.7









#23
Nitrobenzene-d5
Concen: 81.800 ng
RT: 7.216 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF130415.D
Acq: 26 Sep 2022 19:09




Instrument :
BNA_F
ClientSampleId :
TWP-21


Tgt Ion: 82 Resp: 543758
Ion Ratio Lower Upper
82 100
128 43.4 32.6 49.0
54 50.0 43.8 65.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.686 min Scan# 1292
Delta R.T. 0.000 min
Lab File: BF130415.D
Acq: 26 Sep 2022 19:09

Tgt Ion:164 Resp: 160704
Ion Ratio Lower Upper
164 100
162 101.7 81.4 122.0
160 44.4 36.2 54.4









#42
2,4,6-Tribromophenol
Concen: 88.277 ng
RT: 10.469 min Scan# 1425
Delta R.T. -0.012 min
Lab File: BF130415.D
Acq: 26 Sep 2022 19:09




Instrument :
BNA_F
ClientSampleId :
TWP-21


Tgt Ion:330 Resp: 135934
Ion Ratio Lower Upper
330 100
332 104.5 83.4 125.2
141 36.3 34.0 51.0



#45
2-Fluorobiphenyl
Concen: 89.756 ng
RT: 9.010 min Scan# 1177
Delta R.T. -0.006 min
Lab File: BF130415.D
Acq: 26 Sep 2022 19:09

Tgt Ion:172 Resp: 990537
Ion Ratio Lower Upper
172 100
171 35.3 28.3 42.5
170 23.2 18.7 28.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.163 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF130415.D
Acq: 26 Sep 2022 19:09




Instrument :
BNA_F
ClientSampleId :
TWP-21


Tgt Ion:188 Resp: 225150
Ion Ratio Lower Upper
188 100
94 9.2 7.4 11.2
80 9.4 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.798 min Scan# 1991
Delta R.T. -0.006 min
Lab File: BF130415.D
Acq: 26 Sep 2022 19:09


Tgt Ion:240 Resp: 157538
Ion Ratio Lower Upper
240 100
120 9.4 8.7 13.1
236 26.6 20.9 31.3








#79
 Terphenyl-d14
 Concen: 76.582 ng
 RT: 12.751 min Scan# 1813
 Delta R.T. -0.006 min
 Lab File: BF130415.D
 Acq: 26 Sep 2022 19:09

Instrument :
 BNA_F
 ClientSampleId :
 TWP-21



Tgt Ion:244 Resp: 728322
 Ion Ratio Lower Upper
 244 100
 212 7.1 5.9 8.9
 122 12.2 8.5 12.7



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.192 min Scan# 2228
 Delta R.T. 0.000 min
 Lab File: BF130415.D
 Acq: 26 Sep 2022 19:09

Tgt Ion:264 Resp: 205228
 Ion Ratio Lower Upper
 264 100
 260 25.1 19.3 28.9
 265 21.2 17.0 25.4

