

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092821\
 Data File : BF125686.D
 Acq On : 28 Sep 2021 13:26
 Operator : JU/CG
 Sample : PB139432BL
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB139432BL

Quant Time: Sep 28 13:52:43 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF092421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 24 15:38:32 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.886	152	262499	20.000	ng	0.00
21) Naphthalene-d8	8.169	136	1092707	20.000	ng	# 0.00
39) Acenaphthene-d10	9.922	164	564689	20.000	ng	0.00
64) Phenanthrene-d10	11.404	188	916650	20.000	ng	# 0.00
76) Chrysene-d12	14.045	240	510343	20.000	ng	0.00
86) Perylene-d12	15.521	264	479272	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.516	112	2064682	129.589	ng	0.01
7) Phenol-d6	6.510	99	2512449	117.295	ng	0.00
23) Nitrobenzene-d5	7.445	82	1514990	96.706	ng	0.00
42) 2,4,6-Tribromophenol	10.710	330	657988	124.974	ng	0.00
45) 2-Fluorobiphenyl	9.245	172	2768467	88.669	ng	0.00
79) Terphenyl-d14	12.998	244	2517068	85.412	ng	0.00
Target Compounds						Qvalue
9) Benzaldehyde	6.510	77	3438	Below Cal	#	1
19) n-Nitroso-di-n-propyla...	7.445	70	190436	15.615	ng	# 51
25) Isophorone	7.445	82	1510951	43.066	ng	# 59
48) 2-Nitroaniline	9.245	65	3843	4.589	ng	# 1
51) 2,6-Dinitrotoluene	9.922	165	69711	12.341	ng	# 27
57) 2,4-Dinitrotoluene	9.922	165	69711	11.293	ng	# 19
65) 4,6-Dinitro-2-methylph...	10.710	198	1320	9.253	ng	# 1
67) 4-Bromophenyl-phenylether	10.710	248	35923	3.734	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092821\
Data File : BF125686.D
Acq On : 28 Sep 2021 13:26
Operator : JU/CG
Sample : PB139432BL
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB139432BL

Quant Time: Sep 28 13:52:43 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF092421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 24 15:38:32 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.886 min Scan# 816
Delta R.T. -0.006 min
Lab File: BF125686.D
Acq: 28 Sep 2021 13:26




Instrument :
BNA_F
ClientSampleId :
PB139432BL


Tgt Ion:152 Resp: 262499
Ion Ratio Lower Upper
152 100
150 160.3 117.6 176.4
115 61.8 47.1 70.7



#5
2-Fluorophenol
Concen: 129.589 ng
RT: 5.516 min Scan# 583
Delta R.T. 0.012 min
Lab File: BF125686.D
Acq: 28 Sep 2021 13:26

Tgt Ion:112 Resp: 2064682
Ion Ratio Lower Upper
112 100
64 53.3 44.2 66.2
63 26.6 26.2 39.2









#7
Phenol-d6
Concen: 117.295 ng
RT: 6.510 min Scan# 752
Delta R.T. 0.000 min
Lab File: BF125686.D
Acq: 28 Sep 2021 13:26




Instrument :
BNA_F
ClientSampleId :
PB139432BL


Tgt Ion: 99 Resp: 2512449
Ion Ratio Lower Upper
99 100
42 14.7 23.5 35.3#
71 30.5 25.6 38.4



#9
Benzaldehyde
Concen: Below Cal
RT: 6.510 min Scan# 752
Delta R.T. 0.070 min
Lab File: BF125686.D
Acq: 28 Sep 2021 13:26


Tgt Ion: 77 Resp: 3438
Ion Ratio Lower Upper
77 100
105 0.0 75.9 115.9#
106 0.0 84.0 124.0#








#19
n-Nitroso-di-n-propylamine
Concen: 15.615 ng
RT: 7.445 min Scan# 911
Delta R.T. 0.141 min
Lab File: BF125686.D
Acq: 28 Sep 2021 13:26

Instrument :
BNA_F
ClientSampleId :
PB139432BL







Tgt Ion: 70 Resp: 190436
Ion Ratio Lower Upper
70 100
42 41.7 72.2 108.2#
101 0.0 7.8 11.8#
130 2.4 21.8 32.6#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.169 min Scan# 1034
Delta R.T. -0.006 min
Lab File: BF125686.D
Acq: 28 Sep 2021 13:26

Tgt Ion: 136 Resp: 1092707
Ion Ratio Lower Upper
136 100
137 10.4 9.8 14.6
54 6.3 6.4 9.6#
68 5.7 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 96.706 ng
RT: 7.445 min Scan# 911
Delta R.T. -0.006 min
Lab File: BF125686.D
Acq: 28 Sep 2021 13:26




Instrument :
BNA_F
ClientSampleId :
PB139432BL


Tgt Ion: 82 Resp: 1514990
Ion Ratio Lower Upper
82 100
128 47.8 40.6 60.8
54 44.5 49.6 74.4#



#25
Isophorone
Concen: 43.066 ng
RT: 7.445 min Scan# 911
Delta R.T. -0.265 min
Lab File: BF125686.D
Acq: 28 Sep 2021 13:26

Tgt Ion: 82 Resp: 1510951
Ion Ratio Lower Upper
82 100
95 0.0 6.5 9.7#
138 0.0 18.4 27.6#





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.922 min Scan# 1332

Delta R.T. -0.006 min

Lab File: BF125686.D

Acq: 28 Sep 2021 13:26

Instrument :

BNA_F

ClientSampleId :

PB139432BL





Tgt Ion:164 Resp: 564689

Ion Ratio Lower Upper

164 100

162 102.4 81.3 121.9

160 44.5 38.0 57.0



#42

2,4,6-Tribromophenol

Concen: 124.974 ng

RT: 10.710 min Scan# 1466

Delta R.T. -0.006 min

Lab File: BF125686.D

Acq: 28 Sep 2021 13:26




Tgt Ion:330 Resp: 657988


Ion Ratio Lower Upper

330 100

332 93.1 76.2 114.4

141 30.0 44.6 66.8#









#45
2-Fluorobiphenyl
Concen: 88.669 ng
RT: 9.245 min Scan# 1217
Delta R.T. -0.006 min
Lab File: BF125686.D
Acq: 28 Sep 2021 13:26




Instrument :
BNA_F
ClientSampleId :
PB139432BL


Tgt Ion:172 Resp: 2768467
Ion Ratio Lower Upper
172 100
171 39.4 26.5 39.7
170 26.7 18.8 28.2



#48
2-Nitroaniline
Concen: 4.589 ng
RT: 9.245 min Scan# 1217
Delta R.T. -0.218 min
Lab File: BF125686.D
Acq: 28 Sep 2021 13:26

Tgt Ion: 65 Resp: 3843
Ion Ratio Lower Upper
65 100
92 216.4 55.5 83.3#
138 38.7 93.5 140.3#









#51
2,6-Dinitrotoluene
Concen: 12.341 ng
RT: 9.922 min Scan# 1332
Delta R.T. 0.218 min
Lab File: BF125686.D
Acq: 28 Sep 2021 13:26




Instrument :
BNA_F
ClientSampleId :
PB139432BL


Tgt Ion:165 Resp: 69711
Ion Ratio Lower Upper
165 100
63 1.1 42.6 63.8#
89 0.8 40.6 60.8#



#57
2,4-Dinitrotoluene
Concen: 11.293 ng
RT: 9.922 min Scan# 1332
Delta R.T. -0.188 min
Lab File: BF125686.D
Acq: 28 Sep 2021 13:26

Tgt Ion:165 Resp: 69711
Ion Ratio Lower Upper
165 100
63 1.1 40.9 61.3#
89 0.8 59.7 89.5#
182 0.0 0.0 0.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.404 min Scan# 1584
Delta R.T. -0.006 min
Lab File: BF125686.D
Acq: 28 Sep 2021 13:26




Instrument :
BNA_F
ClientSampleId :
PB139432BL


Tgt Ion:188 Resp: 916650
Ion Ratio Lower Upper
188 100
94 10.5 6.7 10.1#
80 11.2 7.5 11.3



#65
4,6-Dinitro-2-methylphenol
Concen: 9.253 ng
RT: 10.710 min Scan# 1466
Delta R.T. 0.194 min
Lab File: BF125686.D
Acq: 28 Sep 2021 13:26

Tgt Ion:198 Resp: 1320
Ion Ratio Lower Upper
198 100
51 125.7 45.3 85.3#
105 140.7 30.6 70.6#









#67
4-Bromophenyl-phenylether
Concen: 3.734 ng
RT: 10.710 min Scan# 1466
Delta R.T. -0.247 min
Lab File: BF125686.D
Acq: 28 Sep 2021 13:26




Instrument :
BNA_F
ClientSampleId :
PB139432BL


Tgt Ion:248 Resp: 35923
Ion Ratio Lower Upper
248 100
250 202.8 74.2 111.4#
141 531.4 60.4 90.6#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.045 min Scan# 2033
Delta R.T. -0.000 min
Lab File: BF125686.D
Acq: 28 Sep 2021 13:26

Tgt Ion:240 Resp: 510343
Ion Ratio Lower Upper
240 100
120 11.5 10.8 16.2
236 25.8 21.6 32.4









#79
 Terphenyl-d14
 Concen: 85.412 ng
 RT: 12.998 min Scan# 1855
 Delta R.T. 0.006 min
 Lab File: BF125686.D
 Acq: 28 Sep 2021 13:26

Instrument :
 BNA_F
 ClientSampleId :
 PB139432BL

Tgt Ion:244 Resp: 2517068
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.9 8.9
 122 11.3 9.0 13.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.521 min Scan# 2284
 Delta R.T. 0.000 min
 Lab File: BF125686.D
 Acq: 28 Sep 2021 13:26

Tgt Ion:264 Resp: 479272
 Ion Ratio Lower Upper
 264 100
 260 24.0 19.6 29.4
 265 21.5 17.2 25.8

