

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF100518\
 Data File : BF109635.D
 Acq On : 6 Oct 2018 3:37
 Operator : JU/SJ
 Sample : J5264-03
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 100318-SIDI-E-D-S

Quant Time: Oct 06 07:15:23 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF092218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Sep 22 13:32:18 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.70	152	89404	20.00	ng	-0.01
21) Naphthalene-d8	7.98	136	337883	20.00	ng	-0.01
38) Acenaphthene-d10	9.73	164	140090	20.00	ng	-0.01
63) Phenanthrene-d10	11.21	188	241525	20.00	ng	0.00
75) Chrysene-d12	13.83	240	236559	20.00	ng	-0.01
86) Perylene-d12	15.23	264	187006	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	189980	35.00	ng	0.00
7) Phenol-d6	6.35	99	154642	22.33	ng	-0.01
23) Nitrobenzene-d5	7.26	82	587906	102.71	ng	-0.02
41) 2,4,6-Tribromophenol	10.52	330	123196	89.21	ng	-0.02
44) 2-Fluorobiphenyl	9.06	172	1003798	108.07	ng	-0.02
78) Terphenyl-d14	12.79	244	795376	82.52	ng	-0.02


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF100518\
Data File : BF109635.D
Acq On : 6 Oct 2018 3:37
Operator : JU/SJ
Sample : J5264-03
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
100318-SIDI-E-D-S

Quant Time: Oct 06 07:15:23 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF092218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Sep 22 13:32:18 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.70 min Scan# 784
Delta R.T. -0.01 min
Lab File: BF109635.D
Acq: 6 Oct 2018 3:37

Instrument :
BNA_F
ClientSampleId :
100318-SIDI-E-D-S

Tot Ion:152 Resp: 89404
Ion Ratio Lower Upper
152 100
150 160.5 124.6 186.8
115 62.0 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 35.000 ng
RT: 5.32 min Scan# 550
Delta R.T. 0.01 min
Lab File: BF109635.D
Acq: 6 Oct 2018 3:37

Tgt Ion:112 Resp: 189980
Ion Ratio Lower Upper
112 100
64 54.8 47.9 71.9
63 28.7 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 22.327 ng

RT: 6.35 min Scan# 724

Delta R.T. -0.01 min

Lab File: BF109635.D

Acq: 6 Oct 2018 3:37

Instrument :

BNA_F

ClientSampleId :

100318-SIDI-E-D-S


Tot Ion: 99 Resp: 154642

Ion Ratio Lower Upper




99 100

42 17.8 14.5 21.7

71 34.2 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.98 min Scan# 1002

Delta R.T. -0.01 min

Lab File: BF109635.D

Acq: 6 Oct 2018 3:37

Tgt Ion: 136 Resp: 337883


Ion Ratio Lower Upper

136 100



137 10.8 8.9 13.3


54 7.3 6.6 9.8

68 5.3 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 102.713 ng
 RT: 7.26 min Scan# 880
 Delta R.T. -0.02 min
 Lab File: BF109635.D
 Acq: 6 Oct 2018 3:37




Instrument :
 BNA_F
 ClientSampleId :
 100318-SIDI-E-D-S


Tot Ion	Ratio	Lower	Upper
82	100		
128	42.4	36.1	54.1
54	48.5	41.4	62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.73 min Scan# 1299
 Delta R.T. -0.01 min
 Lab File: BF109635.D
 Acq: 6 Oct 2018 3:37

Tgt Ion	Ratio	Lower	Upper
164	100		
162	103.8	86.1	129.1
160	46.9	38.3	57.5






#41
 2,4,6-Tribromophenol
 Concen: 89.208 ng
 RT: 10.52 min Scan# 1433
 Delta R.T. -0.02 min
 Lab File: BF109635.D
 Acq: 6 Oct 2018 3:37

Instrument :
 BNA_F
 ClientSampleId :
 100318-SIDI-E-D-S

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.4	77.0	115.6
141	33.7	29.9	44.9






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44
 2-Fluorobiphenyl
 Concen: 108.068 ng
 RT: 9.06 min Scan# 1185
 Delta R.T. -0.02 min
 Lab File: BF109635.D
 Acq: 6 Oct 2018 3:37

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.2	29.7	44.5
170	24.1	19.6	29.4






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.21 min Scan# 1551
Delta R.T. -0.01 min
Lab File: BF109635.D
Acq: 6 Oct 2018 3:37

Instrument :
BNA_F
ClientSampleId :
100318-SIDI-E-D-S

Tot Ion:188 Resp: 241525
Ion Ratio Lower Upper
188 100
94 8.3 8.5 12.7#
80 8.4 9.2 13.8#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#75
Chrysene-d12
Concen: 20.000 ng
RT: 13.83 min Scan# 1997
Delta R.T. -0.01 min
Lab File: BF109635.D
Acq: 6 Oct 2018 3:37

Tgt Ion:240 Resp: 236559
Ion Ratio Lower Upper
240 100
120 10.9 9.5 14.3
236 26.4 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 82.516 ng

RT: 12.79 min Scan# 1819

Delta R.T. -0.02 min

Lab File: BF109635.D

Acq: 6 Oct 2018 3:37

Instrument :

BNA_F

ClientSampleId :

100318-SIDI-E-D-S


Tot Ion:244 Resp: 795376

Ion Ratio Lower Upper

244 100

212 7.1 5.4 8.0




122 12.0 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.23 min Scan# 2235

Delta R.T. -0.01 min

Lab File: BF109635.D

Acq: 6 Oct 2018 3:37


Tgt Ion:264 Resp: 187006

Ion Ratio Lower Upper

264 100

260 23.6 19.2 28.8

265 22.3 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

