

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100622\
 Data File : BF130546.D
 Acq On : 06 Oct 2022 12:17
 Operator : CG\JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040

Quant Time: Oct 07 02:08:25 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 07 02:06:46 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.616	152	86300	20.000	ng	0.00
21) Naphthalene-d8	7.904	136	324236	20.000	ng	# 0.00
39) Acenaphthene-d10	9.651	164	173514	20.000	ng	0.00
64) Phenanthrene-d10	11.133	188	277258	20.000	ng	# 0.00
76) Chrysene-d12	13.763	240	131932	20.000	ng	0.00
86) Perylene-d12	15.145	264	142063	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.216	112	398374	80.066	ng	0.00
7) Phenol-d6	6.269	99	499400	80.217	ng	0.00
23) Nitrobenzene-d5	7.192	82	501874	79.078	ng	0.00
42) 2,4,6-Tribromophenol	10.439	330	139414	83.853	ng	0.00
45) 2-Fluorobiphenyl	8.981	172	955877	80.221	ng	0.00
79) Terphenyl-d14	12.716	244	721840	90.632	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.193	88	82049	35.906	ng	97
3) Pyridine	2.857	79	220627	37.012	ng	96
4) n-Nitrosodimethylamine	2.828	42	111452	34.377	ng	96
6) Aniline	6.287	93	297462	38.779	ng	# 80
8) 2-Chlorophenol	6.404	128	231654	40.871	ng	95
9) Benzaldehyde	6.169	77	157752	37.828	ng	96
10) Phenol	6.281	94	285725	39.163	ng	# 73
11) bis(2-Chloroethyl)ether	6.363	93	209292	39.771	ng	95
12) 1,3-Dichlorobenzene	6.557	146	251722	40.362	ng	98
13) 1,4-Dichlorobenzene	6.634	146	258148	40.591	ng	100
14) 1,2-Dichlorobenzene	6.787	146	243015	40.904	ng	98
15) Benzyl Alcohol	6.775	79	187455	37.977	ng	96
16) 2,2'-oxybis(1-Chloropr...	6.898	45	272868	35.552	ng	74
17) 2-Methylphenol	6.887	107	187113	40.611	ng	98
18) Hexachloroethane	7.128	117	100335	40.024	ng	98
19) n-Nitroso-di-n-propyla...	7.045	70	161631	38.475	ng	93
20) 3+4-Methylphenols	7.045	107	248537	41.524	ng	# 64
22) Acetophenone	7.040	105	321113	40.508	ng	# 93
24) Nitrobenzene	7.210	77	250096	38.809	ng	96
25) Isophorone	7.451	82	408931	39.977	ng	97
26) 2-Nitrophenol	7.522	139	123609	46.791	ng	94
27) 2,4-Dimethylphenol	7.569	122	169750	41.733	ng	98
28) bis(2-Chloroethoxy)met...	7.663	93	236076	40.986	ng	99
29) 2,4-Dichlorophenol	7.769	162	193097	43.321	ng	95
30) 1,2,4-Trichlorobenzene	7.845	180	204968	42.532	ng	97
31) Naphthalene	7.928	128	693079	41.491	ng	99
32) Benzoic acid	7.710	122	80484	25.587	ng	96
33) 4-Chloroaniline	7.981	127	273729	43.086	ng	98
34) Hexachlorobutadiene	8.039	225	128284	41.653	ng	99
35) Caprolactam	8.363	113	54932	42.988	ng	88
36) 4-Chloro-3-methylphenol	8.469	107	209651	42.434	ng	95
37) 2-Methylnaphthalene	8.616	142	447397	42.007	ng	100
38) 1-Methylnaphthalene	8.710	142	431946	42.218	ng	100
40) 1,2,4,5-Tetrachloroben...	8.781	216	195269	41.237	ng	98
41) Hexachlorocyclopentadiene	8.763	237	98708	38.935	ng	99
43) 2,4,6-Trichlorophenol	8.898	196	131773	39.873	ng	96

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100622\
 Data File : BF130546.D
 Acq On : 06 Oct 2022 12:17
 Operator : CG\JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040

Quant Time: Oct 07 02:08:25 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 07 02:06:46 2022
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	8.939	196	144778	40.597	ng	97
46) 1,1'-Biphenyl	9.081	154	520733	40.184	ng	98
47) 2-Chloronaphthalene	9.104	162	423783	40.426	ng	97
48) 2-Nitroaniline	9.204	65	133434	38.164	ng	99
49) Acenaphthylene	9.516	152	634584	40.375	ng	99
50) Dimethylphthalate	9.386	163	498091	41.557	ng	99
51) 2,6-Dinitrotoluene	9.451	165	107820	43.014	ng	# 83
52) Acenaphthene	9.686	154	377539	36.559	ng	99
53) 3-Nitroaniline	9.622	138	116539	41.724	ng	87
54) 2,4-Dinitrophenol	9.728	184	45650	37.202	ng	86
55) Dibenzofuran	9.857	168	578031	40.242	ng	99
56) 4-Nitrophenol	9.792	139	78675	38.673	ng	# 83
57) 2,4-Dinitrotoluene	9.851	165	138043	43.091	ng	96
58) Fluorene	10.198	166	471333	40.123	ng	100
59) 2,3,4,6-Tetrachlorophenol	9.980	232	110983	39.760	ng	92
60) Diethylphthalate	10.081	149	477579	39.735	ng	99
61) 4-Chlorophenyl-phenyle...	10.192	204	210307	40.811	ng	99
62) 4-Nitroaniline	10.233	138	99664	35.520	ng	89
63) Azobenzene	10.351	77	460157	37.180	ng	99
65) 4,6-Dinitro-2-methylph...	10.257	198	70627	45.760	ng	100
66) n-Nitrosodiphenylamine	10.316	169	390712	42.170	ng	100
67) 4-Bromophenyl-phenylether	10.680	248	133611	43.684	ng	97
68) Hexachlorobenzene	10.739	284	152158	43.886	ng	94
69) Atrazine	10.845	200	104884	38.737	ng	96
70) Pentachlorophenol	10.945	266	70030	37.635	ng	98
71) Phenanthrene	11.157	178	627273	40.297	ng	99
72) Anthracene	11.210	178	612705	40.787	ng	99
73) Carbazole	11.369	167	518660	38.257	ng	98
74) Di-n-butylphthalate	11.704	149	618305	37.821	ng	99
75) Fluoranthene	12.339	202	550172	36.576	ng	98
77) Benzidine	12.469	184	113516	29.640	ng	99
78) Pyrene	12.563	202	533268	46.204	ng	99
80) Butylbenzylphthalate	13.192	149	173252	40.521	ng	99
81) Benzo(a)anthracene	13.751	228	362445	41.296	ng	98
82) 3,3'-Dichlorobenzidine	13.721	252	108597	45.455	ng	98
83) Chrysene	13.786	228	343544	41.224	ng	99
84) Bis(2-ethylhexyl)phtha...	13.751	149	204891	41.836	ng	99
85) Di-n-octyl phthalate	14.363	149	357072	47.669	ng	97
87) Indeno(1,2,3-cd)pyrene	16.457	276	477040	47.352	ng	98
88) Benzo(b)fluoranthene	14.763	252	363507	39.203	ng	97
89) Benzo(k)fluoranthene	14.786	252	332495	36.453	ng	100
90) Benzo(a)pyrene	15.092	252	304356	41.432	ng	97
91) Dibenzo(a,h)anthracene	16.474	278	389708	47.155	ng	98
92) Benzo(g,h,i)perylene	16.851	276	400167	48.067	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100622\
Data File : BF130546.D
Acq On : 06 Oct 2022 12:17
Operator : CG\JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Quant Time: Oct 07 02:08:25 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091422.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 07 02:06:46 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.616 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:152 Resp: 86300
Ion Ratio Lower Upper
152 100
150 155.1 122.8 184.2
115 67.2 53.8 80.8



#2
1,4-Dioxane
Concen: 35.906 ng
RT: 2.193 min Scan# 18
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion: 88 Resp: 82049
Ion Ratio Lower Upper
88 100
58 74.7 61.3 91.9
43 32.1 23.0 34.6









#3
Pyridine
Concen: 37.012 ng
RT: 2.857 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 79 Resp: 220627
Ion Ratio Lower Upper
79 100
52 74.1 62.4 93.6
51 38.5 32.2 48.4



#4
n-Nitrosodimethylamine
Concen: 34.377 ng
RT: 2.828 min Scan# 126
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion: 42 Resp: 111452
Ion Ratio Lower Upper
42 100
74 114.4 88.4 132.6
44 5.6 5.0 7.4









#5
2-Fluorophenol
Concen: 80.066 ng
RT: 5.216 min Scan# 511
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:112 Resp: 398374
Ion Ratio Lower Upper
112 100
64 57.7 51.4 77.0
63 31.5 28.8 43.2



#6
Aniline
Concen: 38.779 ng
RT: 6.287 min Scan# 714
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion: 93 Resp: 297462
Ion Ratio Lower Upper
93 100
66 54.7 34.2 51.4#
65 31.3 16.6 24.8#









#7
Phenol-d6
Concen: 80.217 ng
RT: 6.269 min Scan# 711
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 99 Resp: 499400
Ion Ratio Lower Upper
99 100
42 18.4 17.0 25.6
71 37.4 32.3 48.5



#8
2-Chlorophenol
Concen: 40.871 ng
RT: 6.404 min Scan# 734
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion:128 Resp: 231654
Ion Ratio Lower Upper
128 100
130 33.2 12.4 52.4
64 46.8 31.6 71.6









#9
Benzaldehyde
Concen: 37.828 ng
RT: 6.169 min Scan# 61
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 77 Resp: 157752
Ion Ratio Lower Upper
77 100
105 97.5 75.1 115.1
106 95.6 69.7 109.7



#10
Phenol
Concen: 39.163 ng
RT: 6.281 min Scan# 713
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion: 94 Resp: 285725
Ion Ratio Lower Upper
94 100
65 44.2 14.1 54.1
66 71.1 28.1 68.1#





#11

bis(2-Chloroethyl)ether

Concen: 39.771 ng

RT: 6.363 min Scan# 703

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion: 93 Resp: 209292

Ion Ratio Lower Upper

93 100

63 76.6 62.5 102.5

95 32.7 12.5 52.5



#12

1,3-Dichlorobenzene

Concen: 40.362 ng

RT: 6.557 min Scan# 760

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17




Tgt Ion:146 Resp: 251722


Ion Ratio Lower Upper

146 100

148 64.0 51.4 77.2

75 32.4 28.8 43.2









#13
1,4-Dichlorobenzene
Concen: 40.591 ng
RT: 6.634 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:146 Resp: 258148
Ion Ratio Lower Upper
146 100
148 63.1 50.3 75.5
111 45.4 36.3 54.5



#14
1,2-Dichlorobenzene
Concen: 40.904 ng
RT: 6.787 min Scan# 799
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion:146 Resp: 243015
Ion Ratio Lower Upper
146 100
148 63.2 51.6 77.4
111 47.8 39.2 58.8





#15

Benzyl Alcohol

Concen: 37.977 ng

RT: 6.775 min Scan# 79

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion: 79 Resp: 187455

Ion Ratio Lower Upper

79 100

108 72.7 54.0 81.0

77 65.6 51.3 76.9



#16

2,2'-oxybis(1-Chloropropane)

Concen: 35.552 ng

RT: 6.898 min Scan# 818

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17




Tgt Ion: 45 Resp: 272868


Ion Ratio Lower Upper

45 100

77 25.4 0.0 34.9

79 21.5 0.0 31.0









#17
2-Methylphenol
Concen: 40.611 ng
RT: 6.887 min Scan# 81
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:	107	Resp:	187113
Ion	Ratio	Lower	Upper
107	100		
108	112.3	89.4	134.0
77	52.5	40.6	60.8
79	51.9	40.2	60.2



#18
Hexachloroethane
Concen: 40.024 ng
RT: 7.128 min Scan# 857
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion:	117	Resp:	100335
Ion	Ratio	Lower	Upper
117	100		
119	95.5	77.8	116.6
201	88.7	68.7	103.1









#19
n-Nitroso-di-n-propylamine
Concen: 38.475 ng
RT: 7.045 min Scan# 843
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 70 Resp: 161631
Ion Ratio Lower Upper
70 100
42 56.9 50.8 76.2
101 10.5 8.2 12.4
130 22.7 16.6 25.0



#20
3+4-Methylphenols
Concen: 41.524 ng
RT: 7.045 min Scan# 843
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion: 107 Resp: 248537
Ion Ratio Lower Upper
107 100
108 89.8 74.8 114.8
77 67.6 125.8 165.8#
79 31.6 17.1 57.1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 7.904 min Scan# 91
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:136 Resp: 324236
Ion Ratio Lower Upper
136 100
137 11.0 9.1 13.7
54 7.0 7.1 10.7#
68 4.8 4.5 6.7



#22
Acetophenone
Concen: 40.508 ng
RT: 7.040 min Scan# 842
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion:105 Resp: 321113
Ion Ratio Lower Upper
105 100
71 6.0 3.9 5.9#
51 33.7 32.2 48.2
120 22.8 17.3 25.9





#23

Nitrobenzene-d5

Concen: 79.078 ng

RT: 7.192 min Scan# 80

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion: 82 Resp: 501874

Ion Ratio Lower Upper

82 100

128 43.6 32.6 49.0

54 49.6 43.8 65.6



#24

Nitrobenzene

Concen: 38.809 ng

RT: 7.210 min Scan# 871

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17




Tgt Ion: 77 Resp: 250096


Ion Ratio Lower Upper

77 100

123 45.8 34.3 51.5

65 14.3 12.0 18.0









#25
Isophorone
Concen: 39.977 ng
RT: 7.451 min Scan# 912
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 82 Resp: 408931
Ion Ratio Lower Upper
82 100
95 7.9 6.4 9.6
138 18.9 13.8 20.6



#26
2-Nitrophenol
Concen: 46.791 ng
RT: 7.522 min Scan# 924
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion: 139 Resp: 123609
Ion Ratio Lower Upper
139 100
109 35.1 30.2 45.4
65 56.3 48.9 73.3





#27

2,4-Dimethylphenol

Concen: 41.733 ng

RT: 7.569 min Scan# 91

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:122 Resp: 169750

Ion Ratio Lower Upper

122 100

107 121.7 100.2 150.2

121 59.7 47.8 71.8



#28

bis(2-Chloroethoxy)methane

Concen: 40.986 ng

RT: 7.663 min Scan# 948

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17




Tgt Ion: 93 Resp: 236076


Ion Ratio Lower Upper

93 100

95 33.4 26.3 39.5

123 11.1 9.4 14.2





#29

2,4-Dichlorophenol

Concen: 43.321 ng

RT: 7.769 min Scan# 90

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:162 Resp: 193097

Ion Ratio Lower Upper

162 100

164 65.0 42.2 82.2

98 37.6 21.7 61.7



#30

1,2,4-Trichlorobenzene

Concen: 42.532 ng

RT: 7.845 min Scan# 979

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17




Tgt Ion:180 Resp: 204968


Ion Ratio Lower Upper

180 100

182 94.9 73.3 109.9

145 33.8 28.3 42.5









#31
Naphthalene
Concen: 41.491 ng
RT: 7.928 min Scan# 94
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:128 Resp: 693079
Ion Ratio Lower Upper
128 100
129 10.9 9.1 13.7
127 13.1 10.6 16.0



#32
Benzoic acid
Concen: 25.587 ng
RT: 7.710 min Scan# 956
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion:122 Resp: 80484
Ion Ratio Lower Upper
122 100
105 130.8 112.9 152.9
77 96.5 82.8 122.8









#33
4-Chloroaniline
Concen: 43.086 ng
RT: 7.981 min Scan# 1012
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:	127	Resp:	273729
Ion	Ratio	Lower	Upper
127	100		
129	31.9	25.6	38.4
65	31.2	27.0	40.6
92	19.3	15.9	23.9



#34
Hexachlorobutadiene
Concen: 41.653 ng
RT: 8.039 min Scan# 1012
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion:	225	Resp:	128284
Ion	Ratio	Lower	Upper
225	100		
223	64.6	50.3	75.5
227	63.7	51.1	76.7









#35
 Caprolactam
 Concen: 42.988 ng
 RT: 8.363 min Scan# 1067
 Delta R.T. 0.000 min
 Lab File: BF130546.D
 Acq: 06 Oct 2022 12:17




Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Tgt Ion:113 Resp: 54932
 Ion Ratio Lower Upper
 113 100
 55 158.0 155.4 195.4
 56 126.1 120.4 160.4



#36
 4-Chloro-3-methylphenol
 Concen: 42.434 ng
 RT: 8.469 min Scan# 1085
 Delta R.T. 0.000 min
 Lab File: BF130546.D
 Acq: 06 Oct 2022 12:17

Tgt Ion:107 Resp: 209651
 Ion Ratio Lower Upper
 107 100
 144 23.4 20.0 30.0
 142 71.8 61.3 91.9









#37
2-Methylnaphthalene
Concen: 42.007 ng
RT: 8.616 min Scan# 1110
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:142 Resp: 447397
Ion Ratio Lower Upper
142 100
141 87.5 70.0 105.0



#38
1-Methylnaphthalene
Concen: 42.218 ng
RT: 8.710 min Scan# 1126
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion:142 Resp: 431946
Ion Ratio Lower Upper
142 100
141 92.4 73.8 110.8





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.651 min Scan# 1138

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:164 Resp: 173514

Ion Ratio Lower Upper

164 100

162 101.8 81.4 122.0

160 44.8 36.2 54.4



#40

1,2,4,5-Tetrachlorobenzene

Concen: 41.237 ng

RT: 8.781 min Scan# 1138

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17

Tgt Ion:216 Resp: 195269




Ion Ratio Lower Upper


216 100

214 78.5 62.8 94.2

179 22.5 19.5 29.3

108 21.7 19.1 28.7









#41
Hexachlorocyclopentadiene
Concen: 38.935 ng
RT: 8.763 min Scan# 1112
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:237 Resp: 98708
Ion Ratio Lower Upper
237 100
235 61.4 42.5 82.5
272 12.9 0.0 32.8



#42
2,4,6-Tribromophenol
Concen: 83.853 ng
RT: 10.439 min Scan# 1420
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion:330 Resp: 139414
Ion Ratio Lower Upper
330 100
332 103.1 83.4 125.2
141 36.1 34.0 51.0





#43

2,4,6-Trichlorophenol

Concen: 39.873 ng

RT: 8.898 min Scan# 1158

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:196 Resp: 131773

Ion Ratio Lower Upper

196 100

198 95.0 72.4 108.6

200 31.2 23.8 35.6



#44

2,4,5-Trichlorophenol

Concen: 40.597 ng

RT: 8.939 min Scan# 1165

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17

Tgt Ion:196 Resp: 144778




Ion Ratio Lower Upper


196 100

198 96.8 74.8 112.2

97 56.2 43.7 65.5

132 30.4 22.8 34.2









#45
2-Fluorobiphenyl
Concen: 80.221 ng
RT: 8.981 min Scan# 1189
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:172 Resp: 955877
Ion Ratio Lower Upper
172 100
171 35.0 28.3 42.5
170 23.3 18.7 28.1



#46
1,1'-Biphenyl
Concen: 40.184 ng
RT: 9.081 min Scan# 1189
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion:154 Resp: 520733
Ion Ratio Lower Upper
154 100
153 39.4 20.0 60.0
76 10.8 0.0 33.3





#47

2-Chloronaphthalene

Concen: 40.426 ng

RT: 9.104 min Scan# 1169

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:162 Resp: 423783

Ion Ratio Lower Upper

162 100

127 42.2 35.9 53.9

164 33.1 26.2 39.2



#48

2-Nitroaniline

Concen: 38.164 ng

RT: 9.204 min Scan# 1210

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17




Tgt Ion: 65 Resp: 133434


Ion Ratio Lower Upper

65 100

92 66.0 52.2 78.4

138 94.7 77.0 115.4





#49

Acenaphthylene

Concen: 40.375 ng

RT: 9.516 min Scan# 11

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:152 Resp: 634584

Ion Ratio Lower Upper

152 100

151 20.4 16.2 24.2

153 12.9 10.6 15.8



#50

Dimethylphthalate

Concen: 41.557 ng

RT: 9.386 min Scan# 1241

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17




Tgt Ion:163 Resp: 498091


Ion Ratio Lower Upper

163 100

194 3.7 2.8 4.2

164 10.5 8.2 12.2









#51
2,6-Dinitrotoluene
Concen: 43.014 ng
RT: 9.451 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:165 Resp: 107820
Ion Ratio Lower Upper
165 100
63 56.8 58.8 88.2#
89 57.1 54.5 81.7



#52
Acenaphthene
Concen: 36.559 ng
RT: 9.686 min Scan# 1292
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion:154 Resp: 377539
Ion Ratio Lower Upper
154 100
153 112.3 90.6 136.0
152 53.3 43.8 65.6









#53
3-Nitroaniline
Concen: 41.724 ng
RT: 9.622 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:138 Resp: 116539
Ion Ratio Lower Upper
138 100
108 10.8 9.2 13.8
92 108.6 99.2 148.8



#54
2,4-Dinitrophenol
Concen: 37.202 ng
RT: 9.728 min Scan# 1299
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion:184 Resp: 45650
Ion Ratio Lower Upper
184 100
63 72.1 70.0 105.0
154 69.4 63.0 94.6









#55
Dibenzenofuran
Concen: 40.242 ng
RT: 9.857 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:168 Resp: 578031
Ion Ratio Lower Upper
168 100
139 42.7 35.0 52.4
169 13.3 10.9 16.3



#56
4-Nitrophenol
Concen: 38.673 ng
RT: 9.792 min Scan# 1310
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion:139 Resp: 78675
Ion Ratio Lower Upper
139 100
109 80.3 72.2 112.2
65 95.9 97.7 137.7#









#57
2,4-Dinitrotoluene
Concen: 43.091 ng
RT: 9.851 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:165 Resp: 138043
Ion Ratio Lower Upper
165 100
63 63.8 44.7 67.1
89 86.6 69.0 103.4
182 2.9 1.9 2.9



#58
Fluorene
Concen: 40.123 ng
RT: 10.198 min Scan# 1379
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion:166 Resp: 471333
Ion Ratio Lower Upper
166 100
165 98.7 78.8 118.2
167 13.9 10.6 15.8









#59
2,3,4,6-Tetrachlorophenol
Concen: 39.760 ng
RT: 9.980 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:232 Resp: 110983
Ion Ratio Lower Upper
232 100
131 51.5 46.4 69.6
130 2.9 2.3 3.5
166 32.9 29.5 44.3



#60
Diethylphthalate
Concen: 39.735 ng
RT: 10.081 min Scan# 1359
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion:149 Resp: 477579
Ion Ratio Lower Upper
149 100
177 20.0 16.1 24.1
150 12.9 9.9 14.9









#61
4-Chlorophenyl-phenylether
Concen: 40.811 ng
RT: 10.192 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:204 Resp: 210307
Ion Ratio Lower Upper
204 100
206 33.3 26.6 39.8
141 73.1 57.1 85.7



#62
4-Nitroaniline
Concen: 35.520 ng
RT: 10.233 min Scan# 1385
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion:138 Resp: 99664
Ion Ratio Lower Upper
138 100
92 49.1 36.7 76.7
108 87.4 78.2 118.2









#63
Azobenzene
Concen: 37.180 ng
RT: 10.351 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 77	Resp: 460157
Ion Ratio	Lower Upper
77	100
182	22.2 2.1 42.1
105	19.4 0.0 39.4
51	31.7 13.1 53.1



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.133 min Scan# 1538
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion: 188	Resp: 277258
Ion Ratio	Lower Upper
188	100
94	8.1 7.4 11.2
80	7.9 7.9 11.9









#65
4,6-Dinitro-2-methylphenol
Concen: 45.760 ng
RT: 10.257 min Scan# 1389
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:198 Resp: 70627
Ion Ratio Lower Upper
198 100
51 56.6 36.9 76.9
105 53.4 33.0 73.0



#66
n-Nitrosodiphenylamine
Concen: 42.170 ng
RT: 10.316 min Scan# 1399
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion:169 Resp: 390712
Ion Ratio Lower Upper
169 100
168 66.4 53.2 79.8
167 35.8 29.2 43.8









#67
4-Bromophenyl-phenylether
Concen: 43.684 ng
RT: 10.680 min Scan# 1461
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:248 Resp: 133611
Ion Ratio Lower Upper
248 100
250 98.1 80.0 120.0
141 82.7 68.5 102.7



#68
Hexachlorobenzene
Concen: 43.886 ng
RT: 10.739 min Scan# 1471
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion:284 Resp: 152158
Ion Ratio Lower Upper
284 100
142 39.5 27.2 40.8
249 31.4 23.8 35.8





#69

Atrazine

Concen: 38.737 ng

RT: 10.845 min Scan# 1465

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:200 Resp: 104884

Ion Ratio Lower Upper

200 100

173 27.1 6.2 46.2

215 45.5 22.5 62.5



#70

Pentachlorophenol

Concen: 37.635 ng

RT: 10.945 min Scan# 1506

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17




Tgt Ion:266 Resp: 70030


Ion Ratio Lower Upper

266 100

268 62.3 50.5 75.7

264 61.2 50.5 75.7





#71

Phenanthrene

Concen: 40.297 ng

RT: 11.157 min Scan# 1542

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:178 Resp: 627273

Ion Ratio Lower Upper

178 100

176 19.6 15.4 23.0

179 15.6 12.4 18.6



#72

Anthracene

Concen: 40.787 ng

RT: 11.210 min Scan# 1551

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17




Tgt Ion:178 Resp: 612705


Ion Ratio Lower Upper

178 100

176 18.3 15.0 22.6

179 15.1 12.7 19.1









#73
 Carbazole
 Concen: 38.257 ng
 RT: 11.369 min Scan# 1635
 Delta R.T. 0.000 min
 Lab File: BF130546.D
 Acq: 06 Oct 2022 12:17




Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Tgt Ion:167 Resp: 518660
 Ion Ratio Lower Upper
 167 100
 166 21.2 17.4 26.2
 139 13.6 11.6 17.4



#74
 Di-n-butylphthalate
 Concen: 37.821 ng
 RT: 11.704 min Scan# 1635
 Delta R.T. 0.000 min
 Lab File: BF130546.D
 Acq: 06 Oct 2022 12:17

Tgt Ion:149 Resp: 618305
 Ion Ratio Lower Upper
 149 100
 150 9.0 7.4 11.2
 104 5.2 4.8 7.2









#75
Fluoranthene
Concen: 36.576 ng
RT: 12.339 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:202 Resp: 550172
Ion Ratio Lower Upper
202 100
101 10.3 0.0 31.8
203 17.3 0.0 37.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.763 min Scan# 1985
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion:240 Resp: 131932
Ion Ratio Lower Upper
240 100
120 10.0 8.7 13.1
236 25.0 20.9 31.3









#77
Benzidine
Concen: 29.640 ng
RT: 12.469 min Scan# 1765
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:184 Resp: 113516
Ion Ratio Lower Upper
184 100
185 14.9 11.8 17.6
183 12.0 9.1 13.7



#78
Pyrene
Concen: 46.204 ng
RT: 12.563 min Scan# 1781
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17


Tgt Ion:202 Resp: 533268
Ion Ratio Lower Upper
202 100
200 20.9 17.2 25.8
203 17.8 14.3 21.5








#79
 Terphenyl-d14
 Concen: 90.632 ng
 RT: 12.716 min Scan# 11
 Delta R.T. 0.000 min
 Lab File: BF130546.D
 Acq: 06 Oct 2022 12:17

Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040







Tgt Ion:244 Resp: 721840
 Ion Ratio Lower Upper
 244 100
 212 7.1 5.9 8.9
 122 10.7 8.5 12.7



#80
 Butylbenzylphthalate
 Concen: 40.521 ng
 RT: 13.192 min Scan# 1888
 Delta R.T. 0.000 min
 Lab File: BF130546.D
 Acq: 06 Oct 2022 12:17

Tgt Ion:149 Resp: 173252
 Ion Ratio Lower Upper
 149 100
 91 74.2 59.8 89.8
 206 18.2 13.9 20.9









#81
Benzo(a)anthracene
Concen: 41.296 ng
RT: 13.751 min Scan# 1959
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:228 Resp: 362445
Ion Ratio Lower Upper
228 100
226 25.9 21.9 32.9
229 19.6 16.1 24.1



#82
3,3'-Dichlorobenzidine
Concen: 45.455 ng
RT: 13.721 min Scan# 1978
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion:252 Resp: 108597
Ion Ratio Lower Upper
252 100
254 64.7 51.1 76.7
126 10.4 10.4 15.6





#83

Chrysene

Concen: 41.224 ng

RT: 13.786 min Scan# 1989

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:228 Resp: 343544

Ion Ratio Lower Upper

228 100

226 30.3 23.8 35.8

229 19.8 15.3 22.9



#84

Bis(2-ethylhexyl)phthalate

Concen: 41.836 ng

RT: 13.751 min Scan# 1983

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17




Tgt Ion:149 Resp: 204891


Ion Ratio Lower Upper

149 100

167 24.9 20.5 30.7

279 3.8 2.9 4.3





#85

Di-n-octyl phthalate

Concen: 47.669 ng

RT: 14.363 min Scan# 2063

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:149 Resp: 357072

Ion Ratio Lower Upper

149 100

167 1.6 1.2 1.8

43 9.5 8.7 13.1



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.145 min Scan# 2220

Delta R.T. 0.000 min

Lab File: BF130546.D

Acq: 06 Oct 2022 12:17




Tgt Ion:264 Resp: 142063


Ion Ratio Lower Upper

264 100

260 22.2 19.3 28.9

265 21.7 17.0 25.4









#87
 Indeno(1,2,3-cd)pyrene
 Concen: 47.352 ng
 RT: 16.457 min Scan# 2423
 Delta R.T. 0.000 min
 Lab File: BF130546.D
 Acq: 06 Oct 2022 12:17




Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Tgt Ion:276 Resp: 477040
 Ion Ratio Lower Upper
 276 100
 138 21.4 18.5 27.7
 277 25.1 20.2 30.4



#88
 Benzo(b)fluoranthene
 Concen: 39.203 ng
 RT: 14.763 min Scan# 2155
 Delta R.T. 0.000 min
 Lab File: BF130546.D
 Acq: 06 Oct 2022 12:17

Tgt Ion:252 Resp: 363507
 Ion Ratio Lower Upper
 252 100
 253 21.0 17.7 26.5
 125 8.4 8.1 12.1









#89
Benzo(k)fluoranthene
Concen: 36.453 ng
RT: 14.786 min Scan# 2111
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:252 Resp: 332495
Ion Ratio Lower Upper
252 100
253 22.0 17.4 26.2
125 9.6 7.9 11.9



#90
Benzo(a)pyrene
Concen: 41.432 ng
RT: 15.092 min Scan# 2211
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion:252 Resp: 304356
Ion Ratio Lower Upper
252 100
253 21.1 17.8 26.6
125 9.2 9.0 13.6









#91
Dibenzo(a,h)anthracene
Concen: 47.155 ng
RT: 16.474 min Scan# 2427
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:278 Resp: 389708
Ion Ratio Lower Upper
278 100
139 13.2 11.8 17.8
279 23.9 19.4 29.0



#92
Benzo(g,h,i)perylene
Concen: 48.067 ng
RT: 16.851 min Scan# 2510
Delta R.T. 0.000 min
Lab File: BF130546.D
Acq: 06 Oct 2022 12:17

Tgt Ion:276 Resp: 400167
Ion Ratio Lower Upper
276 100
277 23.7 18.6 27.8
138 18.1 14.6 21.8

