

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100622\
 Data File : BF130555.D
 Acq On : 06 Oct 2022 17:34
 Operator : CG\JU
 Sample : N5014-13
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-01-0-2.0

Quant Time: Oct 07 02:11:19 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 07 02:06:46 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.616	152	76110	20.000	ng	0.00
21) Naphthalene-d8	7.898	136	292932	20.000	ng	0.00
39) Acenaphthene-d10	9.645	164	145908	20.000	ng	0.00
64) Phenanthrene-d10	11.127	188	212106	20.000	ng	0.00
76) Chrysene-d12	13.757	240	127152	20.000	ng	0.00
86) Perylene-d12	15.139	264	160950	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.222	112	421116	95.968	ng	0.00
7) Phenol-d6	6.263	99	517015	94.165	ng	0.00
23) Nitrobenzene-d5	7.181	82	333616	58.184	ng	-0.01
42) 2,4,6-Tribromophenol	10.433	330	105041	75.132	ng	0.00
45) 2-Fluorobiphenyl	8.975	172	589465	58.830	ng	0.00
79) Terphenyl-d14	12.710	244	391600	51.016	ng	0.00
Target Compounds						
						Qvalue
19) n-Nitroso-di-n-propyla...	7.181	70	45391	12.252	ng	# 73
25) Isophorone	7.181	82	333675	36.106	ng	# 66
50) Dimethylphthalate	9.645	163	27052	2.684	ng	# 1
51) 2,6-Dinitrotoluene	9.645	165	18366	8.713	ng	# 16
57) 2,4-Dinitrotoluene	9.645	165	18366	6.818	ng	# 16
67) 4-Bromophenyl-phenylether	10.433	248	6526	2.789	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100622\
Data File : BF130555.D
Acq On : 06 Oct 2022 17:34
Operator : CG\JU
Sample : N5014-13
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-01-0-2.0

Quant Time: Oct 07 02:11:19 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091422.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 07 02:06:46 2022
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.616 min Scan# 71
 Delta R.T. -0.000 min
 Lab File: BF130555.D
 Acq: 06 Oct 2022 17:34




Instrument :
 BNA_F
 ClientSampleId :
 SB-01-0-2.0


Tgt Ion:152 Resp: 76110
 Ion Ratio Lower Upper
 152 100
 150 157.6 122.8 184.2
 115 66.8 53.8 80.8



#5
 2-Fluorophenol
 Concen: 95.968 ng
 RT: 5.222 min Scan# 533
 Delta R.T. 0.006 min
 Lab File: BF130555.D
 Acq: 06 Oct 2022 17:34

Tgt Ion:112 Resp: 421116
 Ion Ratio Lower Upper
 112 100
 64 57.3 51.4 77.0
 63 30.9 28.8 43.2









#7
Phenol-d6
Concen: 94.165 ng
RT: 6.263 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF130555.D
Acq: 06 Oct 2022 17:34




Instrument :
BNA_F
ClientSampleId :
SB-01-0-2.0


Tgt Ion: 99 Resp: 517015
Ion Ratio Lower Upper
99 100
42 18.1 17.0 25.6
71 36.5 32.3 48.5



#19
n-Nitroso-di-n-propylamine
Concen: 12.252 ng
RT: 7.181 min Scan# 866
Delta R.T. 0.135 min
Lab File: BF130555.D
Acq: 06 Oct 2022 17:34

Tgt Ion: 70 Resp: 45391
Ion Ratio Lower Upper
70 100
42 46.4 50.8 76.2#
101 0.0 8.2 12.4#
130 2.2 16.6 25.0#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 7.898 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF130555.D
Acq: 06 Oct 2022 17:34

Instrument :
BNA_F
ClientSampleId :
SB-01-0-2.0

Tgt Ion:136 Resp: 292932




Ion	Ratio	Lower	Upper
136	100		
137	10.8	9.1	13.7
54	7.3	7.1	10.7
68	5.0	4.5	6.7




#23
Nitrobenzene-d5
Concen: 58.184 ng
RT: 7.181 min Scan# 866
Delta R.T. -0.012 min
Lab File: BF130555.D
Acq: 06 Oct 2022 17:34

Tgt Ion: 82 Resp: 333616

Ion	Ratio	Lower	Upper
82	100		
128	42.6	32.6	49.0
54	51.9	43.8	65.6









#25
Isophorone
Concen: 36.106 ng
RT: 7.181 min Scan# 80
Delta R.T. -0.271 min
Lab File: BF130555.D
Acq: 06 Oct 2022 17:34




Instrument :
BNA_F
ClientSampleId :
SB-01-0-2.0


Tgt Ion: 82 Resp: 333675
Ion Ratio Lower Upper
82 100
95 0.0 6.4 9.6#
138 0.0 13.8 20.6#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.645 min Scan# 1285
Delta R.T. -0.006 min
Lab File: BF130555.D
Acq: 06 Oct 2022 17:34

Tgt Ion: 164 Resp: 145908
Ion Ratio Lower Upper
164 100
162 101.1 81.4 122.0
160 44.1 36.2 54.4





#42

2,4,6-Tribromophenol

Concen: 75.132 ng

RT: 10.433 min Scan# 1419

Delta R.T. -0.006 min

Lab File: BF130555.D

Acq: 06 Oct 2022 17:34

Instrument :

BNA_F

ClientSampleId :

SB-01-0-2.0





Tgt Ion:330 Resp: 105041

Ion Ratio Lower Upper

330 100

332 104.5 83.4 125.2

141 36.6 34.0 51.0



#45

2-Fluorobiphenyl

Concen: 58.830 ng

RT: 8.975 min Scan# 1171

Delta R.T. -0.006 min

Lab File: BF130555.D

Acq: 06 Oct 2022 17:34




Tgt Ion:172 Resp: 589465


Ion Ratio Lower Upper

172 100

171 34.7 28.3 42.5

170 22.9 18.7 28.1









#50
Dimethylphthalate
Concen: 2.684 ng
RT: 9.645 min Scan# 1285
Delta R.T. 0.259 min
Lab File: BF130555.D
Acq: 06 Oct 2022 17:34




Instrument :
BNA_F
ClientSampleId :
SB-01-0-2.0


Tgt Ion:163 Resp: 27052
Ion Ratio Lower Upper
163 100
194 0.0 2.8 4.2#
164 571.3 8.2 12.2#



#51
2,6-Dinitrotoluene
Concen: 8.713 ng
RT: 9.645 min Scan# 1285
Delta R.T. 0.194 min
Lab File: BF130555.D
Acq: 06 Oct 2022 17:34

Tgt Ion:165 Resp: 18366
Ion Ratio Lower Upper
165 100
63 1.6 58.8 88.2#
89 1.5 54.5 81.7#









#57
2,4-Dinitrotoluene
Concen: 6.818 ng
RT: 9.645 min Scan# 11
Delta R.T. -0.206 min
Lab File: BF130555.D
Acq: 06 Oct 2022 17:34




Instrument :
BNA_F
ClientSampleId :
SB-01-0-2.0


Tgt Ion:165 Resp: 18366
Ion Ratio Lower Upper
165 100
63 1.6 44.7 67.1#
89 1.5 69.0 103.4#
182 0.0 1.9 2.9#



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.127 min Scan# 1537
Delta R.T. -0.006 min
Lab File: BF130555.D
Acq: 06 Oct 2022 17:34

Tgt Ion:188 Resp: 212106
Ion Ratio Lower Upper
188 100
94 8.7 7.4 11.2
80 9.0 7.9 11.9









#67
4-Bromophenyl-phenylether
Concen: 2.789 ng
RT: 10.433 min Scan# 1437
Delta R.T. -0.247 min
Lab File: BF130555.D
Acq: 06 Oct 2022 17:34




Instrument :
BNA_F
ClientSampleId :
SB-01-0-2.0


Tgt Ion:248 Resp: 6526
Ion Ratio Lower Upper
248 100
250 201.0 80.0 120.0#
141 569.5 68.5 102.7#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.757 min Scan# 1984
Delta R.T. -0.006 min
Lab File: BF130555.D
Acq: 06 Oct 2022 17:34


Tgt Ion:240 Resp: 127152
Ion Ratio Lower Upper
240 100
120 10.8 8.7 13.1
236 24.2 20.9 31.3








#79
 Terphenyl-d14
 Concen: 51.016 ng
 RT: 12.710 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF130555.D
 Acq: 06 Oct 2022 17:34

Instrument :
 BNA_F
 ClientSampleId :
 SB-01-0-2.0



Tgt Ion:244 Resp: 391600
 Ion Ratio Lower Upper
 244 100
 212 6.9 5.9 8.9
 122 11.2 8.5 12.7



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.139 min Scan# 2219
 Delta R.T. -0.006 min
 Lab File: BF130555.D
 Acq: 06 Oct 2022 17:34

Tgt Ion:264 Resp: 160950
 Ion Ratio Lower Upper
 264 100
 260 24.0 19.3 28.9
 265 21.4 17.0 25.4

