

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102620\
 Data File : BF122124.D
 Acq On : 26 Oct 2020 19:41
 Operator : JU/CG
 Sample : L4436-05
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 34B

Manual Integrations
 APPROVED

mohammad
 10/27/2020 12:25:08 PM

Quant Time: Oct 27 00:55:48 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF101220.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 26 17:27:32 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.710	152	108810	20.00	ng	0.00
21) Naphthalene-d8	7.998	136	430896	20.00	ng	0.00
39) Acenaphthene-d10	9.745	164	222582	20.00	ng	0.00
64) Phenanthrene-d10	11.233	188	385215	20.00	ng	0.00
76) Chrysene-d12	13.874	240	250872	20.00	ng	0.00
86) Perylene-d12	15.304	264	245804	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.340	112	704599	95.57	ng	0.00
7) Phenol-d6	6.369	99	887574	93.52	ng	0.00
23) Nitrobenzene-d5	7.287	82	616469	73.37	ng	0.00
42) 2,4,6-Tribromophenol	10.539	330	223932	81.33	ng	0.00
45) 2-Fluorobiphenyl	9.069	172	1003246	66.32	ng	0.00
79) Terphenyl-d14	12.816	244	856519	65.07	ng	0.00
Target Compounds						Qvalue
50) Dimethylphthalate	9.469	163	154306	9.48	ng	98
71) Phenanthrene	11.257	178	65874	3.12	ng	99
75) Fluoranthene	12.445	202	109120	4.82	ng	100
78) Pyrene	12.674	202	107067	5.60	ng	97
81) Benzo(a)anthracene	13.863	228	49517	3.01	ng	97
83) Chrysene	13.898	228	45310	2.81	ng	98
88) Benzo(b)fluoranthene	14.898	252	55483m	3.34	ng	
90) Benzo(a)pyrene	15.251	252	40939	2.85	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102620\
Data File : BF122124.D
Acq On : 26 Oct 2020 19:41
Operator : JU/CG
Sample : L4436-05
Misc :
ALS Vial : 10 Sample Multiplier: 1


Instrument :
BNA_F
ClientSampleId :
34B

Manual Integrations
APPROVED

mohammad
10/27/2020 12:25:08 PM

Quant Time: Oct 27 00:55:48 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF101220.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 26 17:27:32 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.710 min Scan# 786
Delta R.T. -0.006 min
Lab File: BF122124.D
Acq: 26 Oct 2020 19:41

Tgt Ion:152 Resp: 108810
Ion Ratio Lower Upper
152 100
150 158.0 125.3 187.9
115 65.7 51.9 77.9

Instrument :
BNA_F
ClientSampled :
34B




Manual Integrations
APPROVED


mohammad
10/27/2020 12:25:08 PM



#5
2-Fluorophenol
Concen: 95.57 ng
RT: 5.340 min Scan# 553
Delta R.T. 0.006 min
Lab File: BF122124.D
Acq: 26 Oct 2020 19:41

Tgt Ion:112 Resp: 704599
Ion Ratio Lower Upper
112 100
64 62.4 50.4 75.6
63 33.0 25.8 38.6









#7
Phenol-d6
Concen: 93.52 ng
RT: 6.369 min Scan# 728
Delta R.T. -0.000 min
Lab File: BF122124.D
Acq: 26 Oct 2020 19:41

Tgt Ion: 99 Resp: 887574
Ion Ratio Lower Upper
99 100
42 20.6 15.9 23.9
71 34.9 27.1 40.7

Instrument :
BNA_F
ClientSampled :
34B




Manual Integrations
APPROVED


mohammad
10/27/2020 12:25:08 PM



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 7.998 min Scan# 1005
Delta R.T. 0.000 min
Lab File: BF122124.D
Acq: 26 Oct 2020 19:41

Tgt Ion: 136 Resp: 430896
Ion Ratio Lower Upper
136 100
137 11.0 8.6 13.0
54 8.6 7.1 10.7
68 5.9 5.0 7.4









#23
Nitrobenzene-d5
Concen: 73.37 ng
RT: 7.287 min Scan# 884
Delta R.T. 0.000 min
Lab File: BF122124.D
Acq: 26 Oct 2020 19:41

Tgt Ion: 82 Resp: 616469
Ion Ratio Lower Upper
82 100
128 43.8 35.0 52.4
54 53.1 43.9 65.9

Instrument :
BNA_F
ClientSampled :
34B




Manual Integrations
APPROVED


mohammad
10/27/2020 12:25:08 PM




#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.745 min Scan# 1302
Delta R.T. -0.006 min
Lab File: BF122124.D
Acq: 26 Oct 2020 19:41

Tgt Ion: 164 Resp: 222582
Ion Ratio Lower Upper
164 100
162 102.2 83.2 124.8
160 46.6 37.5 56.3









#42
2,4,6-Tribromophenol
Concen: 81.33 ng
RT: 10.539 min Scan# 1437
Delta R.T. -0.006 min
Lab File: BF122124.D
Acq: 26 Oct 2020 19:41





Tgt Ion: 330 Resp: 223932
Ion Ratio Lower Upper
330 100
332 95.4 77.3 115.9
141 30.0 22.3 33.5



#45
2-Fluorobiphenyl
Concen: 66.32 ng
RT: 9.069 min Scan# 1187
Delta R.T. -0.006 min
Lab File: BF122124.D
Acq: 26 Oct 2020 19:41




Tgt Ion: 172 Resp: 1003246
Ion Ratio Lower Upper
172 100
171 36.3 29.1 43.7
170 24.3 19.8 29.6




Instrument :
BNA_F
ClientSampled :
34B

Manual Integrations
APPROVED




mohammad
10/27/2020 12:25:08 PM




#50
Dimethylphthalate
Concen: 9.48 ng
RT: 9.469 min Scan# 1255
Delta R.T. -0.012 min
Lab File: BF122124.D
Acq: 26 Oct 2020 19:41





Tgt Ion:163 Resp: 154306
Ion Ratio Lower Upper
163 100
194 3.7 3.3 4.9
164 9.6 8.2 12.4



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.233 min Scan# 1555
Delta R.T. 0.000 min
Lab File: BF122124.D
Acq: 26 Oct 2020 19:41




Tgt Ion:188 Resp: 385215
Ion Ratio Lower Upper
188 100
94 9.3 8.3 12.5
80 10.3 9.1 13.7




Instrument :
BNA_F
ClientSampled :
34B

Manual Integrations
APPROVED




mohammad
10/27/2020 12:25:08 PM




#71
Phenanthrene
Concen: 3.12 ng
RT: 11.257 min Scan# 1559
Delta R.T. -0.006 min
Lab File: BF122124.D
Acq: 26 Oct 2020 19:41





Tgt Ion:178 Resp: 65874
Ion Ratio Lower Upper
178 100
176 19.2 15.9 23.9
179 14.8 12.2 18.4



#75
Fluoranthene
Concen: 4.82 ng
RT: 12.445 min Scan# 1761
Delta R.T. -0.006 min
Lab File: BF122124.D
Acq: 26 Oct 2020 19:41




Tgt Ion:202 Resp: 109120
Ion Ratio Lower Upper
202 100
101 13.0 0.0 33.4
203 17.9 0.0 37.9




Instrument :
BNA_F
ClientSampled :
34B

Manual Integrations
APPROVED




mohammad
10/27/2020 12:25:08 PM




#76
Chrysene-d12
Concen: 20.00 ng
RT: 13.874 min Scan# 2004
Delta R.T. -0.006 min
Lab File: BF122124.D
Acq: 26 Oct 2020 19:41





Tgt Ion:240 Resp: 250872
Ion Ratio Lower Upper
240 100
120 10.9 9.2 13.8
236 25.2 20.9 31.3



#78
Pyrene
Concen: 5.60 ng
RT: 12.674 min Scan# 1800
Delta R.T. -0.006 min
Lab File: BF122124.D
Acq: 26 Oct 2020 19:41




Tgt Ion:202 Resp: 107067
Ion Ratio Lower Upper
202 100
200 20.4 17.4 26.2
203 17.3 14.6 21.8




Instrument :
BNA_F
ClientSampleId :
34B

Manual Integrations
APPROVED




mohammad
10/27/2020 12:25:08 PM




#79
Terphenyl-d14
Concen: 65.07 ng
RT: 12.816 min Scan# 1824
Delta R.T. 0.000 min
Lab File: BF122124.D
Acq: 26 Oct 2020 19:41





Tgt Ion:244 Resp: 856519
Ion Ratio Lower Upper
244 100
212 7.0 5.4 8.2
122 10.8 8.1 12.1



#81
Benzo(a)anthracene
Concen: 3.01 ng
RT: 13.863 min Scan# 2002
Delta R.T. -0.006 min
Lab File: BF122124.D
Acq: 26 Oct 2020 19:41




Tgt Ion:228 Resp: 49517
Ion Ratio Lower Upper
228 100
226 25.5 22.3 33.5
229 20.7 16.2 24.4



Instrument :
BNA_F
ClientSampled :
34B

Manual Integrations
APPROVED

mohammad
10/27/2020 12:25:08 PM







#83
Chrysene
Concen: 2.81 ng
RT: 13.898 min Scan# 2008
Delta R.T. -0.006 min
Lab File: BF122124.D
Acq: 26 Oct 2020 19:41

Tgt Ion:	228	Resp:	45310
Ion Ratio	Lower	Upper	
228	100		
226	29.8	24.6	37.0
229	21.5	15.9	23.9

Instrument :
BNA_F
ClientSampled :
34B




Manual Integrations
APPROVED


mohammad
10/27/2020 12:25:08 PM




#86
Perylene-d12
Concen: 20.00 ng
RT: 15.304 min Scan# 2247
Delta R.T. -0.000 min
Lab File: BF122124.D
Acq: 26 Oct 2020 19:41

Tgt Ion:	264	Resp:	245804
Ion Ratio	Lower	Upper	
264	100		
260	24.1	18.7	28.1
265	21.8	17.3	25.9









#88
Benzo(b)fluoranthene
Concen: 3.34 ng m
RT: 14.898 min Scan# 2178
Delta R.T. 0.000 min
Lab File: BF122124.D
Acq: 26 Oct 2020 19:41





Tgt Ion:252 Resp: 55483
Ion Ratio Lower Upper
252 100
253 23.5 18.2 27.2
125 12.1 8.0 12.0#



#90
Benzo(a)pyrene
Concen: 2.85 ng
RT: 15.251 min Scan# 2238
Delta R.T. 0.000 min
Lab File: BF122124.D
Acq: 26 Oct 2020 19:41



Tgt Ion:252 Resp: 40939
Ion Ratio Lower Upper
252 100
253 22.8 17.3 25.9
125 10.9 8.6 13.0



Instrument :
BNA_F
ClientSampled :
34B

Manual Integrations
APPROVED

mohammad
10/27/2020 12:25:08 PM