

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102822\
 Data File : BF130839.D
 Acq On : 28 Oct 2022 23:29
 Operator : CG\JU
 Sample : N5267-11
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP4-1024

Quant Time: Oct 29 05:47:26 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF102722.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Oct 29 05:41:34 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.945	152	107161	20.000	ng	0.00
21) Naphthalene-d8	8.228	136	407435	20.000	ng	0.00
39) Acenaphthene-d10	9.986	164	221739	20.000	ng	-0.01
64) Phenanthrene-d10	11.480	188	422347	20.000	ng	0.00
76) Chrysene-d12	14.127	240	302602	20.000	ng	0.00
86) Perylene-d12	15.639	264	224295	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.581	112	807903	130.700	ng	0.02
7) Phenol-d6	6.563	99	980010	122.003	ng	0.00
23) Nitrobenzene-d5	7.510	82	727354	107.646	ng	0.00
42) 2,4,6-Tribromophenol	10.780	330	327551	175.480	ng	0.00
45) 2-Fluorobiphenyl	9.310	172	1348060	91.915	ng	0.00
79) Terphenyl-d14	13.074	244	1535869	93.007	ng	0.00
Target Compounds						
31) Naphthalene	8.251	128	49930	2.349	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102822\
Data File : BF130839.D
Acq On : 28 Oct 2022 23:29
Operator : CG\JU
Sample : N5267-11
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP4-1024

Quant Time: Oct 29 05:47:26 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF102722.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Oct 29 05:41:34 2022
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.945 min Scan# 81
 Delta R.T. 0.000 min
 Lab File: BF130839.D
 Acq: 28 Oct 2022 23:29




Instrument :
 BNA_F
 ClientSampleId :
 TP4-1024


Tgt Ion:152 Resp: 107161
 Ion Ratio Lower Upper
 152 100
 150 151.6 124.1 186.1
 115 63.3 50.1 75.1



#5
 2-Fluorophenol
 Concen: 130.700 ng
 RT: 5.581 min Scan# 594
 Delta R.T. 0.023 min
 Lab File: BF130839.D
 Acq: 28 Oct 2022 23:29

Tgt Ion:112 Resp: 807903
 Ion Ratio Lower Upper
 112 100
 64 68.0 53.9 80.9
 63 38.4 29.4 44.2









#7
Phenol-d6
Concen: 122.003 ng
RT: 6.563 min Scan# 70
Delta R.T. -0.000 min
Lab File: BF130839.D
Acq: 28 Oct 2022 23:29




Instrument :
BNA_F
ClientSampleId :
TP4-1024


Tgt Ion: 99 Resp: 980010
Ion Ratio Lower Upper
99 100
42 25.5 18.8 28.2
71 41.4 31.4 47.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.228 min Scan# 1044
Delta R.T. -0.006 min
Lab File: BF130839.D
Acq: 28 Oct 2022 23:29

Tgt Ion: 136 Resp: 407435
Ion Ratio Lower Upper
136 100
137 10.8 9.2 13.8
54 9.7 8.8 13.2
68 5.6 5.2 7.8









#23
Nitrobenzene-d5
Concen: 107.646 ng
RT: 7.510 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF130839.D
Acq: 28 Oct 2022 23:29




Instrument :
BNA_F
ClientSampleId :
TP4-1024


Tgt Ion: 82 Resp: 727354
Ion Ratio Lower Upper
82 100
128 39.5 31.2 46.8
54 61.1 48.0 72.0



#31
Naphthalene
Concen: 2.349 ng
RT: 8.251 min Scan# 1048
Delta R.T. -0.006 min
Lab File: BF130839.D
Acq: 28 Oct 2022 23:29

Tgt Ion: 128 Resp: 49930
Ion Ratio Lower Upper
128 100
129 10.5 9.0 13.6
127 14.2 10.6 16.0









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.986 min Scan# 1346
Delta R.T. -0.012 min
Lab File: BF130839.D
Acq: 28 Oct 2022 23:29




Instrument :
BNA_F
ClientSampleId :
TP4-1024


Tgt Ion:164 Resp: 221739
Ion Ratio Lower Upper
164 100
162 103.1 82.2 123.2
160 44.7 36.6 54.8



#42
2,4,6-Tribromophenol
Concen: 175.480 ng
RT: 10.780 min Scan# 1478
Delta R.T. -0.006 min
Lab File: BF130839.D
Acq: 28 Oct 2022 23:29

Tgt Ion:330 Resp: 327551
Ion Ratio Lower Upper
330 100
332 94.7 76.2 114.4
141 37.1 31.4 47.0





#45

2-Fluorobiphenyl

Concen: 91.915 ng

RT: 9.310 min Scan# 1228

Delta R.T. -0.000 min

Lab File: BF130839.D

Acq: 28 Oct 2022 23:29

Instrument :

BNA_F

ClientSampleId :

TP4-1024





Tgt Ion:172 Resp: 1348060

Ion Ratio Lower Upper

172 100

171 36.0 28.1 42.1

170 23.8 19.0 28.4



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.480 min Scan# 1597

Delta R.T. -0.006 min

Lab File: BF130839.D

Acq: 28 Oct 2022 23:29




Tgt Ion:188 Resp: 422347


Ion Ratio Lower Upper

188 100

94 8.3 7.4 11.2

80 9.3 8.0 12.0









#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.127 min Scan# 2050
Delta R.T. -0.006 min
Lab File: BF130839.D
Acq: 28 Oct 2022 23:29




Instrument :
BNA_F
ClientSampleId :
TP4-1024


Tgt Ion:240 Resp: 302602
Ion Ratio Lower Upper
240 100
120 9.4 7.0 10.4
236 24.8 20.5 30.7



#79
Terphenyl-d14
Concen: 93.007 ng
RT: 13.074 min Scan# 1868
Delta R.T. -0.000 min
Lab File: BF130839.D
Acq: 28 Oct 2022 23:29


Tgt Ion:244 Resp: 1535869
Ion Ratio Lower Upper
244 100
212 7.8 6.2 9.2
122 10.8 7.9 11.9





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.639 min Scan# 2304
Delta R.T. -0.006 min
Lab File: BF130839.D
Acq: 28 Oct 2022 23:29

Instrument :
BNA_F
ClientSampleId :
TP4-1024



Tgt Ion:264 Resp: 224295
Ion Ratio Lower Upper
264 100
260 23.5 19.9 29.9
265 21.6 17.0 25.6

