

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102922\
 Data File : BF130855.D
 Acq On : 29 Oct 2022 14:12
 Operator : CG\JU
 Sample : N5286-01
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 BBS-SOILCUT-1026

Quant Time: Oct 30 23:23:32 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF102722.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Oct 29 05:41:34 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.939	152	87931	20.000	ng	0.00
21) Naphthalene-d8	8.228	136	335244	20.000	ng	0.00
39) Acenaphthene-d10	9.986	164	168937	20.000	ng	-0.01
64) Phenanthrene-d10	11.474	188	259968	20.000	ng	-0.01
76) Chrysene-d12	14.121	240	179949	20.000	ng	#-0.01
86) Perylene-d12	15.639	264	153992	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.563	112	595285	117.364	ng	0.00
7) Phenol-d6	6.557	99	773372	117.334	ng	0.00
23) Nitrobenzene-d5	7.504	82	489336	88.015	ng	-0.01
42) 2,4,6-Tribromophenol	10.774	330	161384	113.482	ng	-0.01
45) 2-Fluorobiphenyl	9.304	172	867960	77.677	ng	0.00
79) Terphenyl-d14	13.068	244	653719	66.569	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102922\
Data File : BF130855.D
Acq On : 29 Oct 2022 14:12
Operator : CG\JU
Sample : N5286-01
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
BBS-SOILCUT-1026

Quant Time: Oct 30 23:23:32 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF102722.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Oct 29 05:41:34 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.939 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF130855.D
Acq: 29 Oct 2022 14:12




Instrument :
BNA_F
ClientSampleId :
BBS-SOILCUT-1026

Tgt Ion:152 Resp: 87931
Ion Ratio Lower Upper
152 100
150 159.8 124.1 186.1
115 66.6 50.1 75.1



#5
2-Fluorophenol
Concen: 117.364 ng
RT: 5.563 min Scan# 591
Delta R.T. 0.006 min
Lab File: BF130855.D
Acq: 29 Oct 2022 14:12

Tgt Ion:112 Resp: 595285
Ion Ratio Lower Upper
112 100
64 67.6 53.9 80.9
63 38.4 29.4 44.2









#7
Phenol-d6
Concen: 117.334 ng
RT: 6.557 min Scan# 70
Delta R.T. -0.006 min
Lab File: BF130855.D
Acq: 29 Oct 2022 14:12




Instrument :
BNA_F
ClientSampleId :
BBS-SOILCUT-1026

Tgt Ion: 99 Resp: 773372
Ion Ratio Lower Upper
99 100
42 26.3 18.8 28.2
71 41.7 31.4 47.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.228 min Scan# 1044
Delta R.T. -0.006 min
Lab File: BF130855.D
Acq: 29 Oct 2022 14:12


Tgt Ion: 136 Resp: 335244
Ion Ratio Lower Upper
136 100
137 10.9 9.2 13.8
54 9.1 8.8 13.2
68 5.4 5.2 7.8







#23
Nitrobenzene-d5
Concen: 88.015 ng
RT: 7.504 min Scan# 91
Delta R.T. -0.012 min
Lab File: BF130855.D
Acq: 29 Oct 2022 14:12

Instrument :
BNA_F
ClientSampleId :
BBS-SOILCUT-1026







Tgt Ion: 82 Resp: 489336
Ion Ratio Lower Upper
82 100
128 37.8 31.2 46.8
54 61.6 48.0 72.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.986 min Scan# 1343
Delta R.T. -0.012 min
Lab File: BF130855.D
Acq: 29 Oct 2022 14:12

Tgt Ion: 164 Resp: 168937
Ion Ratio Lower Upper
164 100
162 101.8 82.2 123.2
160 46.7 36.6 54.8





#42

2,4,6-Tribromophenol

Concen: 113.482 ng

RT: 10.774 min Scan# 1480

Delta R.T. -0.012 min

Lab File: BF130855.D


Acq: 29 Oct 2022 14:12

Instrument :

BNA_F

ClientSampleId :

BBS-SOILCUT-1026






Tgt Ion:330 Resp: 161384

Ion Ratio Lower Upper

330 100

332 96.8 76.2 114.4

141 37.5 31.4 47.0



#45

2-Fluorobiphenyl

Concen: 77.677 ng

RT: 9.304 min Scan# 1227

Delta R.T. -0.006 min

Lab File: BF130855.D

Acq: 29 Oct 2022 14:12




Tgt Ion:172 Resp: 867960


Ion Ratio Lower Upper

172 100

171 34.8 28.1 42.1

170 23.8 19.0 28.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.474 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF130855.D
Acq: 29 Oct 2022 14:12




Instrument :
BNA_F
ClientSampleId :
BBS-SOILCUT-1026


Tgt Ion:188 Resp: 259968
Ion Ratio Lower Upper
188 100
94 9.2 7.4 11.2
80 10.4 8.0 12.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.121 min Scan# 2046
Delta R.T. -0.012 min
Lab File: BF130855.D
Acq: 29 Oct 2022 14:12

Tgt Ion:240 Resp: 179949
Ion Ratio Lower Upper
240 100
120 10.6 7.0 10.4#
236 25.8 20.5 30.7









#79
Terphenyl-d14
Concen: 66.569 ng
RT: 13.068 min Scan# 1870
Delta R.T. -0.006 min
Lab File: BF130855.D
Acq: 29 Oct 2022 14:12

Instrument :
BNA_F
ClientSampleId :
BBS-SOILCUT-1026

Tgt Ion:244 Resp: 653719
Ion Ratio Lower Upper
244 100
212 7.8 6.2 9.2
122 9.4 7.9 11.9



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.639 min Scan# 2304
Delta R.T. -0.006 min
Lab File: BF130855.D
Acq: 29 Oct 2022 14:12

Tgt Ion:264 Resp: 153992
Ion Ratio Lower Upper
264 100
260 23.9 19.9 29.9
265 21.2 17.0 25.6

