

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF121820\
 Data File : BF122784.D
 Acq On : 18 Dec 2020 14:08
 Operator : JU/CG
 Sample : PB133685BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB133685BL

Quant Time: Dec 18 15:28:18 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF120520.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 15 18:14:23 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.816	152	174467	20.00	ng	0.00
21) Naphthalene-d8	8.098	136	697869	20.00	ng	-0.01
39) Acenaphthene-d10	9.857	164	374335	20.00	ng	0.00
64) Phenanthrene-d10	11.339	188	708829	20.00	ng	0.00
76) Chrysene-d12	13.980	240	680596	20.00	ng	0.00
86) Perylene-d12	15.439	264	654008	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.445	112	1268749	115.13	ng	0.01
7) Phenol-d6	6.451	99	1595924	109.19	ng	0.00
23) Nitrobenzene-d5	7.381	82	1017627	73.06	ng	-0.01
42) 2,4,6-Tribromophenol	10.645	330	556837	113.64	ng	0.00
45) 2-Fluorobiphenyl	9.180	172	1848560	66.79	ng	0.00
79) Terphenyl-d14	12.933	244	2213213	56.92	ng	0.00


Target Compounds	Qvalue
-----	-----


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF121820\
Data File : BF122784.D
Acq On : 18 Dec 2020 14:08
Operator : JU/CG
Sample : PB133685BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB133685BL

Quant Time: Dec 18 15:28:18 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF120520.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 15 18:14:23 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.816 min Scan# 804
Delta R.T. -0.006 min
Lab File: BF122784.D
Acq: 18 Dec 2020 14:08




Instrument :
BNA_F
ClientSampleId :
PB133685BL


Tgt Ion:152 Resp: 174467
Ion Ratio Lower Upper
152 100
150 159.5 125.8 188.6
115 62.0 49.3 73.9



#5
2-Fluorophenol
Concen: 115.13 ng
RT: 5.445 min Scan# 571
Delta R.T. 0.012 min
Lab File: BF122784.D
Acq: 18 Dec 2020 14:08

Tgt Ion:112 Resp: 1268749
Ion Ratio Lower Upper
112 100
64 56.5 46.9 70.3
63 29.1 24.5 36.7









#7
Phenol-d6
Concen: 109.19 ng
RT: 6.451 min Scan# 742
Delta R.T. -0.006 min
Lab File: BF122784.D
Acq: 18 Dec 2020 14:08




Instrument :
BNA_F
ClientSampleId :
PB133685BL


Tgt Ion: 99 Resp: 1595924
Ion Ratio Lower Upper
99 100
42 17.0 13.8 20.6
71 34.8 26.9 40.3



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.098 min Scan# 1022
Delta R.T. -0.012 min
Lab File: BF122784.D
Acq: 18 Dec 2020 14:08

Tgt Ion: 136 Resp: 697869
Ion Ratio Lower Upper
136 100
137 11.0 8.8 13.2
54 7.5 5.5 8.3
68 6.3 4.6 6.8









#23
Nitrobenzene-d5
Concen: 73.06 ng
RT: 7.381 min Scan# 900
Delta R.T. -0.012 min
Lab File: BF122784.D
Acq: 18 Dec 2020 14:08




Instrument :
BNA_F
ClientSampleId :
PB133685BL


Tgt Ion: 82 Resp: 1017627
Ion Ratio Lower Upper
82 100
128 46.3 37.0 55.4
54 46.4 38.4 57.6



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.857 min Scan# 1321
Delta R.T. -0.006 min
Lab File: BF122784.D
Acq: 18 Dec 2020 14:08

Tgt Ion: 164 Resp: 374335
Ion Ratio Lower Upper
164 100
162 105.0 80.8 121.2
160 44.4 35.4 53.0









#42
2,4,6-Tribromophenol
Concen: 113.64 ng
RT: 10.645 min Scan# 1455
Delta R.T. -0.006 min
Lab File: BF122784.D
Acq: 18 Dec 2020 14:08




Instrument :
BNA_F
ClientSampleId :
PB133685BL


Tgt Ion: 330 Resp: 556837
Ion Ratio Lower Upper
330 100
332 95.7 77.5 116.3
141 27.7 23.8 35.8



#45
2-Fluorobiphenyl
Concen: 66.79 ng
RT: 9.180 min Scan# 1206
Delta R.T. -0.006 min
Lab File: BF122784.D
Acq: 18 Dec 2020 14:08

Tgt Ion: 172 Resp: 1848560
Ion Ratio Lower Upper
172 100
171 36.0 29.6 44.4
170 24.1 19.5 29.3









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.339 min Scan# 1573
Delta R.T. -0.006 min
Lab File: BF122784.D
Acq: 18 Dec 2020 14:08




Instrument :
BNA_F
ClientSampleId :
PB133685BL


Tgt Ion:188 Resp: 708829
Ion Ratio Lower Upper
188 100
94 10.3 7.4 11.2
80 11.0 8.2 12.4



#76
Chrysene-d12
Concen: 20.00 ng
RT: 13.980 min Scan# 2022
Delta R.T. -0.006 min
Lab File: BF122784.D
Acq: 18 Dec 2020 14:08


Tgt Ion:240 Resp: 680596
Ion Ratio Lower Upper
240 100
120 11.3 8.6 12.8
236 25.8 20.3 30.5








#79
Terphenyl-d14
Concen: 56.92 ng
RT: 12.933 min Scan# 1844
Delta R.T. -0.000 min
Lab File: BF122784.D
Acq: 18 Dec 2020 14:08


Instrument :
BNA_F
ClientSampleId :
PB133685BL



Tgt Ion:244 Resp: 2213213
Ion Ratio Lower Upper
244 100
212 7.3 5.7 8.5
122 10.7 8.3 12.5



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.439 min Scan# 2270
Delta R.T. -0.000 min
Lab File: BF122784.D
Acq: 18 Dec 2020 14:08



Tgt Ion:264 Resp: 654008
Ion Ratio Lower Upper
264 100
260 24.1 18.6 28.0
265 22.1 17.0 25.6

