

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF072219\
 Data File : BF115707.D
 Acq On : 22 Jul 2019 14:13
 Operator : HP/JU
 Sample : PB121584BL
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB121584BL

Quant Time: Jul 23 02:00:46 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF071219.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 12 14:03:52 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.88	152	186440	20.00	ng	0.00
21) Naphthalene-d8	8.16	136	711325	20.00	ng	-0.01
39) Acenaphthene-d10	9.92	164	387351	20.00	ng	-0.01
64) Phenanthrene-d10	11.40	188	698987	20.00	ng	-0.01
76) Chrysene-d12	14.04	240	489551	20.00	ng	-0.01
87) Perylene-d12	15.52	264	444467	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.52	112	1376006	120.72	ng	0.01
7) Phenol-d6	6.52	99	1809144	125.09	ng	0.00
23) Nitrobenzene-d5	7.44	82	1166397	95.35	ng	-0.01
42) 2,4,6-Tribromophenol	10.70	330	531358	117.52	ng	-0.01
45) 2-Fluorobiphenyl	9.24	172	2056451	92.92	ng	-0.01
79) Terphenyl-d14	12.99	244	2341663	88.26	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF072219\
Data File : BF115707.D
Acq On : 22 Jul 2019 14:13
Operator : HP/JU
Sample : PB121584BL
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB121584BL

Quant Time: Jul 23 02:00:46 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF071219.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 12 14:03:52 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.88 min Scan# 815
Delta R.T. -0.01 min
Lab File: BF115707.D
Acq: 22 Jul 2019 14:13

Instrument :
BNA_F
ClientSampleId :
PB121584BL

Tot Ion:152 Resp: 186440
Ion Ratio Lower Upper
152 100
150 155.0 129.7 194.5
115 58.4 48.2 72.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 120.722 ng
RT: 5.52 min Scan# 583
Delta R.T. 0.01 min
Lab File: BF115707.D
Acq: 22 Jul 2019 14:13

Tgt Ion:112 Resp: 1376006
Ion Ratio Lower Upper
112 100
64 54.7 46.8 70.2
63 28.3 24.1 36.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 125.089 ng

RT: 6.52 min Scan# 753

Delta R.T. -0.00 min

Lab File: BF115707.D

Acq: 22 Jul 2019 14:13

Instrument :

BNA_F

ClientSampleId :

PB121584BL


Tot Ion: 99 Resp: 1809144

Ion Ratio Lower Upper




99 100

42 15.8 13.6 20.4

71 33.9 28.5 42.7



Abundance Ion 99.00 (98.70 to 99.70): BF1
2000000
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.16 min Scan# 1032

Delta R.T. -0.01 min

Lab File: BF115707.D

Acq: 22 Jul 2019 14:13

Tgt Ion: 136 Resp: 711325


Ion Ratio Lower Upper

136 100



137 11.4 9.0 13.4


54 7.5 5.6 8.4

68 6.7 5.0 7.6



Abundance Ion 136.00 (135.70 to 136.70): E
1000000
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 95.346 ng
RT: 7.44 min Scan# 910
Delta R.T. -0.01 min
Lab File: BF115707.D
Acq: 22 Jul 2019 14:13




Instrument :
BNA_F
ClientSampleId :
PB121584BL

Tot Ion: 82 Resp: 1166397
Ion Ratio Lower Upper
82 100
128 46.4 38.6 57.8
54 44.5 35.6 53.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.92 min Scan# 1331
Delta R.T. -0.01 min
Lab File: BF115707.D
Acq: 22 Jul 2019 14:13

Tgt Ion:164 Resp: 387351
Ion Ratio Lower Upper
164 100
162 100.4 82.9 124.3
160 45.5 36.8 55.2






#42
 2,4,6-Tribromophenol
 Concen: 117.523 ng
 RT: 10.70 min Scan# 1465
 Delta R.T. -0.01 min
 Lab File: BF115707.D
 Acq: 22 Jul 2019 14:13

Instrument :
 BNA_F
 ClientSampleId :
 PB121584BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	94.9	77.4	116.2
141	31.0	22.4	33.6






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 92.923 ng
 RT: 9.24 min Scan# 1216
 Delta R.T. -0.01 min
 Lab File: BF115707.D
 Acq: 22 Jul 2019 14:13

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.9	30.6	46.0
170	24.9	20.5	30.7






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.40 min Scan# 1583
Delta R.T. -0.01 min
Lab File: BF115707.D
Acq: 22 Jul 2019 14:13




Instrument :
BNA_F
ClientSampleId :
PB121584BL


Tot Ion:188 Resp: 698987
Ion Ratio Lower Upper
188 100
94 10.7 7.8 11.6
80 11.7 8.6 13.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.04 min Scan# 2032
Delta R.T. -0.01 min
Lab File: BF115707.D
Acq: 22 Jul 2019 14:13

Tgt Ion:240 Resp: 489551
Ion Ratio Lower Upper
240 100
120 11.6 8.6 13.0
236 27.0 21.3 31.9





#79

Terphenyl-d14

Concen: 88.260 ng

RT: 12.99 min Scan# 1854

Delta R.T. -0.01 min

Lab File: BF115707.D

Acq: 22 Jul 2019 14:13

Instrument :


BNA_F

ClientSampleId :

PB121584BL

Tot Ion:244 Resp: 2341663

Ion	Ratio	Lower	Upper
244	100		
212	7.2	6.0	9.0
122	10.9	8.6	12.8






Abundance

Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.52 min Scan# 2283


Delta R.T. -0.01 min

Lab File: BF115707.D

Acq: 22 Jul 2019 14:13

Tgt Ion:264 Resp: 444467

Ion	Ratio	Lower	Upper
264	100		
260	23.8	19.8	29.8
265	21.4	17.7	26.5



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

