

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF072319\
 Data File : BF115732.D
 Acq On : 23 Jul 2019 21:16
 Operator : HP/JU
 Sample : K3928-04
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 ROLL-OFF-COMP

Quant Time: Jul 24 06:48:17 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF071219.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 12 14:03:52 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.87	152	187401	20.00	ng	-0.01
21) Naphthalene-d8	8.15	136	723874	20.00	ng	-0.02
39) Acenaphthene-d10	9.90	164	401394	20.00	ng	-0.02
64) Phenanthrene-d10	11.39	188	753608	20.00	ng	-0.02
76) Chrysene-d12	14.03	240	592516	20.00	ng	-0.02
87) Perylene-d12	15.50	264	511143	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.51	112	1270658	110.91	ng	0.00
7) Phenol-d6	6.51	99	1523484	104.80	ng	0.00
23) Nitrobenzene-d5	7.43	82	1148175	92.23	ng	-0.02
42) 2,4,6-Tribromophenol	10.70	330	587456	125.38	ng	-0.02
45) 2-Fluorobiphenyl	9.23	172	2028631	88.46	ng	-0.02
79) Terphenyl-d14	12.98	244	2571509	80.08	ng	-0.02
Target Compounds						
32) Benzoic acid	7.86	122	18946	2.232	ng	97
50) Dimethylphthalate	9.62	163	65788	2.178	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF072319\
Data File : BF115732.D
Acq On : 23 Jul 2019 21:16
Operator : HP/JU
Sample : K3928-04
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ROLL-OFF-COMP

Quant Time: Jul 24 06:48:17 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF071219.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 12 14:03:52 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.87 min Scan# 814
Delta R.T. -0.01 min
Lab File: BF115732.D
Acq: 23 Jul 2019 21:16

Instrument :
BNA_F
ClientSampleId :
ROLL-OFF-COMP

Tot Ion:152 Resp: 187401
Ion Ratio Lower Upper
152 100
150 154.4 129.7 194.5
115 57.5 48.2 72.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 110.908 ng
RT: 5.51 min Scan# 582
Delta R.T. 0.01 min
Lab File: BF115732.D
Acq: 23 Jul 2019 21:16

Tgt Ion:112 Resp: 1270658
Ion Ratio Lower Upper
112 100
64 58.7 46.8 70.2
63 30.3 24.1 36.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 104.797 ng

RT: 6.51 min Scan# 752

Delta R.T. -0.01 min

Lab File: BF115732.D

Acq: 23 Jul 2019 21:16

Instrument :

BNA_F

ClientSampleId :

ROLL-OFF-COMP


Tot Ion: 99 Resp: 1523484

Ion Ratio Lower Upper




99 100

42 16.0 13.6 20.4

71 33.4 28.5 42.7



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.15 min Scan# 1031

Delta R.T. -0.02 min

Lab File: BF115732.D

Acq: 23 Jul 2019 21:16

Tgt Ion: 136 Resp: 723874


Ion Ratio Lower Upper

136 100



137 11.2 9.0 13.4


54 6.8 5.6 8.4

68 6.0 5.0 7.6



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 92.229 ng
RT: 7.43 min Scan# 909
Delta R.T. -0.02 min
Lab File: BF115732.D
Acq: 23 Jul 2019 21:16




Instrument :
BNA_F
ClientSampleId :
ROLL-OFF-COMP


Tot Ion: 82 Resp: 1148175
Ion Ratio Lower Upper
82 100
128 47.8 38.6 57.8
54 44.2 35.6 53.4



#32
Benzoic acid
Concen: 2.232 ng
RT: 7.86 min Scan# 982
Delta R.T. -0.09 min
Lab File: BF115732.D
Acq: 23 Jul 2019 21:16

Tgt Ion:122 Resp: 18946
Ion Ratio Lower Upper
122 100
105 120.3 102.5 142.5
77 86.4 70.2 110.2









#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.90 min Scan# 1329
 Delta R.T. -0.02 min
 Lab File: BF115732.D
 Acq: 23 Jul 2019 21:16




Instrument :
 BNA_F
 ClientSampleId :
 ROLL-OFF-COMP


Tot Ion:164 Resp: 401394
 Ion Ratio Lower Upper
 164 100
 162 102.4 82.9 124.3
 160 45.8 36.8 55.2



#42
 2,4,6-Tribromophenol
 Concen: 125.384 ng
 RT: 10.70 min Scan# 1464
 Delta R.T. -0.02 min
 Lab File: BF115732.D
 Acq: 23 Jul 2019 21:16

Tgt Ion:330 Resp: 587456
 Ion Ratio Lower Upper
 330 100
 332 95.2 77.4 116.2
 141 30.6 22.4 33.6









#45
2-Fluorobiphenyl
Concen: 88.459 ng
RT: 9.23 min Scan# 1214
Delta R.T. -0.02 min
Lab File: BF115732.D
Acq: 23 Jul 2019 21:16

Instrument :
BNA_F
ClientSampleId :
ROLL-OFF-COMP

Tot Ion:172 Resp: 2028631
Ion Ratio Lower Upper
172 100
171 37.1 30.6 46.0
170 25.3 20.5 30.7




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#50
Dimethylphthalate
Concen: 2.178 ng
RT: 9.62 min Scan# 1280
Delta R.T. -0.04 min
Lab File: BF115732.D
Acq: 23 Jul 2019 21:16

Tgt Ion:163 Resp: 65788
Ion Ratio Lower Upper
163 100
194 4.1 3.3 4.9
164 10.2 8.7 13.1



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.39 min Scan# 1582
Delta R.T. -0.02 min
Lab File: BF115732.D
Acq: 23 Jul 2019 21:16




Instrument :
BNA_F
ClientSampleId :
ROLL-OFF-COMP


Tot Ion:188 Resp: 753608
Ion Ratio Lower Upper
188 100
94 9.7 7.8 11.6
80 10.4 8.6 13.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.03 min Scan# 2030
Delta R.T. -0.02 min
Lab File: BF115732.D
Acq: 23 Jul 2019 21:16

Tgt Ion:240 Resp: 592516
Ion Ratio Lower Upper
240 100
120 12.5 8.6 13.0
236 26.6 21.3 31.9





#79

Terphenyl-d14

Concen: 80.080 ng

RT: 12.98 min Scan# 1852

Delta R.T. -0.02 min

Lab File: BF115732.D

Acq: 23 Jul 2019 21:16

Instrument :

BNA_F

ClientSampleId :

ROLL-OFF-COMP


Tot Ion:244 Resp: 2571509

Ion Ratio Lower Upper

244 100

212 7.3 6.0 9.0




122 11.1 8.6 12.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.50 min Scan# 2280

Delta R.T. -0.02 min

Lab File: BF115732.D

Acq: 23 Jul 2019 21:16


Tgt Ion:264 Resp: 511143

Ion Ratio Lower Upper

264 100

260 24.1 19.8 29.8

265 20.9 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

