

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF073119\
 Data File : BF115860.D
 Acq On : 31 Jul 2019 12:39
 Operator : HP/JU
 Sample : PB121731BL
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB121731BL

Quant Time: Jul 31 18:46:47 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 31 15:31:51 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	154107	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	576063	20.00	ng	0.00
39) Acenaphthene-d10	9.89	164	305914	20.00	ng	0.00
64) Phenanthrene-d10	11.38	188	548890	20.00	ng	0.00
76) Chrysene-d12	14.02	240	415985	20.00	ng	-0.01
87) Perylene-d12	15.49	264	375887	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.48	112	1126425	122.36	ng	0.01
7) Phenol-d6	6.49	99	1459533	125.67	ng	0.00
23) Nitrobenzene-d5	7.41	82	941122	94.30	ng	0.00
42) 2,4,6-Tribromophenol	10.68	330	391982	132.16	ng	0.00
45) 2-Fluorobiphenyl	9.22	172	1591280	97.43	ng	0.00
79) Terphenyl-d14	12.97	244	1764009	89.36	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF073119\
Data File : BF115860.D
Acq On : 31 Jul 2019 12:39
Operator : HP/JU
Sample : PB121731BL
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB121731BL

Quant Time: Jul 31 18:46:47 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 31 15:31:51 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 6.85 min Scan# 810

Delta R.T. 0.00 min

Lab File: BF115860.D

Acq: 31 Jul 2019 12:39

Instrument :

BNA_F

ClientSampleId :

PB121731BL


Tot Ion:152 Resp: 154107

Ion Ratio Lower Upper

152 100

150 155.8 127.4 191.0

115 60.5 51.8 77.8






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 122.363 ng

RT: 5.48 min Scan# 577

Delta R.T. 0.01 min

Lab File: BF115860.D

Acq: 31 Jul 2019 12:39


Tgt Ion:112 Resp: 1126425

Ion Ratio Lower Upper

112 100

64 58.5 46.8 70.2

63 30.7 24.2 36.2






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 125.665 ng

RT: 6.49 min Scan# 748

Delta R.T. 0.00 min

Lab File: BF115860.D

Acq: 31 Jul 2019 12:39

Instrument :

BNA_F

ClientSampleId :

PB121731BL


Tot Ion: 99 Resp: 1459533

Ion Ratio Lower Upper




99 100

42 16.7 13.8 20.6

71 35.0 27.1 40.7



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.13 min Scan# 1028

Delta R.T. 0.00 min

Lab File: BF115860.D

Acq: 31 Jul 2019 12:39

Tgt Ion: 136 Resp: 576063


Ion Ratio Lower Upper

136 100



137 11.0 9.1 13.7


54 6.6 6.1 9.1

68 5.8 5.4 8.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 94.303 ng
 RT: 7.41 min Scan# 905
 Delta R.T. -0.01 min
 Lab File: BF115860.D
 Acq: 31 Jul 2019 12:39




Instrument :
 BNA_F
 ClientSampled :
 PB121731BL


Tot Ion: 82 Resp: 941122
 Ion Ratio Lower Upper
 82 100
 128 44.5 36.6 55.0
 54 45.7 36.6 55.0



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.89 min Scan# 1327
 Delta R.T. -0.01 min
 Lab File: BF115860.D
 Acq: 31 Jul 2019 12:39

Tgt Ion: 164 Resp: 305914
 Ion Ratio Lower Upper
 164 100
 162 102.7 80.8 121.2
 160 46.6 36.2 54.4









#42
 2,4,6-Tribromophenol
 Concen: 132.162 ng
 RT: 10.68 min Scan# 1461
 Delta R.T. -0.01 min
 Lab File: BF115860.D
 Acq: 31 Jul 2019 12:39

Instrument :
 BNA_F
 ClientSampleId :
 PB121731BL

Tot Ion:330 Resp: 391982
 Ion Ratio Lower Upper
 330 100
 332 96.4 77.7 116.5
 141 33.2 28.1 42.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 97.432 ng
 RT: 9.22 min Scan# 1212
 Delta R.T. 0.00 min
 Lab File: BF115860.D
 Acq: 31 Jul 2019 12:39

Tgt Ion:172 Resp: 1591280
 Ion Ratio Lower Upper
 172 100
 171 36.5 29.1 43.7
 170 25.3 20.1 30.1



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.38 min Scan# 1580
Delta R.T. 0.00 min
Lab File: BF115860.D
Acq: 31 Jul 2019 12:39

Instrument :
BNA_F
ClientSampleId :
PB121731BL

Tot Ion:188 Resp: 548890
Ion Ratio Lower Upper
188 100
94 8.5 8.0 12.0
80 9.0 8.6 12.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.02 min Scan# 2028
Delta R.T. -0.01 min
Lab File: BF115860.D
Acq: 31 Jul 2019 12:39

Tgt Ion:240 Resp: 415985
Ion Ratio Lower Upper
240 100
120 12.2 8.5 12.7
236 26.7 22.2 33.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 89.356 ng

RT: 12.97 min Scan# 1850

Delta R.T. 0.00 min

Lab File: BF115860.D

Acq: 31 Jul 2019 12:39

Instrument :

BNA_F

ClientSampleId :

PB121731BL


Tot Ion:244 Resp: 1764009

Ion Ratio Lower Upper

244 100

212 7.1 5.6 8.4




122 10.4 8.6 13.0



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.49 min Scan# 2278

Delta R.T. -0.01 min

Lab File: BF115860.D

Acq: 31 Jul 2019 12:39


Tgt Ion:264 Resp: 375887

Ion Ratio Lower Upper

264 100

260 24.3 19.4 29.2

265 22.2 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

