

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF080219\
 Data File : BF115941.D
 Acq On : 2 Aug 2019 12:43
 Operator : HP/JU
 Sample : K4021-04
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-10

Quant Time: Aug 02 17:28:39 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 31 15:31:51 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.85	152	141884	20.00	ng	0.00
21) Naphthalene-d8	8.13	136	521489	20.00	ng	0.00
39) Acenaphthene-d10	9.89	164	291234	20.00	ng	0.00
64) Phenanthrene-d10	11.38	188	507807	20.00	ng	0.00
76) Chrysene-d12	14.02	240	348671	20.00	ng	0.00
87) Perylene-d12	15.50	264	275269	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	661160	78.01	ng	0.02
7) Phenol-d6	6.49	99	1038939	97.16	ng	0.00
23) Nitrobenzene-d5	7.42	82	860779	95.28	ng	0.00
42) 2,4,6-Tribromophenol	10.69	330	374939	132.79	ng	0.00
45) 2-Fluorobiphenyl	9.22	172	1461317	93.98	ng	0.00
79) Terphenyl-d14	12.97	244	1649670	99.70	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF080219\
Data File : BF115941.D
Acq On : 2 Aug 2019 12:43
Operator : HP/JU
Sample : K4021-04
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-10

Quant Time: Aug 02 17:28:39 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF073019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 31 15:31:51 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.85 min Scan# 810
Delta R.T. 0.00 min
Lab File: BF115941.D
Acq: 2 Aug 2019 12:43

Instrument :
BNA_F
ClientSampleId :
TP-10

Tot Ion:152 Resp: 141884
Ion Ratio Lower Upper
152 100
150 159.7 127.4 191.0
115 63.7 51.8 77.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 78.009 ng
RT: 5.49 min Scan# 578
Delta R.T. 0.02 min
Lab File: BF115941.D
Acq: 2 Aug 2019 12:43

Tgt Ion:112 Resp: 661160
Ion Ratio Lower Upper
112 100
64 56.0 46.8 70.2
63 29.4 24.2 36.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 97.158 ng

RT: 6.49 min Scan# 749

Delta R.T. 0.01 min

Lab File: BF115941.D

Acq: 2 Aug 2019 12:43

Instrument :

BNA_F

ClientSampled :

TP-10


Tot Ion: 99 Resp: 1038939

Ion Ratio Lower Upper




99 100

42 16.6 13.8 20.6

71 32.9 27.1 40.7



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.13 min Scan# 1028

Delta R.T. 0.00 min

Lab File: BF115941.D

Acq: 2 Aug 2019 12:43

Tgt Ion: 136 Resp: 521489


Ion Ratio Lower Upper

136 100



137 10.9 9.1 13.7


54 6.9 6.1 9.1

68 6.1 5.4 8.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
 Nitrobenzene-d5
 Concen: 95.279 ng
 RT: 7.42 min Scan# 906
 Delta R.T. 0.00 min
 Lab File: BF115941.D
 Acq: 2 Aug 2019 12:43

Instrument :
 BNA_F
 ClientSampled :
 TP-10

Tot Ion	82	Resp	860779
Ion	Ratio	Lower	Upper
82	100		
128	46.3	36.6	55.0
54	45.0	36.6	55.0






Abundance

Ion 82.00 (81.70 to 82.70): BF1


Ion 128.00 (127.70 to 128.70): BF1

Ion 54.00 (53.70 to 54.70): BF1



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.89 min Scan# 1327
 Delta R.T. -0.01 min
 Lab File: BF115941.D
 Acq: 2 Aug 2019 12:43

Tgt Ion	164	Resp	291234
Ion	Ratio	Lower	Upper
164	100		
162	102.3	80.8	121.2
160	46.0	36.2	54.4






Abundance

Ion 164.00 (163.70 to 164.70): BF1

Ion 162.00 (161.70 to 162.70): BF1

Ion 160.00 (159.70 to 160.70): BF1





#42

2,4,6-Tribromophenol

Concen: 132.788 ng

RT: 10.69 min Scan# 1462

Delta R.T. 0.00 min

Lab File: BF115941.D

Acq: 2 Aug 2019 12:43

Instrument :

BNA_F

ClientSampled :

TP-10


Tot Ion:330 Resp: 374939

Ion Ratio Lower Upper




330 100

332 94.6 77.7 116.5

141 32.9 28.1 42.1



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 93.985 ng

RT: 9.22 min Scan# 1212

Delta R.T. 0.00 min

Lab File: BF115941.D

Acq: 2 Aug 2019 12:43


Tgt Ion:172 Resp: 1461317

Ion Ratio Lower Upper



172 100


171 36.6 29.1 43.7

170 24.9 20.1 30.1



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.38 min Scan# 1580
Delta R.T. 0.00 min
Lab File: BF115941.D
Acq: 2 Aug 2019 12:43

Instrument :
BNA_F
ClientSampleId :
TP-10

Tot Ion:188 Resp: 507807
Ion Ratio Lower Upper
188 100
94 9.7 8.0 12.0
80 10.6 8.6 12.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.02 min Scan# 2029
Delta R.T. -0.01 min
Lab File: BF115941.D
Acq: 2 Aug 2019 12:43

Tgt Ion:240 Resp: 348671
Ion Ratio Lower Upper
240 100
120 11.3 8.5 12.7
236 27.2 22.2 33.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 99.696 ng

RT: 12.97 min Scan# 1850

Delta R.T. 0.00 min

Lab File: BF115941.D

Acq: 2 Aug 2019 12:43

Instrument :

BNA_F

ClientSampleId :

TP-10


Tot Ion:244 Resp: 1649670

Ion Ratio Lower Upper

244 100

212 7.2 5.6 8.4




122 12.3 8.6 13.0



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.50 min Scan# 2280

Delta R.T. 0.01 min

Lab File: BF115941.D

Acq: 2 Aug 2019 12:43


Tgt Ion:264 Resp: 275269

Ion Ratio Lower Upper

264 100

260 24.3 19.4 29.2

265 21.5 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

