

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF010220\  
 Data File : BF118449.D  
 Acq On : 2 Jan 2020 21:39  
 Operator : JU  
 Sample : K6465-08  
 Misc :  
 ALS Vial : 20 Sample Multiplier: 1

Instrument :  
 BNA\_F  
 ClientSampleId :  
 GP-4-(3-5)

Manual Integrations  
 APPROVED

mohammad  
 1/3/2020 11:04:40 AM

Quant Time: Jan 03 03:48:59 2020  
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF122419.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Tue Dec 24 15:58:52 2019  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc   | Units | Dev(Min) |
|-----------------------------|-------|------|----------|--------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4   | 6.85  | 152  | 98596    | 20.00  | ng    | 0.00     |
| 21) Naphthalene-d8          | 8.13  | 136  | 383814   | 20.00  | ng    | 0.00     |
| 39) Acenaphthene-d10        | 9.89  | 164  | 192086   | 20.00  | ng    | 0.00     |
| 64) Phenanthrene-d10        | 11.39 | 188  | 330448   | 20.00  | ng    | 0.00     |
| 76) Chrysene-d12            | 14.04 | 240  | 209259   | 20.00  | ng    | -0.01    |
| 87) Perylene-d12            | 15.53 | 264  | 211157   | 20.00  | ng    | 0.00     |
| System Monitoring Compounds |       |      |          |        |       |          |
| 5) 2-Fluorophenol           | 5.46  | 112  | 527558   | 91.34  | ng    | 0.00     |
| 7) Phenol-d6                | 6.49  | 99   | 762842   | 106.46 | ng    | 0.00     |
| 23) Nitrobenzene-d5         | 7.42  | 82   | 422305   | 62.93  | ng    | 0.00     |
| 42) 2,4,6-Tribromophenol    | 10.69 | 330  | 205101   | 86.46  | ng    | 0.00     |
| 45) 2-Fluorobiphenyl        | 9.21  | 172  | 872602   | 69.34  | ng    | -0.01    |
| 79) Terphenyl-d14           | 12.97 | 244  | 814785   | 64.60  | ng    | -0.01    |
| Target Compounds            |       |      |          |        |       |          |
| 50) Dimethylphthalate       | 9.61  | 163  | 50880    | 3.529  | ng    | 98       |
| 71) Phenanthrene            | 11.41 | 178  | 37385    | 2.075  | ng    | 99       |
| 75) Fluoranthene            | 12.61 | 202  | 57868    | 3.183  | ng    | 98       |
| 78) Pyrene                  | 12.84 | 202  | 52225    | 3.056  | ng    | 99       |
| 88) Benzo(b)fluoranthene    | 15.10 | 252  | 29422m   | 2.099  | ng    |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF010220\  
Data File : BF118449.D  
Acq On : 2 Jan 2020 21:39  
Operator : JU  
Sample : K6465-08  
Misc :  
ALS Vial : 20 Sample Multiplier: 1

Instrument :  
BNA\_F  
ClientSampleId :  
GP-4-(3-5)

Manual Integrations  
APPROVED

mohammad  
1/3/2020 11:04:40 AM

Quant Time: Jan 03 03:48:59 2020  
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF122419.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Tue Dec 24 15:58:52 2019  
Response via : Initial Calibration

