

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF010224\
 Data File : BF136873.D
 Acq On : 02 Jan 2024 16:07
 Operator : CG\JU
 Sample : 06038-10
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 T-703

Quant Time: Jan 02 16:57:08 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF122023.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 21 01:54:25 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.781	152	54170	20.000	ng	-0.01
21) Naphthalene-d8	8.057	136	198924	20.000	ng	-0.01
39) Acenaphthene-d10	9.810	164	99378	20.000	ng	-0.02
64) Phenanthrene-d10	11.304	188	165256	20.000	ng	-0.01
76) Chrysene-d12	13.957	240	105397	20.000	ng	-0.01
86) Perylene-d12	15.439	264	135451	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.428	112	286500	82.522	ng	0.00
7) Phenol-d6	6.428	99	321574	71.483	ng	-0.01
23) Nitrobenzene-d5	7.340	82	236611	60.866	ng	-0.02
42) 2,4,6-Tribromophenol	10.604	330	114863	98.140	ng	-0.02
45) 2-Fluorobiphenyl	9.133	172	487818	66.021	ng	-0.02
79) Terphenyl-d14	12.898	244	507054	67.231	ng	-0.02
Target Compounds						
31) Naphthalene	8.075	128	59600	5.454	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF010224\
Data File : BF136873.D
Acq On : 02 Jan 2024 16:07
Operator : CG\JU
Sample : 06038-10
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
T-703

Quant Time: Jan 02 16:57:08 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF122023.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 21 01:54:25 2023
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.781 min Scan# 79
 Delta R.T. -0.011 min
 Lab File: BF136873.D
 Acq: 02 Jan 2024 16:07




Instrument :
 BNA_F
 ClientSampleId :
 T-703


Tgt Ion:152 Resp: 54170
 Ion Ratio Lower Upper
 152 100
 150 162.5 127.0 190.6
 115 62.4 49.0 73.4



#5
 2-Fluorophenol
 Concen: 82.522 ng
 RT: 5.428 min Scan# 568
 Delta R.T. 0.000 min
 Lab File: BF136873.D
 Acq: 02 Jan 2024 16:07

Tgt Ion:112 Resp: 286500
 Ion Ratio Lower Upper
 112 100
 64 57.7 51.1 76.7
 63 28.1 26.1 39.1









#7
Phenol-d6
Concen: 71.483 ng
RT: 6.428 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF136873.D
Acq: 02 Jan 2024 16:07




Instrument :
BNA_F
ClientSampleId :
T-703


Tgt Ion: 99 Resp: 321574
Ion Ratio Lower Upper
99 100
42 17.2 16.1 24.1
71 31.1 27.4 41.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.057 min Scan# 1015
Delta R.T. -0.012 min
Lab File: BF136873.D
Acq: 02 Jan 2024 16:07

Tgt Ion: 136 Resp: 198924
Ion Ratio Lower Upper
136 100
137 10.9 9.0 13.4
54 7.7 7.2 10.8
68 5.2 4.9 7.3





#23

Nitrobenzene-d5

Concen: 60.866 ng

RT: 7.340 min Scan# 89

Delta R.T. -0.018 min

Lab File: BF136873.D

Acq: 02 Jan 2024 16:07

Instrument :

BNA_F

ClientSampleId :

T-703





Tgt Ion: 82 Resp: 236611

Ion Ratio Lower Upper

82 100

128 44.6 35.3 52.9

54 55.4 44.5 66.7



#31

Naphthalene

Concen: 5.454 ng

RT: 8.075 min Scan# 1018

Delta R.T. -0.018 min

Lab File: BF136873.D

Acq: 02 Jan 2024 16:07




Tgt Ion: 128 Resp: 59600


Ion Ratio Lower Upper

128 100

129 10.9 8.7 13.1

127 12.2 10.8 16.2





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.810 min Scan# 1

Delta R.T. -0.018 min

Lab File: BF136873.D

Acq: 02 Jan 2024 16:07

Instrument :

BNA_F

ClientSampleId :

T-703





Tgt Ion:164 Resp: 99378

Ion Ratio Lower Upper

164 100

162 98.8 81.6 122.4

160 41.8 34.9 52.3



#42

2,4,6-Tribromophenol

Concen: 98.140 ng

RT: 10.604 min Scan# 1448

Delta R.T. -0.018 min

Lab File: BF136873.D

Acq: 02 Jan 2024 16:07




Tgt Ion:330 Resp: 114863


Ion Ratio Lower Upper

330 100

332 95.4 77.4 116.0

141 27.6 23.4 35.2









#45
2-Fluorobiphenyl
Concen: 66.021 ng
RT: 9.133 min Scan# 11
Delta R.T. -0.018 min
Lab File: BF136873.D
Acq: 02 Jan 2024 16:07




Instrument :
BNA_F
ClientSampleId :
T-703


Tgt Ion:172 Resp: 487818
Ion Ratio Lower Upper
172 100
171 35.8 29.0 43.6
170 23.5 19.0 28.4



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.304 min Scan# 1567
Delta R.T. -0.012 min
Lab File: BF136873.D
Acq: 02 Jan 2024 16:07

Tgt Ion:188 Resp: 165256
Ion Ratio Lower Upper
188 100
94 9.0 7.5 11.3
80 9.2 8.1 12.1





#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.957 min Scan# 20

Delta R.T. -0.012 min

Lab File: BF136873.D

Acq: 02 Jan 2024 16:07

Instrument :

BNA_F

ClientSampleId :

T-703





Tgt Ion:240 Resp: 105397

Ion Ratio Lower Upper

240 100

120 12.1 10.3 15.5

236 24.5 19.4 29.2



#79

Terphenyl-d14

Concen: 67.231 ng

RT: 12.898 min Scan# 1838

Delta R.T. -0.018 min

Lab File: BF136873.D

Acq: 02 Jan 2024 16:07




Tgt Ion:244 Resp: 507054


Ion Ratio Lower Upper

244 100

212 6.2 5.0 7.4

122 11.1 9.0 13.4





#86

Perylene-d12

Concen: 20.000 ng

RT: 15.439 min Scan# 21

Delta R.T. -0.006 min

Lab File: BF136873.D


Acq: 02 Jan 2024 16:07

Instrument :

BNA_F

ClientSampleId :

T-703



Tgt Ion:264 Resp: 135451

Ion Ratio Lower Upper

264 100

260 22.7 18.3 27.5

265 21.4 17.0 25.6

