

Data Path : Z:\HPCHEM1\BNA F\DATA\BF010317\
 Data File : BF092064.D
 Acq On : 3 Jan 2017 16:52
 Operator : UM/SJ
 Sample : PB95719TB
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB95719TB

Quant Time: Jan 04 00:39:58 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF122116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 28 17:32:10 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.66	152	188664	20.00	ng	-0.04
21) Naphthalene-d8	7.96	136	834361	20.00	ng	-0.04
38) Acenaphthene-d10	9.70	164	428417	20.00	ng	-0.05
63) Phenanthrene-d10	11.19	188	791354	20.00	ng	-0.04
75) Chrysene-d12	13.82	240	679861	20.00	ng	-0.05
86) Perylene-d12	15.20	264	655450	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.28	112	1785915	158.06	ng	-0.04
7) Phenol-d6	6.33	99	1775481	128.70	ng	-0.05
23) Nitrobenzene-d5	7.24	82	1022426	68.14	ng	-0.05
41) 2,4,6-Tribromophenol	10.50	330	485032	136.80	ng	-0.04
44) 2-Fluorobiphenyl	9.04	172	2054676	100.64	ng	-0.04
78) Terphenyl-d14	12.78	244	1965573	70.12	ng	-0.04


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF010317\
Data File : BF092064.D
Acq On : 3 Jan 2017 16:52
Operator : UM/SJ
Sample : PB95719TB
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB95719TB

Quant Time: Jan 04 00:39:58 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF122116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 28 17:32:10 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.66 min Scan# 418

Delta R.T. -0.04 min

Lab File: BF092064.D

Acq: 3 Jan 2017 16:52

Instrument :

BNA_F

ClientSampleId :

PB95719TB


Tot Ion:152 Resp: 188664

Ion Ratio Lower Upper

152 100

150 161.1 124.9 187.3




115 68.8 46.0 69.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 158.06 ng

RT: 5.28 min Scan# 297

Delta R.T. -0.04 min

Lab File: BF092064.D

Acq: 3 Jan 2017 16:52


Tgt Ion:112 Resp: 1785915

Ion Ratio Lower Upper

112 100

64 57.9 46.1 69.1



63 29.4 23.8 35.6




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 128.70 ng

RT: 6.33 min Scan# 389

Delta R.T. -0.05 min

Lab File: BF092064.D

Acq: 3 Jan 2017 16:52

Instrument :

BNA_F

ClientSampleId :

PB95719TB





Tot Ion: 99 Resp: 1775481

Ion Ratio Lower Upper

99 100

42 18.9 15.6 23.4

71 34.9 27.5 41.3



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.96 min Scan# 531

Delta R.T. -0.04 min

Lab File: BF092064.D

Acq: 3 Jan 2017 16:52

Tgt Ion: 136 Resp: 834361




Ion Ratio Lower Upper


136 100

137 11.2 8.4 12.6

54 7.0 4.5 6.7#

68 5.6 3.6 5.4#









#23
 Nitrobenzene-d5
 Concen: 68.14 ng
 RT: 7.24 min Scan# 468
 Delta R.T. -0.05 min
 Lab File: BF092064.D
 Acq: 3 Jan 2017 16:52




Instrument :
 BNA_F
 ClientSampleId :
 PB95719TB


Tot Ion: 82 Resp: 1022426
 Ion Ratio Lower Upper
 82 100
 128 41.0 34.6 52.0
 54 50.2 39.5 59.3



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.70 min Scan# 684
 Delta R.T. -0.05 min
 Lab File: BF092064.D
 Acq: 3 Jan 2017 16:52

Tgt Ion:164 Resp: 428417
 Ion Ratio Lower Upper
 164 100
 162 100.8 80.2 120.2
 160 45.5 36.9 55.3









#41
 2,4,6-Tribromophenol
 Concen: 136.80 ng
 RT: 10.50 min Scan# 754
 Delta R.T. -0.04 min
 Lab File: BF092064.D
 Acq: 3 Jan 2017 16:52

Instrument :
 BNA_F
 ClientSampleId :
 PB95719TB

Tot Ion:330 Resp: 485032
 Ion Ratio Lower Upper
 330 100
 332 96.3 77.4 116.2
 141 32.8 34.1 51.1#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 100.64 ng
 RT: 9.04 min Scan# 626
 Delta R.T. -0.04 min
 Lab File: BF092064.D
 Acq: 3 Jan 2017 16:52

Tgt Ion:172 Resp: 2054676
 Ion Ratio Lower Upper
 172 100
 171 35.3 29.4 44.0
 170 24.3 20.2 30.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.19 min Scan# 814
Delta R.T. -0.04 min
Lab File: BF092064.D
Acq: 3 Jan 2017 16:52




Instrument :
BNA_F
ClientSampled :
PB95719TB


Tot Ion:188 Resp: 791354
Ion Ratio Lower Upper
188 100
94 8.3 10.0 15.0#
80 8.7 11.2 16.8#



#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.82 min Scan# 1044
Delta R.T. -0.05 min
Lab File: BF092064.D
Acq: 3 Jan 2017 16:52

Tgt Ion:240 Resp: 679861
Ion Ratio Lower Upper
240 100
120 12.8 12.9 19.3#
236 25.9 20.9 31.3





#78

Terphenyl-d14

Concen: 70.12 ng

RT: 12.78 min Scan# 953

Delta R.T. -0.04 min

Lab File: BF092064.D

Acq: 3 Jan 2017 16:52

Instrument :

BNA_F

ClientSampleId :

PB95719TB


Tot Ion:244 Resp: 1965573

Ion Ratio Lower Upper

244 100

212 7.4 6.2 9.2




122 14.1 11.4 17.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.20 min Scan# 1165

Delta R.T. -0.05 min

Lab File: BF092064.D

Acq: 3 Jan 2017 16:52


Tgt Ion:264 Resp: 655450

Ion Ratio Lower Upper

264 100

260 24.0 19.2 28.8

265 21.4 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

