

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF010324\
 Data File : BF136916.D
 Acq On : 03 Jan 2024 19:48
 Operator : CG\JU
 Sample : 05909-12
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 GHL-SD-50

Quant Time: Jan 04 03:41:31 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF122023.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 21 01:54:25 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.781	152	62343	20.000	ng	-0.01
21) Naphthalene-d8	8.057	136	247148	20.000	ng	-0.01
39) Acenaphthene-d10	9.810	164	132965	20.000	ng	-0.02
64) Phenanthrene-d10	11.304	188	238388	20.000	ng	-0.01
76) Chrysene-d12	13.963	240	134221	20.000	ng	# 0.00
86) Perylene-d12	15.445	264	148839	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.422	112	360045	90.110	ng	0.00
7) Phenol-d6	6.428	99	464478	89.713	ng	-0.01
23) Nitrobenzene-d5	7.340	82	284367	58.877	ng	-0.02
42) 2,4,6-Tribromophenol	10.610	330	132201	84.422	ng	-0.01
45) 2-Fluorobiphenyl	9.134	172	618167	62.530	ng	-0.02
79) Terphenyl-d14	12.898	244	499147	51.970	ng	-0.02


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF010324\
Data File : BF136916.D
Acq On : 03 Jan 2024 19:48
Operator : CG\JU
Sample : 05909-12
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
GHL-SD-50

Quant Time: Jan 04 03:41:31 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF122023.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 21 01:54:25 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.781 min Scan# 79
Delta R.T. -0.011 min
Lab File: BF136916.D
Acq: 03 Jan 2024 19:48




Instrument :
BNA_F
ClientSampleId :
GHL-SD-50


Tgt Ion:152 Resp: 62343
Ion Ratio Lower Upper
152 100
150 163.8 127.0 190.6
115 59.7 49.0 73.4



#5
2-Fluorophenol
Concen: 90.110 ng
RT: 5.422 min Scan# 567
Delta R.T. -0.006 min
Lab File: BF136916.D
Acq: 03 Jan 2024 19:48

Tgt Ion:112 Resp: 360045
Ion Ratio Lower Upper
112 100
64 62.0 51.1 76.7
63 30.2 26.1 39.1









#7
Phenol-d6
Concen: 89.713 ng
RT: 6.428 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF136916.D
Acq: 03 Jan 2024 19:48




Instrument :
BNA_F
ClientSampleId :
GHL-SD-50


Tgt Ion: 99 Resp: 464478
Ion Ratio Lower Upper
99 100
42 18.7 16.1 24.1
71 32.5 27.4 41.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.057 min Scan# 1015
Delta R.T. -0.012 min
Lab File: BF136916.D
Acq: 03 Jan 2024 19:48

Tgt Ion: 136 Resp: 247148
Ion Ratio Lower Upper
136 100
137 11.0 9.0 13.4
54 7.5 7.2 10.8
68 5.1 4.9 7.3





#23

Nitrobenzene-d5

Concen: 58.877 ng

RT: 7.340 min Scan# 896

Delta R.T. -0.017 min

Lab File: BF136916.D

Acq: 03 Jan 2024 19:48

Instrument :

BNA_F

ClientSampleId :

GHL-SD-50





Tgt Ion: 82 Resp: 284367

Ion Ratio Lower Upper

82 100

128 44.1 35.3 52.9

54 55.9 44.5 66.7



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.810 min Scan# 1313

Delta R.T. -0.017 min

Lab File: BF136916.D

Acq: 03 Jan 2024 19:48




Tgt Ion:164 Resp: 132965


Ion Ratio Lower Upper

164 100

162 100.5 81.6 122.4

160 45.9 34.9 52.3









#42
2,4,6-Tribromophenol
Concen: 84.422 ng
RT: 10.610 min Scan# 1451
Delta R.T. -0.012 min
Lab File: BF136916.D
Acq: 03 Jan 2024 19:48




Instrument :
BNA_F
ClientSampleId :
GHL-SD-50


Tgt Ion: 330 Resp: 132201
Ion Ratio Lower Upper
330 100
332 98.2 77.4 116.0
141 29.2 23.4 35.2



#45
2-Fluorobiphenyl
Concen: 62.530 ng
RT: 9.134 min Scan# 1198
Delta R.T. -0.017 min
Lab File: BF136916.D
Acq: 03 Jan 2024 19:48

Tgt Ion: 172 Resp: 618167
Ion Ratio Lower Upper
172 100
171 35.2 29.0 43.6
170 23.5 19.0 28.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.304 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF136916.D
Acq: 03 Jan 2024 19:48




Instrument :
BNA_F
ClientSampleId :
GHL-SD-50


Tgt Ion:188 Resp: 238388
Ion Ratio Lower Upper
188 100
94 9.7 7.5 11.3
80 9.4 8.1 12.1



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.963 min Scan# 2019
Delta R.T. -0.006 min
Lab File: BF136916.D
Acq: 03 Jan 2024 19:48


Tgt Ion:240 Resp: 134221
Ion Ratio Lower Upper
240 100
120 8.2 10.3 15.5#
236 24.2 19.4 29.2








#79
 Terphenyl-d14
 Concen: 51.970 ng
 RT: 12.898 min Scan# 1838
 Delta R.T. -0.017 min
 Lab File: BF136916.D
 Acq: 03 Jan 2024 19:48

Instrument :
 BNA_F
 ClientSampleId :
 GHL-SD-50



Tgt Ion:244 Resp: 499147
 Ion Ratio Lower Upper
 244 100
 212 6.4 5.0 7.4
 122 11.5 9.0 13.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.445 min Scan# 2271
 Delta R.T. 0.000 min
 Lab File: BF136916.D
 Acq: 03 Jan 2024 19:48

Tgt Ion:264 Resp: 148839
 Ion Ratio Lower Upper
 264 100
 260 23.1 18.3 27.5
 265 20.5 17.0 25.6

