

Data Path : Z:\HPCHEM1\BNA F\Data\BF010515\
 Data File : BF076746.D
 Acq On : 5 Jan 2015 14:59
 Operator : IZ / TP
 Sample : IDOC-BL-W-RS
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 IDOC-BL-W-RS

Quant Time: Jan 06 04:16:26 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF121714.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jan 06 00:20:03 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.71	152	41852	20.00	ng	0.00
21) Naphthalene-d8	8.30	136	179137	20.00	ng	0.00
38) Acenaphthene-d10	10.45	164	97939	20.00	ng	-0.01
63) Phenanthrene-d10	12.27	188	176911	20.00	ng	0.00
75) Chrysene-d12	15.50	240	168799	20.00	ng	-0.01
86) Perylene-d12	17.17	264	150819	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	4.88	112	311839	126.32	ng	0.00
7) Phenol-d6	6.31	99	393738	130.59	ng	0.00
23) Nitrobenzene-d5	7.42	82	242425	80.48	ng	-0.01
41) 2,4,6-Tribromophenol	11.42	330	103558	125.11	ng	-0.01
44) 2-Fluorobiphenyl	9.65	172	474560	75.40	ng	-0.01
78) Terphenyl-d14	14.25	244	554249	72.43	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\Data\BF010515\
Data File : BF076746.D
Acq On : 5 Jan 2015 14:59
Operator : IZ / TP
Sample : IDOC-BL-W-RS
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
IDOC-BL-W-RS

Quant Time: Jan 06 04:16:26 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF121714.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jan 06 00:20:03 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.71 min Scan# 492
Delta R.T. 0.00 min
Lab File: BF076746.D
Acq: 5 Jan 2015 14:59

Instrument :
BNA_F
ClientSampleId :
IDOC-BL-W-RS

Tot Ion:152 Resp: 41852
Ion Ratio Lower Upper
152 100
150 160.1 125.2 187.8
115 60.9 51.4 77.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 126.32 ng
RT: 4.88 min Scan# 332
Delta R.T. 0.00 min
Lab File: BF076746.D
Acq: 5 Jan 2015 14:59

Tgt Ion:112 Resp: 311839
Ion Ratio Lower Upper
112 100
64 68.5 47.4 71.0
63 38.5 25.0 37.4#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 130.59 ng

RT: 6.31 min Scan# 457

Delta R.T. 0.00 min

Lab File: BF076746.D

Acq: 5 Jan 2015 14:59

Instrument :

BNA_F

ClientSampleId :

IDOC-BL-W-RS


Tot Ion: 99 Resp: 393738

Ion Ratio Lower Upper

99 100

42 14.7 11.6 17.4




71 34.2 25.9 38.9



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.30 min Scan# 631

Delta R.T. 0.00 min

Lab File: BF076746.D

Acq: 5 Jan 2015 14:59

Tgt Ion:136 Resp: 179137


Ion Ratio Lower Upper

136 100

137 10.1 8.4 12.6

54 6.4 7.8 11.6#

68 3.5 3.4 5.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 80.48 ng
 RT: 7.42 min Scan# 554
 Delta R.T. -0.01 min
 Lab File: BF076746.D
 Acq: 5 Jan 2015 14:59

Instrument :
 BNA_F
 ClientSampleId :
 IDOC-BL-W-RS

Tot Ion: 82 Resp: 242425
 Ion Ratio Lower Upper
 82 100
 128 40.4 31.9 47.9
 54 56.4 47.2 70.8




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): BF0
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 10.45 min Scan# 819
 Delta R.T. -0.01 min
 Lab File: BF076746.D
 Acq: 5 Jan 2015 14:59

Tgt Ion: 164 Resp: 97939
 Ion Ratio Lower Upper
 164 100
 162 98.9 84.2 126.2
 160 42.2 35.5 53.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 125.11 ng
 RT: 11.42 min Scan# 904
 Delta R.T. -0.01 min
 Lab File: BF076746.D
 Acq: 5 Jan 2015 14:59

Instrument :
 BNA_F
 ClientSampleId :
 IDOC-BL-W-RS

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.2	0.0	0.0#
141	45.4	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 75.40 ng
 RT: 9.65 min Scan# 749
 Delta R.T. -0.01 min
 Lab File: BF076746.D
 Acq: 5 Jan 2015 14:59

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.1	27.8	41.8
170	24.0	19.0	28.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 12.27 min Scan# 978
Delta R.T. 0.00 min
Lab File: BF076746.D
Acq: 5 Jan 2015 14:59




Instrument :
BNA_F
ClientSampleId :
IDOC-BL-W-RS


Tot Ion:188 Resp: 176911
Ion Ratio Lower Upper
188 100
94 6.5 7.9 11.9#
80 6.8 8.2 12.2#



#75
Chrysene-d12
Concen: 20.00 ng
RT: 15.50 min Scan# 1261
Delta R.T. -0.01 min
Lab File: BF076746.D
Acq: 5 Jan 2015 14:59

Tgt Ion:240 Resp: 168799
Ion Ratio Lower Upper
240 100
120 12.0 8.0 12.0#
236 25.5 20.6 30.8









#78
 Terphenyl-d14
 Concen: 72.43 ng
 RT: 14.25 min Scan# 1152
 Delta R.T. -0.01 min
 Lab File: BF076746.D
 Acq: 5 Jan 2015 14:59

Instrument :
 BNA_F
 ClientSampleId :
 IDOC-BL-W-RS

Tot Ion:244 Resp: 554249
 Ion Ratio Lower Upper
 244 100
 212 7.7 6.2 9.2
 122 11.6 8.2 12.2




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 17.17 min Scan# 1407
 Delta R.T. -0.02 min
 Lab File: BF076746.D
 Acq: 5 Jan 2015 14:59

Tgt Ion:264 Resp: 150819
 Ion Ratio Lower Upper
 264 100
 260 24.4 19.4 29.2
 265 21.6 18.1 27.1



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

