

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF010522\
 Data File : BF126503.D
 Acq On : 5 Jan 2022 18:40
 Operator : JU/CG
 Sample : M5196-04
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 COMPOSITE-SAMPLE-2-DEEP

Quant Time: Jan 06 01:10:53 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF122921.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 05 01:57:07 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.781	152	98162	20.000	ng	0.00
21) Naphthalene-d8	8.063	136	419366	20.000	ng	0.00
39) Acenaphthene-d10	9.816	164	202918	20.000	ng	-0.01
64) Phenanthrene-d10	11.304	188	334856	20.000	ng	0.00
76) Chrysene-d12	13.939	240	236247	20.000	ng	-0.01
86) Perylene-d12	15.380	264	182134	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.399	112	700435	102.470	ng	0.00
7) Phenol-d6	6.416	99	904583	102.173	ng	0.00
23) Nitrobenzene-d5	7.345	82	580052	71.020	ng	0.00
42) 2,4,6-Tribromophenol	10.610	330	188589	120.271	ng	0.00
45) 2-Fluorobiphenyl	9.145	172	858962	74.490	ng	0.00
79) Terphenyl-d14	12.892	244	843744	69.391	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF010522\
Data File : BF126503.D
Acq On : 5 Jan 2022 18:40
Operator : JU/CG
Sample : M5196-04
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
COMPOSITE-SAMPLE-2-DEEP

Quant Time: Jan 06 01:10:53 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF122921.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 05 01:57:07 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.781 min Scan# 79
Delta R.T. -0.005 min
Lab File: BF126503.D
Acq: 5 Jan 2022 18:40




Instrument :
BNA_F
ClientSampleId :
COMPOSITE-SAMPLE-2-DEEP


Tgt Ion:152 Resp: 98162
Ion Ratio Lower Upper
152 100
150 160.9 128.1 192.1
115 65.2 56.7 85.1



#5
2-Fluorophenol
Concen: 102.470 ng
RT: 5.399 min Scan# 563
Delta R.T. 0.006 min
Lab File: BF126503.D
Acq: 5 Jan 2022 18:40

Tgt Ion:112 Resp: 700435
Ion Ratio Lower Upper
112 100
64 60.4 49.5 74.3
63 29.0 23.9 35.9









#7
Phenol-d6
Concen: 102.173 ng
RT: 6.416 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF126503.D
Acq: 5 Jan 2022 18:40




Instrument :
BNA_F
ClientSampleId :
COMPOSITE-SAMPLE-2-DEEP


Tgt Ion: 99 Resp: 904583
Ion Ratio Lower Upper
99 100
42 17.2 14.2 21.4
71 30.7 24.3 36.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.063 min Scan# 1016
Delta R.T. -0.006 min
Lab File: BF126503.D
Acq: 5 Jan 2022 18:40

Tgt Ion:136 Resp: 419366
Ion Ratio Lower Upper
136 100
137 11.1 8.6 13.0
54 8.6 7.8 11.6
68 6.6 6.3 9.5









#23
Nitrobenzene-d5
Concen: 71.020 ng
RT: 7.345 min Scan# 89
Delta R.T. -0.006 min
Lab File: BF126503.D
Acq: 5 Jan 2022 18:40




Instrument :
BNA_F
ClientSampleId :
COMPOSITE-SAMPLE-2-DEEP


Tgt Ion: 82 Resp: 580052
Ion Ratio Lower Upper
82 100
128 45.5 32.7 49.1
54 49.7 41.7 62.5



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.816 min Scan# 1314
Delta R.T. -0.012 min
Lab File: BF126503.D
Acq: 5 Jan 2022 18:40


Tgt Ion:164 Resp: 202918
Ion Ratio Lower Upper
164 100
162 97.9 81.4 122.0
160 44.0 36.6 54.8








#42
2,4,6-Tribromophenol
Concen: 120.271 ng
RT: 10.610 min Scan# 1451
Delta R.T. -0.006 min
Lab File: BF126503.D
Acq: 5 Jan 2022 18:40


Instrument :
BNA_F
ClientSampleId :
COMPOSITE-SAMPLE-2-DEEP





Tgt Ion:330 Resp: 188589
Ion Ratio Lower Upper
330 100
332 97.3 76.0 114.0
141 33.4 30.1 45.1




#45
2-Fluorobiphenyl
Concen: 74.490 ng
RT: 9.145 min Scan# 1200
Delta R.T. -0.006 min
Lab File: BF126503.D
Acq: 5 Jan 2022 18:40



Tgt Ion:172 Resp: 858962
Ion Ratio Lower Upper
172 100
171 34.6 28.3 42.5
170 22.9 19.0 28.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.304 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF126503.D
Acq: 5 Jan 2022 18:40




Instrument :
BNA_F
ClientSampleId :
COMPOSITE-SAMPLE-2-DEEP


Tgt Ion:188 Resp: 334856
Ion Ratio Lower Upper
188 100
94 12.5 10.1 15.1
80 13.1 11.8 17.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.939 min Scan# 2015
Delta R.T. -0.012 min
Lab File: BF126503.D
Acq: 5 Jan 2022 18:40

Tgt Ion:240 Resp: 236247
Ion Ratio Lower Upper
240 100
120 16.6 14.4 21.6
236 24.5 20.5 30.7









#79
 Terphenyl-d14
 Concen: 69.391 ng
 RT: 12.892 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF126503.D
 Acq: 5 Jan 2022 18:40

Instrument :
 BNA_F
 ClientSampleId :
 COMPOSITE-SAMPLE-2-DEEP

Tgt Ion:244 Resp: 843744
 Ion Ratio Lower Upper
 244 100
 212 6.6 5.0 7.4
 122 14.9 13.3 19.9



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.380 min Scan# 2260
 Delta R.T. -0.006 min
 Lab File: BF126503.D
 Acq: 5 Jan 2022 18:40

Tgt Ion:264 Resp: 182134
 Ion Ratio Lower Upper
 264 100
 260 23.4 19.2 28.8
 265 20.3 17.4 26.2

