

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF010915\
 Data File : BF076799.D
 Acq On : 9 Jan 2015 22:48
 Operator : IZ / TP
 Sample : PB81273BL
 Misc : W DOD
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB81273BL

Quant Time: Jan 10 01:02:31 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF010915.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Jan 10 00:24:49 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.08	152	30793	20.00	ng	0.00
21) Naphthalene-d8	10.98	136	130432	20.00	ng	-0.01
38) Acenaphthene-d10	15.12	164	71892	20.00	ng	-0.01
63) Phenanthrene-d10	17.85	188	126236	20.00	ng	0.00
75) Chrysene-d12	21.34	240	118497	20.00	ng	-0.01
86) Perylene-d12	22.99	264	105727	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.18	112	232363	124.12	ng	0.00
7) Phenol-d6	7.49	99	291163	123.45	ng	-0.01
23) Nitrobenzene-d5	9.37	82	176097	73.46	ng	-0.01
41) 2,4,6-Tribromophenol	16.77	330	73101	118.67	ng	-0.01
44) 2-Fluorobiphenyl	13.64	172	370426	74.98	ng	-0.01
78) Terphenyl-d14	20.07	244	402225	73.11	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF010915\
Data File : BF076799.D
Acq On : 9 Jan 2015 22:48
Operator : IZ / TP
Sample : PB81273BL
Misc : W DOD
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB81273BL

Quant Time: Jan 10 01:02:31 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF010915.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Jan 10 00:24:49 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 8.08 min Scan# 612
 Delta R.T. -0.00 min
 Lab File: BF076799.D
 Acq: 9 Jan 2015 22:48




Instrument :
 BNA_F
 ClientSampleId :
 PB81273BL


Tgt Ion:152 Resp: 30793
 Ion Ratio Lower Upper
 152 100
 150 157.9 119.5 179.3
 115 62.7 54.6 81.8



#5
 2-Fluorophenol
 Concen: 124.12 ng
 RT: 5.18 min Scan# 358
 Delta R.T. -0.00 min
 Lab File: BF076799.D
 Acq: 9 Jan 2015 22:48

Tgt Ion:112 Resp: 232363
 Ion Ratio Lower Upper
 112 100
 64 62.2 50.2 75.4
 63 33.7 27.8 41.6





#7

Phenol-d6

Concen: 123.45 ng

RT: 7.49 min Scan# 560

Delta R.T. -0.01 min

Lab File: BF076799.D

Acq: 9 Jan 2015 22:48

Instrument :

BNA_F

ClientSampleId :

PB81273BL


Tgt Ion: 99 Resp: 291163

Ion Ratio Lower Upper

99 100

42 17.1 13.3 19.9




71 37.5 29.2 43.8



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.98 min Scan# 866

Delta R.T. -0.01 min

Lab File: BF076799.D

Acq: 9 Jan 2015 22:48

Tgt Ion: 136 Resp: 130432


Ion Ratio Lower Upper

136 100

137 11.1 8.1 12.1

54 9.9 6.3 9.5#

68 4.3 3.4 5.0






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 73.46 ng
 RT: 9.37 min Scan# 725
 Delta R.T. -0.01 min
 Lab File: BF076799.D
 Acq: 9 Jan 2015 22:48




Instrument :
 BNA_F
 ClientSampleId :
 PB81273BL


Tgt Ion	Ratio	Lower	Upper
82	100		
128	40.9	34.0	51.0
54	56.7	45.6	68.4



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 15.12 min Scan# 1228
 Delta R.T. -0.01 min
 Lab File: BF076799.D
 Acq: 9 Jan 2015 22:48

Tgt Ion	Ratio	Lower	Upper
164	100		
162	100.6	82.5	123.7
160	40.9	33.1	49.7





#41

2,4,6-Tribromophenol

Concen: 118.67 ng

RT: 16.77 min Scan# 1372

Delta R.T. -0.01 min

Lab File: BF076799.D

Acq: 9 Jan 2015 22:48

Instrument :

BNA_F

ClientSampleId :

PB81273BL


Tgt Ion:330 Resp: 73101

Ion Ratio Lower Upper

330 100

332 93.0 74.8 112.2




141 48.6 42.4 63.6



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 74.98 ng

RT: 13.64 min Scan# 1098

Delta R.T. -0.01 min

Lab File: BF076799.D

Acq: 9 Jan 2015 22:48


Tgt Ion:172 Resp: 370426

Ion Ratio Lower Upper

172 100

171 33.7 27.8 41.8



170 23.3 18.8 28.2




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.85 min Scan# 1467
Delta R.T. -0.00 min
Lab File: BF076799.D
Acq: 9 Jan 2015 22:48

Instrument :
BNA_F
ClientSampleId :
PB81273BL

Tgt Ion:188 Resp: 126236
Ion Ratio Lower Upper
188 100
94 8.5 7.8 11.6
80 9.8 8.6 13.0




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.34 min Scan# 1772
Delta R.T. -0.01 min
Lab File: BF076799.D
Acq: 9 Jan 2015 22:48

Tgt Ion:240 Resp: 118497
Ion Ratio Lower Upper
240 100
120 10.0 5.7 8.5#
236 25.5 19.7 29.5



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 73.11 ng
 RT: 20.07 min Scan# 1661
 Delta R.T. -0.00 min
 Lab File: BF076799.D
 Acq: 9 Jan 2015 22:48

Instrument :
 BNA_F
 ClientSampleId :
 PB81273BL

Tgt Ion:244 Resp: 402225
 Ion Ratio Lower Upper
 244 100
 212 7.7 6.2 9.2
 122 13.6 11.3 16.9



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 22.99 min Scan# 1916
 Delta R.T. -0.03 min
 Lab File: BF076799.D
 Acq: 9 Jan 2015 22:48

Tgt Ion:264 Resp: 105727
 Ion Ratio Lower Upper
 264 100
 260 22.7 19.4 29.0
 265 21.1 18.9 28.3

