

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF011024\
 Data File : BF137017.D
 Acq On : 10 Jan 2024 13:36
 Operator : CG\JU
 Sample : SP6394
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SP6394

Quant Time: Jan 10 14:01:57 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF122023.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 21 01:54:25 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.781	152	59163	20.000	ng	-0.01
21) Naphthalene-d8	8.057	136	229360	20.000	ng	-0.01
39) Acenaphthene-d10	9.816	164	123861	20.000	ng	-0.01
64) Phenanthrene-d10	11.310	188	264706	20.000	ng	0.00
76) Chrysene-d12	13.974	240	181230	20.000	ng	# 0.00
86) Perylene-d12	15.462	264	139303	20.000	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.440	112	373273	98.442	ng	0.01
7) Phenol-d6	6.434	99	465796	94.804	ng	0.00
23) Nitrobenzene-d5	7.345	82	415255	92.645	ng	-0.01
42) 2,4,6-Tribromophenol	10.616	330	139535	95.655	ng	0.00
45) 2-Fluorobiphenyl	9.139	172	860599	93.451	ng	-0.01
79) Terphenyl-d14	12.916	244	1076930	83.042	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF011024\
Data File : BF137017.D
Acq On : 10 Jan 2024 13:36
Operator : CG\JU
Sample : SP6394
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SP6394

Quant Time: Jan 10 14:01:57 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF122023.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 21 01:54:25 2023
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.781 min Scan# 79
Delta R.T. -0.011 min
Lab File: BF137017.D
Acq: 10 Jan 2024 13:36




Instrument :
BNA_F
ClientSampleId :
SP6394


Tgt Ion:152 Resp: 59163
Ion Ratio Lower Upper
152 100
150 151.8 127.0 190.6
115 58.9 49.0 73.4



#5
2-Fluorophenol
Concen: 98.442 ng
RT: 5.440 min Scan# 570
Delta R.T. 0.012 min
Lab File: BF137017.D
Acq: 10 Jan 2024 13:36

Tgt Ion:112 Resp: 373273
Ion Ratio Lower Upper
112 100
64 62.4 51.1 76.7
63 30.4 26.1 39.1









#7
Phenol-d6
Concen: 94.804 ng
RT: 6.434 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF137017.D
Acq: 10 Jan 2024 13:36




Instrument :
BNA_F
ClientSampleId :
SP6394

Tgt Ion: 99 Resp: 465796
Ion Ratio Lower Upper
99 100
42 19.5 16.1 24.1
71 32.1 27.4 41.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.057 min Scan# 1015
Delta R.T. -0.012 min
Lab File: BF137017.D
Acq: 10 Jan 2024 13:36

Tgt Ion: 136 Resp: 229360
Ion Ratio Lower Upper
136 100
137 11.6 9.0 13.4
54 8.4 7.2 10.8
68 5.8 4.9 7.3









#23
Nitrobenzene-d5
Concen: 92.645 ng
RT: 7.345 min Scan# 89
Delta R.T. -0.012 min
Lab File: BF137017.D
Acq: 10 Jan 2024 13:36




Instrument :
BNA_F
ClientSampleId :
SP6394

Tgt Ion: 82 Resp: 415255
Ion Ratio Lower Upper
82 100
128 46.3 35.3 52.9
54 54.9 44.5 66.7



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.816 min Scan# 1314
Delta R.T. -0.012 min
Lab File: BF137017.D
Acq: 10 Jan 2024 13:36

Tgt Ion:164 Resp: 123861
Ion Ratio Lower Upper
164 100
162 101.1 81.6 122.4
160 44.6 34.9 52.3





#42

2,4,6-Tribromophenol

Concen: 95.655 ng

RT: 10.616 min Scan# 1451

Delta R.T. -0.006 min

Lab File: BF137017.D


Acq: 10 Jan 2024 13:36

Instrument :

BNA_F

ClientSampleId :

SP6394






Tgt Ion:330 Resp: 139535

Ion Ratio Lower Upper

330 100

332 97.5 77.4 116.0

141 27.4 23.4 35.2



#45

2-Fluorobiphenyl

Concen: 93.451 ng

RT: 9.139 min Scan# 1199

Delta R.T. -0.012 min

Lab File: BF137017.D

Acq: 10 Jan 2024 13:36




Tgt Ion:172 Resp: 860599


Ion Ratio Lower Upper

172 100

171 35.4 29.0 43.6

170 23.5 19.0 28.4





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.310 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF137017.D

Acq: 10 Jan 2024 13:36

Instrument :

BNA_F

ClientSampleId :

SP6394





Tgt Ion:188 Resp: 264706

Ion Ratio Lower Upper

188 100

94 10.2 7.5 11.3

80 10.5 8.1 12.1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.974 min Scan# 2021

Delta R.T. 0.006 min

Lab File: BF137017.D

Acq: 10 Jan 2024 13:36




Tgt Ion:240 Resp: 181230


Ion Ratio Lower Upper

240 100

120 10.2 10.3 15.5#


236 26.1 19.4 29.2








#79
 Terphenyl-d14
 Concen: 83.042 ng
 RT: 12.916 min Scan# 1841
 Delta R.T. 0.000 min
 Lab File: BF137017.D
 Acq: 10 Jan 2024 13:36

Instrument :
 BNA_F
 ClientSampleId :
 SP6394



Tgt Ion:244 Resp: 1076930

Ion	Ratio	Lower	Upper
244	100		
212	6.4	5.0	7.4
122	11.7	9.0	13.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.462 min Scan# 2274
 Delta R.T. 0.018 min
 Lab File: BF137017.D
 Acq: 10 Jan 2024 13:36

Tgt Ion:264 Resp: 139303

Ion	Ratio	Lower	Upper
264	100		
260	22.6	18.3	27.5
265	20.9	17.0	25.6

