

Data Path : U:\HPCHEM1\BNA F\DATA\BF011118\
 Data File : BF102038.D
 Acq On : 12 Jan 2018 00:07
 Operator : SJ/JU
 Sample : J1082-01
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 EP-02

Quant Time: Jan 12 02:45:05 2018
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF010918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jan 11 12:53:54 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.73	152	198374	20.00	ng	0.00
21) Naphthalene-d8	8.00	136	769209	20.00	ng	0.00
38) Acenaphthene-d10	9.76	164	311973	20.00	ng	0.00
63) Phenanthrene-d10	11.24	188	428353	20.00	ng	0.00
75) Chrysene-d12	13.87	240	315363	20.00	ng	0.00
86) Perylene-d12	15.29	264	365253	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.33	112	801418	57.05	ng	0.00
7) Phenol-d6	6.36	99	1613976	96.29	ng	0.00
23) Nitrobenzene-d5	7.29	82	1074159	82.06	ng	0.00
41) 2,4,6-Tribromophenol	10.55	330	138814	50.99	ng	0.00
44) 2-Fluorobiphenyl	9.09	172	1606513	80.45	ng	0.00
78) Terphenyl-d14	12.83	244	938599	61.79	ng	0.00
Target Compounds						
10) Phenol	6.37	94	75496	3.986	ng	87
49) Dimethylphthalate	9.48	163	258105	10.313	ng	98
83) Bis(2-ethylhexyl)phthalate	13.86	149	305496	20.817	ng	# 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : U:\HPCHEM1\BNA F\DATA\BF011118\
Data File : BF102038.D
Acq On : 12 Jan 2018 00:07
Operator : SJ/JU
Sample : J1082-01
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
EP-02

Quant Time: Jan 12 02:45:05 2018
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF010918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jan 11 12:53:54 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.73 min Scan# 789
Delta R.T. -0.00 min
Lab File: BF102038.D
Acq: 12 Jan 2018 00:07

Instrument :
BNA_F
ClientSampled :
EP-02

Tot Ion:152 Resp: 198374
Ion Ratio Lower Upper
152 100
150 151.2 124.6 186.8
115 58.7 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 57.047 ng
RT: 5.33 min Scan# 552
Delta R.T. 0.01 min
Lab File: BF102038.D
Acq: 12 Jan 2018 00:07

Tgt Ion:112 Resp: 801418
Ion Ratio Lower Upper
112 100
64 61.2 47.9 71.9
63 31.5 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 96.293 ng

RT: 6.36 min Scan# 727

Delta R.T. -0.00 min

Lab File: BF102038.D

Acq: 12 Jan 2018 00:07

Instrument :

BNA_F

ClientSampled :

EP-02





Tot Ion: 99 Resp: 1613976

Ion Ratio Lower Upper

99 100

42 19.8 14.5 21.7

71 32.9 25.4 38.0



#10

Phenol

Concen: 3.986 ng

RT: 6.37 min Scan# 728

Delta R.T. -0.01 min

Lab File: BF102038.D

Acq: 12 Jan 2018 00:07




Tgt Ion: 94 Resp: 75496


Ion Ratio Lower Upper

94 100

65 30.5 7.9 47.9

66 47.1 16.2 56.2








#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.00 min Scan# 1006
Delta R.T. -0.01 min
Lab File: BF102038.D
Acq: 12 Jan 2018 00:07

Instrument :
BNA_F
ClientSampleId :
EP-02

Tot Ion:136	Resp:	769209
Ion	Ratio	Lower Upper
136	100	
137	10.9	8.9 13.3
54	8.7	6.6 9.8
68	6.2	5.0 7.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 82.061 ng
RT: 7.29 min Scan# 885
Delta R.T. -0.01 min
Lab File: BF102038.D
Acq: 12 Jan 2018 00:07

Tgt Ion: 82	Resp:	1074159
Ion	Ratio	Lower Upper
82	100	
128	46.2	36.1 54.1
54	55.6	41.4 62.2



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1









#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.76 min Scan# 1304
Delta R.T. -0.01 min
Lab File: BF102038.D
Acq: 12 Jan 2018 00:07

Instrument :
BNA_F
ClientSampled :
EP-02

Tot Ion:164 Resp: 311973
Ion Ratio Lower Upper
164 100
162 101.8 86.1 129.1
160 45.1 38.3 57.5




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E





#41
2,4,6-Tribromophenol
Concen: 50.987 ng
RT: 10.55 min Scan# 1438
Delta R.T. -0.01 min
Lab File: BF102038.D
Acq: 12 Jan 2018 00:07

Tgt Ion:330 Resp: 138814
Ion Ratio Lower Upper
330 100
332 95.8 77.0 115.6
141 40.4 29.9 44.9



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 80.450 ng
 RT: 9.09 min Scan# 1190
 Delta R.T. -0.01 min
 Lab File: BF102038.D
 Acq: 12 Jan 2018 00:07




Instrument :
 BNA_F
 ClientSampleId :
 EP-02

Tot Ion:172 Resp: 1606513

Ion	Ratio	Lower	Upper
172	100		
171	36.1	29.7	44.5
170	24.0	19.6	29.4




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49
 Dimethylphthalate
 Concen: 10.313 ng
 RT: 9.48 min Scan# 1257
 Delta R.T. -0.01 min
 Lab File: BF102038.D
 Acq: 12 Jan 2018 00:07


Tgt Ion:163 Resp: 258105

Ion	Ratio	Lower	Upper
163	100		
194	3.6	2.7	4.1
164	9.5	8.2	12.2



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.24 min Scan# 1556
Delta R.T. -0.01 min
Lab File: BF102038.D
Acq: 12 Jan 2018 00:07




Instrument :
BNA_F
ClientSampleId :
EP-02

Tot Ion:188 Resp: 428353
Ion Ratio Lower Upper
188 100
94 12.0 8.5 12.7
80 12.6 9.2 13.8



#75
Chrysene-d12
Concen: 20.000 ng
RT: 13.87 min Scan# 2004
Delta R.T. -0.01 min
Lab File: BF102038.D
Acq: 12 Jan 2018 00:07

Tgt Ion:240 Resp: 315363
Ion Ratio Lower Upper
240 100
120 13.1 9.5 14.3
236 26.2 20.7 31.1





#78

Terphenyl-d14

Concen: 61.795 ng

RT: 12.83 min Scan# 1826

Delta R.T. -0.01 min

Lab File: BF102038.D

Acq: 12 Jan 2018 00:07

Instrument :

BNA_F

ClientSampled :

EP-02


Tot Ion:244 Resp: 938599

Ion Ratio Lower Upper

244 100

212 6.6 5.4 8.0




122 13.7 11.0 16.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#83

Bis(2-ethylhexyl)phthalate

Concen: 20.817 ng

RT: 13.86 min Scan# 2002

Delta R.T. -0.01 min

Lab File: BF102038.D

Acq: 12 Jan 2018 00:07


Tgt Ion:149 Resp: 305496

Ion Ratio Lower Upper

149 100

167 26.6 21.3 31.9



279 2.5 3.0 4.4#




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E






#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.29 min Scan# 2245
 Delta R.T. -0.00 min
 Lab File: BF102038.D
 Acq: 12 Jan 2018 00:07

Instrument :
 BNA_F
 ClientSampleId :
 EP-02

Tot Ion:	264	Resp:	365253
Ion	Ratio	Lower	Upper
264	100		
260	24.5	19.2	28.8
265	21.1	17.5	26.3



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

