

Data Path : Z:\HPCHEM1\BNA F\DATA\BF011215\
 Data File : BF076813.D
 Acq On : 12 Jan 2015 17:13
 Operator : IZ / TP
 Sample : G1056-02
 Misc : S
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 FS-014

Quant Time: Jan 13 00:35:53 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF010915.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jan 12 10:43:48 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.08	152	32895	20.00	ng	0.00
21) Naphthalene-d8	10.98	136	141025	20.00	ng	-0.01
38) Acenaphthene-d10	15.12	164	78147	20.00	ng	-0.01
63) Phenanthrene-d10	17.85	188	134543	20.00	ng	0.00
75) Chrysene-d12	21.34	240	116308	20.00	ng	-0.01
86) Perylene-d12	23.03	264	107320	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.17	112	233851	118.63	ng	-0.01
7) Phenol-d6	7.49	99	300791	121.20	ng	-0.01
23) Nitrobenzene-d5	9.37	82	178128	70.19	ng	-0.01
41) 2,4,6-Tribromophenol	16.77	330	71330	109.36	ng	-0.01
44) 2-Fluorobiphenyl	13.64	172	362590	68.29	ng	-0.01
78) Terphenyl-d14	20.07	244	358701	67.71	ng	0.00
Target Compounds						
10) Phenol	7.51	94	7258	2.68	ng	# 75
49) Dimethylphthalate	14.70	163	20192	3.56	ng	# 93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF011215\
Data File : BF076813.D
Acq On : 12 Jan 2015 17:13
Operator : IZ / TP
Sample : G1056-02
Misc : S
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
FS-014

Quant Time: Jan 13 00:35:53 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF010915.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jan 12 10:43:48 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.08 min Scan# 612
Delta R.T. 0.00 min
Lab File: BF076813.D
Acq: 12 Jan 2015 17:13

Instrument :
BNA_F
ClientSampleId :
FS-014

Tot Ion:152 Resp: 32895
Ion Ratio Lower Upper
152 100
150 154.3 119.5 179.3
115 61.7 54.6 81.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 118.63 ng
RT: 5.17 min Scan# 357
Delta R.T. -0.01 min
Lab File: BF076813.D
Acq: 12 Jan 2015 17:13

Tgt Ion:112 Resp: 233851
Ion Ratio Lower Upper
112 100
64 63.4 50.2 75.4
63 35.0 27.8 41.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 121.20 ng

RT: 7.49 min Scan# 560

Delta R.T. -0.01 min

Lab File: BF076813.D

Acq: 12 Jan 2015 17:13

Instrument :

BNA_F

ClientSampleId :

FS-014


Tot Ion: 99 Resp: 300791

Ion Ratio Lower Upper

99 100

42 16.2 13.3 19.9




71 35.1 29.2 43.8



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#10

Phenol

Concen: 2.68 ng

RT: 7.51 min Scan# 562

Delta R.T. -0.01 min

Lab File: BF076813.D

Acq: 12 Jan 2015 17:13


Tgt Ion: 94 Resp: 7258

Ion Ratio Lower Upper

94 100

65 33.7 11.6 51.6



66 67.8 22.3 62.3#




Abundance Ion 94.00 (93.70 to 94.70): BF0

Ion 65.00 (64.70 to 65.70): BF0

Ion 66.00 (65.70 to 66.70): BF0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.98 min Scan# 866
Delta R.T. -0.01 min
Lab File: BF076813.D
Acq: 12 Jan 2015 17:13

Instrument :
BNA_F
ClientSampled :
FS-014

Tot Ion:136	Resp:	141025
Ion Ratio	Lower	Upper
136	100	
137	10.9	8.1 12.1
54	8.8	6.3 9.5
68	4.6	3.4 5.0




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0






#23
Nitrobenzene-d5
Concen: 70.19 ng
RT: 9.37 min Scan# 725
Delta R.T. -0.01 min
Lab File: BF076813.D
Acq: 12 Jan 2015 17:13

Tgt Ion: 82	Resp:	178128
Ion Ratio	Lower	Upper
82	100	
128	42.5	34.0 51.0
54	56.6	45.6 68.4



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 15.12 min Scan# 1228

Delta R.T. -0.01 min

Lab File: BF076813.D

Acq: 12 Jan 2015 17:13

Instrument :

BNA_F

ClientSampleId :

FS-014


Tot Ion:164 Resp: 78147

Ion Ratio Lower Upper

164 100

162 103.7 82.5 123.7




160 44.0 33.1 49.7



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 109.36 ng

RT: 16.77 min Scan# 1372

Delta R.T. -0.01 min

Lab File: BF076813.D

Acq: 12 Jan 2015 17:13


Tgt Ion:330 Resp: 71330

Ion Ratio Lower Upper

330 100

332 94.2 74.8 112.2



141 48.1 42.4 63.6




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 68.29 ng
RT: 13.64 min Scan# 1098
Delta R.T. -0.01 min
Lab File: BF076813.D
Acq: 12 Jan 2015 17:13




Instrument :
BNA_F
ClientSampleId :
FS-014


Tot Ion:172 Resp: 362590
Ion Ratio Lower Upper
172 100
171 34.3 27.8 41.8
170 23.9 18.8 28.2



#49
Dimethylphthalate
Concen: 3.56 ng
RT: 14.70 min Scan# 1191
Delta R.T. -0.01 min
Lab File: BF076813.D
Acq: 12 Jan 2015 17:13

Tgt Ion:163 Resp: 20192
Ion Ratio Lower Upper
163 100
194 0.0 2.3 3.5#
164 7.9 8.3 12.5#









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.85 min Scan# 1467
Delta R.T. 0.00 min
Lab File: BF076813.D
Acq: 12 Jan 2015 17:13




Instrument :
BNA_F
ClientSampleId :
FS-014


Tot Ion	Ratio	Lower	Upper
188	100		
94	8.0	7.8	11.6
80	8.7	8.6	13.0



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.34 min Scan# 1772
Delta R.T. -0.01 min
Lab File: BF076813.D
Acq: 12 Jan 2015 17:13

Tgt Ion	Ratio	Lower	Upper
240	100		
120	10.1	5.7	8.5#
236	24.0	19.7	29.5





#78

Terphenyl-d14

Concen: 67.71 ng

RT: 20.07 min Scan# 1661

Delta R.T. 0.00 min

Lab File: BF076813.D

Acq: 12 Jan 2015 17:13

Instrument :

BNA_F

ClientSampleId :

FS-014


Tot Ion:244 Resp: 358701

Ion Ratio Lower Upper

244 100

212 7.1 6.2 9.2

122 9.7 11.3 16.9#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E

500000

400000

300000

200000



100000

0

20.07

20.00 20.05 20.10

Time-->



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.03 min Scan# 1920

Delta R.T. 0.01 min

Lab File: BF076813.D

Acq: 12 Jan 2015 17:13


Tgt Ion:264 Resp: 107320

Ion Ratio Lower Upper

264 100

260 22.7 19.4 29.0

265 21.9 18.9 28.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

120000

100000

80000

60000

40000

20000

0

23.03

23.00 23.10

Time-->

