

Data Path : Z:\HPCHEM1\BNA F\DATA\BF011216\
 Data File : BF084413.D
 Acq On : 12 Jan 2016 16:41
 Operator : SJ/UM
 Sample : PB87765BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB87765BL

Quant Time: Jan 13 00:53:31 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF123115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jan 04 12:22:40 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.84	152	376972	20.00	ng	-0.06
21) Naphthalene-d8	8.12	136	1477058	20.00	ng	-0.07
38) Acenaphthene-d10	9.88	164	700338	20.00	ng	-0.07
63) Phenanthrene-d10	11.37	188	1280493	20.00	ng	-0.06
75) Chrysene-d12	14.01	240	1150293	20.00	ng	-0.06
86) Perylene-d12	15.43	264	822996	20.00	ng	-0.08
System Monitoring Compounds						
5) 2-Fluorophenol	5.46	112	2158959	92.63	ng	-0.03
7) Phenol-d6	6.49	99	2411739	82.39	ng	-0.05
23) Nitrobenzene-d5	7.40	82	1696839	63.94	ng	-0.07
41) 2,4,6-Tribromophenol	10.67	330	660153	93.37	ng	-0.07
44) 2-Fluorobiphenyl	9.21	172	2621770	64.32	ng	-0.06
78) Terphenyl-d14	12.96	244	2494128	48.40	ng	-0.06


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF011216\
Data File : BF084413.D
Acq On : 12 Jan 2016 16:41
Operator : SJ/UM
Sample : PB87765BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB87765BL

Quant Time: Jan 13 00:53:31 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF123115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jan 04 12:22:40 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.84 min Scan# 416

Delta R.T. -0.06 min

Lab File: BF084413.D

Acq: 12 Jan 2016 16:41

Instrument :

BNA_F

ClientSampleId :

PB87765BL


Tot Ion:152 Resp: 376972

Ion Ratio Lower Upper

152 100

150 156.6 123.0 184.4




115 66.2 51.4 77.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 92.63 ng

RT: 5.46 min Scan# 295

Delta R.T. -0.03 min

Lab File: BF084413.D

Acq: 12 Jan 2016 16:41


Tgt Ion:112 Resp: 2158959

Ion Ratio Lower Upper

112 100

64 63.1 36.6 55.0#



63 32.8 19.4 29.0#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 82.39 ng

RT: 6.49 min Scan# 385

Delta R.T. -0.05 min

Lab File: BF084413.D

Acq: 12 Jan 2016 16:41

Instrument :





BNA_F

ClientSampleId :

PB87765BL

Tot Ion: 99 Resp: 2411739

Ion	Ratio	Lower	Upper
99	100		
42	20.2	12.8	19.2#
71	36.5	30.9	46.3



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.12 min Scan# 528




Delta R.T. -0.07 min


Lab File: BF084413.D

Acq: 12 Jan 2016 16:41

Tgt Ion: 136 Resp: 1477058

Ion	Ratio	Lower	Upper
136	100		
137	11.5	8.7	13.1
54	11.9	5.8	8.8#
68	7.5	4.2	6.2#









#23
Nitrobenzene-d5
Concen: 63.94 ng
RT: 7.40 min Scan# 465
Delta R.T. -0.07 min
Lab File: BF084413.D
Acq: 12 Jan 2016 16:41




Instrument :
BNA_F
ClientSampleId :
PB87765BL


Tot Ion: 82 Resp: 1696839
Ion Ratio Lower Upper
82 100
128 42.3 34.6 51.8
54 58.4 38.4 57.6#



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.88 min Scan# 682
Delta R.T. -0.07 min
Lab File: BF084413.D
Acq: 12 Jan 2016 16:41

Tgt Ion:164 Resp: 700338
Ion Ratio Lower Upper
164 100
162 104.9 85.1 127.7
160 47.9 37.5 56.3









#41
 2,4,6-Tribromophenol
 Concen: 93.37 ng
 RT: 10.67 min Scan# 751
 Delta R.T. -0.07 min
 Lab File: BF084413.D
 Acq: 12 Jan 2016 16:41

Instrument :
 BNA_F
 ClientSampleId :
 PB87765BL

Tot Ion:330 Resp: 660153
 Ion Ratio Lower Upper
 330 100
 332 96.2 76.6 114.8
 141 33.8 27.8 41.6




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 64.32 ng
 RT: 9.21 min Scan# 623
 Delta R.T. -0.06 min
 Lab File: BF084413.D
 Acq: 12 Jan 2016 16:41

Tgt Ion:172 Resp: 2621770
 Ion Ratio Lower Upper
 172 100
 171 38.7 28.9 43.3
 170 26.5 18.6 27.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.37 min Scan# 812
Delta R.T. -0.06 min
Lab File: BF084413.D
Acq: 12 Jan 2016 16:41

Instrument :
BNA_F
ClientSampleId :
PB87765BL

Tot Ion:188 Resp: 1280493
Ion Ratio Lower Upper
188 100
94 11.4 9.0 13.4
80 12.0 9.6 14.4




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.01 min Scan# 1043
Delta R.T. -0.06 min
Lab File: BF084413.D
Acq: 12 Jan 2016 16:41

Tgt Ion:240 Resp: 1150293
Ion Ratio Lower Upper
240 100
120 9.2 9.5 14.3#
236 26.2 20.6 31.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 48.40 ng
 RT: 12.96 min Scan# 951
 Delta R.T. -0.06 min
 Lab File: BF084413.D
 Acq: 12 Jan 2016 16:41

Instrument :
 BNA_F
 ClientSampleId :
 PB87765BL

Tot Ion:244 Resp: 2494128
 Ion Ratio Lower Upper
 244 100
 212 8.1 5.7 8.5
 122 15.6 7.4 11.0#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.43 min Scan# 1167
 Delta R.T. -0.08 min
 Lab File: BF084413.D
 Acq: 12 Jan 2016 16:41

Tgt Ion:264 Resp: 822996
 Ion Ratio Lower Upper
 264 100
 260 23.8 19.4 29.2
 265 21.8 17.8 26.6

