

Data Path : Z:\HPCHEM1\BNA F\DATA\BF011216\
 Data File : BF084417.D
 Acq On : 12 Jan 2016 18:33
 Operator : SJ/UM
 Sample : H1078-02
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TE-PMW-40

Quant Time: Jan 13 01:17:22 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF123115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jan 04 12:22:40 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.84	152	289627	20.00	ng	-0.06
21) Naphthalene-d8	8.12	136	1087290	20.00	ng	-0.07
38) Acenaphthene-d10	9.88	164	525202	20.00	ng	-0.07
63) Phenanthrene-d10	11.37	188	937303	20.00	ng	-0.06
75) Chrysene-d12	14.00	240	637950	20.00	ng	-0.07
86) Perylene-d12	15.43	264	497524	20.00	ng	-0.08
System Monitoring Compounds						
5) 2-Fluorophenol	5.45	112	1195550	66.77	ng	-0.05
7) Phenol-d6	6.48	99	967904	43.04	ng	-0.06
23) Nitrobenzene-d5	7.41	82	1872389	95.84	ng	-0.06
41) 2,4,6-Tribromophenol	10.67	330	609993	115.04	ng	-0.07
44) 2-Fluorobiphenyl	9.21	172	2567911	86.09	ng	-0.06
78) Terphenyl-d14	12.96	244	2261430	79.13	ng	-0.06


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF011216\
Data File : BF084417.D
Acq On : 12 Jan 2016 18:33
Operator : SJ/UM
Sample : H1078-02
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TE-PMW-40

Quant Time: Jan 13 01:17:22 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF123115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jan 04 12:22:40 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.84 min Scan# 416

Delta R.T. -0.06 min

Lab File: BF084417.D

Acq: 12 Jan 2016 18:33

Instrument :

BNA_F

ClientSampleId :

TE-PMW-40


Tot Ion:152 Resp: 289627

Ion Ratio Lower Upper

152 100

150 154.9 123.0 184.4




115 63.4 51.4 77.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 66.77 ng

RT: 5.45 min Scan# 294

Delta R.T. -0.05 min

Lab File: BF084417.D

Acq: 12 Jan 2016 18:33


Tgt Ion:112 Resp: 1195550

Ion Ratio Lower Upper

112 100

64 63.4 36.6 55.0#



63 32.6 19.4 29.0#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 43.04 ng

RT: 6.48 min Scan# 384

Delta R.T. -0.06 min

Lab File: BF084417.D

Acq: 12 Jan 2016 18:33

Instrument :





BNA_F

ClientSampleId :

TE-PMW-40

Tot Ion: 99 Resp: 967904

Ion	Ratio	Lower	Upper
99	100		
42	20.8	12.8	19.2#
71	34.9	30.9	46.3



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.12 min Scan# 528




Delta R.T. -0.07 min


Lab File: BF084417.D

Acq: 12 Jan 2016 18:33

Tgt Ion: 136 Resp: 1087290

Ion	Ratio	Lower	Upper
136	100		
137	11.5	8.7	13.1
54	11.9	5.8	8.8#
68	7.7	4.2	6.2#





#23

Nitrobenzene-d5

Concen: 95.84 ng

RT: 7.41 min Scan# 466

Delta R.T. -0.06 min

Lab File: BF084417.D

Acq: 12 Jan 2016 18:33

Instrument :

BNA_F

ClientSampleId :

TE-PMW-40


Tot Ion: 82 Resp: 1872389

Ion Ratio Lower Upper




82 100

128 52.8 34.6 51.8#

54 48.2 38.4 57.6



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.88 min Scan# 682

Delta R.T. -0.07 min

Lab File: BF084417.D

Acq: 12 Jan 2016 18:33


Tgt Ion:164 Resp: 525202

Ion Ratio Lower Upper



164 100


162 105.0 85.1 127.7

160 48.1 37.5 56.3



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 115.04 ng
 RT: 10.67 min Scan# 751
 Delta R.T. -0.07 min
 Lab File: BF084417.D
 Acq: 12 Jan 2016 18:33

Instrument :
 BNA_F
 ClientSampleId :
 TE-PMW-40

Tot Ion:330 Resp: 609993
 Ion Ratio Lower Upper
 330 100
 332 98.9 76.6 114.8
 141 37.2 27.8 41.6




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 86.09 ng
 RT: 9.21 min Scan# 623
 Delta R.T. -0.06 min
 Lab File: BF084417.D
 Acq: 12 Jan 2016 18:33

Tgt Ion:172 Resp: 2567911
 Ion Ratio Lower Upper
 172 100
 171 39.1 28.9 43.3
 170 26.9 18.6 27.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.37 min Scan# 812
Delta R.T. -0.06 min
Lab File: BF084417.D
Acq: 12 Jan 2016 18:33

Instrument :
BNA_F
ClientSampleId :
TE-PMW-40

Tot Ion:188 Resp: 937303
Ion Ratio Lower Upper
188 100
94 8.8 9.0 13.4#
80 8.6 9.6 14.4#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.00 min Scan# 1042
Delta R.T. -0.07 min
Lab File: BF084417.D
Acq: 12 Jan 2016 18:33

Tgt Ion:240 Resp: 637950
Ion Ratio Lower Upper
240 100
120 16.8 9.5 14.3#
236 25.7 20.6 31.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 79.13 ng
 RT: 12.96 min Scan# 951
 Delta R.T. -0.06 min
 Lab File: BF084417.D
 Acq: 12 Jan 2016 18:33

Instrument :
 BNA_F
 ClientSampleId :
 TE-PMW-40

Tot Ion:244 Resp: 2261430
 Ion Ratio Lower Upper
 244 100
 212 8.0 5.7 8.5
 122 14.1 7.4 11.0#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.43 min Scan# 1167
 Delta R.T. -0.08 min
 Lab File: BF084417.D
 Acq: 12 Jan 2016 18:33

Tgt Ion:264 Resp: 497524
 Ion Ratio Lower Upper
 264 100
 260 24.8 19.4 29.2
 265 22.3 17.8 26.6

