

Data Path : Z:\HPCHEM1\BNA F\DATA\BF011316\
 Data File : BF084464.D
 Acq On : 14 Jan 2016 1:47
 Operator : SJ/UM
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040

Quant Time: Jan 14 15:43:50 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF123115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jan 14 14:15:52 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.83	152	275673	20.00	ng	0.00
21) Naphthalene-d8	8.12	136	1170547	20.00	ng	0.00
38) Acenaphthene-d10	9.87	164	515661	20.00	ng	0.00
63) Phenanthrene-d10	11.36	188	969251	20.00	ng	0.00
75) Chrysene-d12	14.00	240	798618	20.00	ng	0.00
86) Perylene-d12	15.41	264	597254	20.00	ng	0.00

System Monitoring Compounds

5) 2-Fluorophenol	5.44	112	1378366	80.87	ng	0.00
7) Phenol-d6	6.48	99	1633561	76.32	ng	0.00
23) Nitrobenzene-d5	7.40	82	1467617	69.78	ng	0.00
41) 2,4,6-Tribromophenol	10.67	330	425697	81.77	ng	0.00
44) 2-Fluorobiphenyl	9.20	172	2281085	77.24	ng	0.00
78) Terphenyl-d14	12.95	244	2284670	63.86	ng	0.00

Target Compounds

						Qvalue
2) 1,4-Dioxane	2.41	88	337303	41.78	ng	# 76
3) Pyridine	3.13	79	873665	38.81	ng	# 80
4) n-Nitrosodimethylamine	3.08	42	419596	36.31	ng	91
6) Aniline	6.50	93	1200197	38.33	ng	87
8) 2-Chlorophenol	6.62	128	781921	40.44	ng	92
9) Benzaldehyde	6.37	77	491220	35.24	ng	92
10) Phenol	6.49	94	868407	35.68	ng	80
11) bis(2-Chloroethyl)ether	6.58	93	779013	41.32	ng	96
12) 1,3-Dichlorobenzene	6.77	146	811326m	40.67	ng	
13) 1,4-Dichlorobenzene	6.85	146	831021	41.54	ng	93
14) 1,2-Dichlorobenzene	7.00	146	719194	37.54	ng	96
15) Benzyl Alcohol	6.98	79	600840	33.37	ng	93
16) 2,2'-oxybis(1-Chloropropan	7.12	45	1220959	35.56	ng	86
17) 2-Methylphenol	7.10	107	668710	41.26	ng	97
18) Hexachloroethane	7.34	117	305208	38.16	ng	93
19) n-Nitroso-di-n-propylamine	7.25	70	496171	34.24	ng	# 75
20) 3+4-Methylphenols	7.25	107	680205	35.71	ng	# 60
22) Acetophenone	7.25	105	1078737	38.32	ng	# 92
24) Nitrobenzene	7.42	77	911844	42.75	ng	94
25) Isophorone	7.66	82	1532684	38.10	ng	98
26) 2-Nitrophenol	7.73	139	400609	41.26	ng	# 78
27) 2,4-Dimethylphenol	7.78	122	682874	34.75	ng	94
28) bis(2-Chloroethoxy)methane	7.88	93	944162	38.43	ng	# 96
29) 2,4-Dichlorophenol	7.98	162	659102	40.26	ng	98
30) 1,2,4-Trichlorobenzene	8.06	180	679486	40.21	ng	96
31) Naphthalene	8.14	128	2132291	40.15	ng	98
32) Benzoic acid	7.90	122	356193	30.76	ng	96
33) 4-Chloroaniline	8.19	127	942993	38.73	ng	97
34) Hexachlorobutadiene	8.26	225	350512	36.08	ng	98
35) Caprolactam	8.57	113	211338	38.30	ng	# 54
36) 4-Chloro-3-methylphenol	8.68	107	658561	35.92	ng	95
37) 2-Methylnaphthalene	8.83	142	1387327	36.39	ng	97
39) 1,2,4,5-Tetrachlorobenzene	9.00	216	631362	42.59	ng	99
40) Hexachlorocyclopentadiene	8.99	237	316727	35.39	ng	97

Data Path : Z:\HPCHEM1\BNA F\DATA\BF011316\
 Data File : BF084464.D
 Acq On : 14 Jan 2016 1:47
 Operator : SJ/UM
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040

Quant Time: Jan 14 15:43:50 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF123115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jan 14 14:15:52 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
42) 2,4,6-Trichlorophenol	9.12	196	439411	39.62	nq	94
43) 2,4,5-Trichlorophenol	9.16	196	435233	40.94	nq	94
45) 1,1'-Biphenyl	9.30	154	1688988	41.21	nq	99
46) 2-Chloronaphthalene	9.32	162	1247687	38.76	nq	94
47) 2-Nitroaniline	9.42	65	480498	45.22	nq	# 76
48) Acenaphthylene	9.73	152	1926379	40.50	nq	97
49) Dimethylphthalate	9.61	163	1598996	43.37	nq	# 91
50) 2,6-Dinitrotoluene	9.66	165	351023	43.41	nq	# 70
51) Acenaphthene	9.90	154	1282017	40.19	nq	98
52) 3-Nitroaniline	9.84	138	453015	45.22	nq	# 85
53) 2,4-Dinitrophenol	9.94	184	147893	44.59	nq	# 84
54) Dibenzofuran	10.08	168	1686646	40.53	nq	92
55) 4-Nitrophenol	10.01	139	300370	41.30	nq	# 79
56) 2,4-Dinitrotoluene	10.06	165	422528	41.29	nq	93
57) Fluorene	10.42	166	1224486	37.95	nq	99
58) 2,3,4,6-Tetrachlorophenol	10.20	232	378012	41.64	nq	88
59) Diethylphthalate	10.30	149	1511264	41.58	nq	96
60) 4-Chlorophenyl-phenylether	10.42	204	639141	47.93	nq	93
61) 4-Nitroaniline	10.44	138	415230	46.49	nq	90
62) Azobenzene	10.58	77	1696811	42.56	nq	96
64) 4,6-Dinitro-2-methylphenol	10.48	198	232573	39.28	nq	82
65) n-Nitrosodiphenylamine	10.53	169	1163770	37.55	nq	98
66) 4-Bromophenyl-phenylether	10.91	248	428653	41.09	nq	98
67) Hexachlorobenzene	10.97	284	430713	36.68	nq	# 88
68) Atrazine	11.07	200	420070	41.42	nq	94
69) Pentachlorophenol	11.16	266	211949	34.81	nq	98
70) Phenanthrene	11.38	178	1892210	37.32	nq	96
71) Anthracene	11.44	178	2168285	43.63	nq	97
72) Carbazole	11.60	167	1966060	40.46	nq	97
73) Di-n-butylphthalate	11.93	149	2299740	44.37	nq	# 97
74) Fluoranthene	12.57	202	2014293	38.03	nq	98
76) Benzidine	12.69	184	874257	30.53	nq	99
77) Pyrene	12.80	202	2078038	33.16	nq	97
79) Butylbenzylphthalate	13.43	149	964987	35.58	nq	# 82
80) Benzo(a)anthracene	13.99	228	1558157	33.23	nq	98
81) 3,3'-Dichlorobenzidine	13.95	252	634525	38.77	nq	# 96
82) Chrysene	14.02	228	1520144	33.74	nq	98
83) Bis(2-ethylhexyl)phthalate	13.99	149	1160309	33.87	nq	# 94
84) Di-n-octyl phthalate	14.59	149	1925895	33.30	nq	# 87
85) Indeno(1,2,3-cd)pyrene	16.80	276	1308485	36.63	nq	97
87) Benzo(b)fluoranthene	15.00	252	1676829m	42.92	nq	
88) Benzo(k)fluoranthene	15.04	252	1062517m	33.25	nq	
89) Benzo(a)pyrene	15.36	252	1294557	39.06	nq	98
90) Dibenzo(a,h)anthracene	16.81	278	1062270	37.25	nq	99
91) Benzo(g,h,i)perylene	17.21	276	1133663	38.39	nq	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

```
Data Path : Z:\HPCHEM1\BNA F\DATA\BF011316\  
Data File : BF084464.D  
Acq On    : 14 Jan 2016    1:47  
Operator  : SJ/UM  
Sample    : SSTCCCC040  
Misc      :  
ALS Vial  : 2    Sample Multiplier: 1
```

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Quant Time: Jan 14 15:43:50 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF123115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jan 14 14:15:52 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.83 min Scan# 415

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040


Tot Ion:152 Resp: 275673

Ion Ratio Lower Upper

152 100

150 155.9 123.0 184.4




115 70.2 51.4 77.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 41.78 ng

RT: 2.41 min Scan# 28

Delta R.T. 0.01 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47


Tgt Ion: 88 Resp: 337303

Ion Ratio Lower Upper

88 100

58 85.4 51.2 76.8#



43 31.5 19.5 29.3#




Abundance Ion 88.00 (87.70 to 88.70): BF0

Ion 58.00 (57.70 to 58.70): BF0

Ion 43.00 (42.70 to 43.70): BF0





#3

Pvridine

Concen: 38.81 ng

RT: 3.13 min Scan# 91

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tot Ion: 79 Resp: 873665

Ion Ratio Lower Upper

79 100

52 80.3 49.0 73.4#

51 37.3 25.2 37.8



#4

n-Nitrosodimethylamine

Concen: 36.31 ng

RT: 3.08 min Scan# 87

Delta R.T. 0.01 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47




Tgt Ion: 42 Resp: 419596


Ion Ratio Lower Upper

42 100

74 132.7 115.7 173.5

44 7.3 5.1 7.7









#5
 2-Fluorophenol
 Concen: 80.87 ng
 RT: 5.44 min Scan# 293
 Delta R.T. 0.00 min
 Lab File: BF084464.D
 Acq: 14 Jan 2016 1:47

Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040

Tot Ion:112 Resp: 1378366
 Ion Ratio Lower Upper
 112 100
 64 59.4 36.6 55.0#
 63 30.3 19.4 29.0#




Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0






#6
 Aniline
 Concen: 38.33 ng
 RT: 6.50 min Scan# 386
 Delta R.T. 0.00 min
 Lab File: BF084464.D
 Acq: 14 Jan 2016 1:47

Tgt Ion: 93 Resp: 1200197
 Ion Ratio Lower Upper
 93 100
 66 45.3 44.9 67.3
 65 25.2 23.7 35.5



Abundance Ion 93.00 (92.70 to 93.70): BF0
 Ion 66.00 (65.70 to 66.70): BF0
 Ion 65.00 (64.70 to 65.70): BF0





#7

Phenol-d6

Concen: 76.32 ng

RT: 6.48 min Scan# 384

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :





BNA_F

ClientSampleId :

SSTDCCC040

Tot Ion: 99 Resp: 1633561

Ion	Ratio	Lower	Upper
99	100		
42	20.1	12.8	19.2#
71	35.5	30.9	46.3



#8

2-Chlorophenol

Concen: 40.44 ng

RT: 6.62 min Scan# 397




Delta R.T. 0.00 min


Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Tgt Ion: 128 Resp: 781921

Ion	Ratio	Lower	Upper
128	100		
130	33.5	11.6	51.6
64	36.3	23.8	63.8





#9

Benzaldehyde

Concen: 35.24 ng

RT: 6.37 min Scan# 375

Delta R.T. -0.01 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040


Tot Ion: 77 Resp: 491220

Ion Ratio Lower Upper

77 100

105 92.5 83.0 123.0




106 88.9 74.6 114.6



Abundance Ion 77.00 (76.70 to 77.70): BF0

Ion 105.00 (104.70 to 105.70): BF0

Ion 106.00 (105.70 to 106.70): BF0



#10

Phenol

Concen: 35.68 ng

RT: 6.49 min Scan# 385

Delta R.T. -0.01 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47


Tgt Ion: 94 Resp: 868407

Ion Ratio Lower Upper

94 100

65 43.7 12.9 52.9



66 67.2 32.7 72.7




Abundance Ion 94.00 (93.70 to 94.70): BF0

Ion 65.00 (64.70 to 65.70): BF0

Ion 66.00 (65.70 to 66.70): BF0









#11
bis(2-Chloroethyl)ether
Concen: 41.32 ng
RT: 6.58 min Scan# 393
Delta R.T. 0.00 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tot Ion:	93	Resp:	779013
Ion	Ratio	Lower	Upper
93	100		
63	69.8	45.9	85.9
95	33.5	12.3	52.3



#12
1,3-Dichlorobenzene
Concen: 40.67 ng m
RT: 6.77 min Scan# 410
Delta R.T. 0.00 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47

Tgt Ion:	146	Resp:	811326
Ion	Ratio	Lower	Upper
146	100		
148	65.3	51.9	77.9
75	32.0	20.5	30.7#









#13
 1,4-Dichlorobenzene
 Concen: 41.54 ng
 RT: 6.85 min Scan# 417
 Delta R.T. 0.00 min
 Lab File: BF084464.D
 Acq: 14 Jan 2016 1:47

Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040

Tot Ion:146 Resp: 831021
 Ion Ratio Lower Upper
 146 100
 148 66.2 51.9 77.9
 111 43.1 41.6 62.4




Abundance Ion 146.00 (145.70 to 146.70): E
 Ion 148.00 (147.70 to 148.70): E
 Ion 111.00 (110.70 to 111.70): E






#14
 1,2-Dichlorobenzene
 Concen: 37.54 ng
 RT: 7.00 min Scan# 430
 Delta R.T. 0.00 min
 Lab File: BF084464.D
 Acq: 14 Jan 2016 1:47

Tgt Ion:146 Resp: 719194
 Ion Ratio Lower Upper
 146 100
 148 62.8 51.6 77.4
 111 52.6 38.0 57.0



Abundance Ion 146.00 (145.70 to 146.70): E
 Ion 148.00 (147.70 to 148.70): E
 Ion 111.00 (110.70 to 111.70): E









#15
Benzyl Alcohol
Concen: 33.37 ng
RT: 6.98 min Scan# 428
Delta R.T. 0.00 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tot Ion: 79 Resp: 600840
Ion Ratio Lower Upper
79 100
108 76.5 69.0 103.4
77 63.6 50.0 75.0



#16
2,2'-oxybis(1-Chloropropane)
Concen: 35.56 ng
RT: 7.12 min Scan# 440
Delta R.T. 0.00 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47

Tgt Ion: 45 Resp: 1220959
Ion Ratio Lower Upper
45 100
77 12.4 0.0 39.6
79 9.7 0.0 35.0









#17
2-Methylphenol
Concen: 41.26 ng
RT: 7.10 min Scan# 439
Delta R.T. 0.00 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tot Ion:107 Resp: 668710
Ion Ratio Lower Upper
107 100
108 115.1 89.8 134.6
77 48.5 35.7 53.5
79 46.5 35.7 53.5




Abundance Ion 107.00 (106.70 to 107.70): E
Ion 108.00 (107.70 to 108.70): E
Ion 77.00 (76.70 to 77.70): BF0
Ion 79.00 (78.70 to 79.70): BF0






#18
Hexachloroethane
Concen: 38.16 ng
RT: 7.34 min Scan# 460
Delta R.T. 0.00 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47

Tgt Ion:117 Resp: 305208
Ion Ratio Lower Upper
117 100
119 97.9 77.4 116.0
201 73.4 68.6 103.0



Abundance Ion 117.00 (116.70 to 117.70): E
Ion 119.00 (118.70 to 119.70): E
Ion 201.00 (200.70 to 201.70): E








#19
n-Nitroso-di-n-propylamine
Concen: 34.24 ng
RT: 7.25 min Scan# 452
Delta R.T. 0.00 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47





Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tot Ion: 70 Resp: 496171
Ion Ratio Lower Upper
70 100
42 63.1 33.3 49.9#
101 9.3 9.3 13.9
130 18.2 23.4 35.0#



#20
3+4-Methylphenols
Concen: 35.71 ng
RT: 7.25 min Scan# 452
Delta R.T. 0.00 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47

Tgt Ion: 107 Resp: 680205
Ion Ratio Lower Upper
107 100
108 88.9 74.6 114.6
77 117.3 0.7 40.7#
79 29.7 0.0 39.0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.12 min Scan# 528

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040

Tot Ion:136 Resp: 1170547


Ion Ratio Lower Upper

136 100

137 11.5 8.7 13.1

54 8.9 5.8 8.8#

68 5.6 4.2 6.2




Abundance Ion 136.00 (135.70 to 136.70): E



Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



Time-->



#22

Acetophenone

Concen: 38.32 ng

RT: 7.25 min Scan# 452

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Tgt Ion:105 Resp: 1078737


Ion Ratio Lower Upper

105 100

71 7.9 3.7 5.5#

51 37.8 25.1 37.7#

120 22.1 16.6 25.0




Abundance Ion 105.00 (104.70 to 105.70): E


Ion 71.00 (70.70 to 71.70): BF0


Ion 51.00 (50.70 to 51.70): BF0

Ion 120.00 (119.70 to 120.70): E



Time-->





#23

Nitrobenzene-d5

Concen: 69.78 ng

RT: 7.40 min Scan# 465

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :


BNA_F

ClientSampleId :

SSTDCCC040

Tot Ion: 82 Resp: 1467617




Ion	Ratio	Lower	Upper
82	100		
128	43.5	34.6	51.8
54	57.0	38.4	57.6



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): BF0

Ion 54.00 (53.70 to 54.70): BF0



#24

Nitrobenzene

Concen: 42.75 ng

RT: 7.42 min Scan# 467


Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Tgt Ion: 77 Resp: 911844



Ion	Ratio	Lower	Upper
77	100		
123	51.9	37.4	56.2
65	14.4	10.9	16.3




Abundance Ion 77.00 (76.70 to 77.70): BF0

Ion 123.00 (122.70 to 123.70): BF0

Ion 65.00 (64.70 to 65.70): BF0





#25

Isophorone

Concen: 38.10 ng

RT: 7.66 min Scan# 488

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tot Ion: 82 Resp: 1532684

Ion Ratio Lower Upper

82 100

95 7.2 6.6 10.0

138 17.9 13.6 20.4



#26

2-Nitrophenol

Concen: 41.26 ng

RT: 7.73 min Scan# 494

Delta R.T. -0.01 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47




Tgt Ion: 139 Resp: 400609


Ion Ratio Lower Upper

139 100

109 30.4 25.4 38.2

65 63.0 32.3 48.5#





#27

2,4-Dimethylphenol

Concen: 34.75 ng

RT: 7.78 min Scan# 498

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040


Tot Ion:122 Resp: 682874

Ion Ratio Lower Upper

122 100

107 115.4 99.1 148.7




121 57.6 47.9 71.9



Abundance Ion 122.00 (121.70 to 122.70): E

Ion 107.00 (106.70 to 107.70): E

Ion 121.00 (120.70 to 121.70): E



#28

bis(2-Chloroethoxy)methane

Concen: 38.43 ng

RT: 7.88 min Scan# 507

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47


Tgt Ion: 93 Resp: 944162

Ion Ratio Lower Upper

93 100

95 34.2 25.8 38.6



123 13.3 8.6 12.8#




Abundance Ion 93.00 (92.70 to 93.70): BF0

Ion 95.00 (94.70 to 95.70): BF0

Ion 123.00 (122.70 to 123.70): E









#29
2,4-Dichlorophenol
Concen: 40.26 ng
RT: 7.98 min Scan# 516
Delta R.T. 0.00 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tot Ion:162 Resp: 659102
Ion Ratio Lower Upper
162 100
164 64.9 44.1 84.1
98 37.9 20.2 60.2




Abundance Ion 162.00 (161.70 to 162.70): E
Ion 164.00 (163.70 to 164.70): E
Ion 98.00 (97.70 to 98.70): BF0






#30
1,2,4-Trichlorobenzene
Concen: 40.21 ng
RT: 8.06 min Scan# 523
Delta R.T. 0.00 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47

Tgt Ion:180 Resp: 679486
Ion Ratio Lower Upper
180 100
182 95.6 76.4 114.6
145 31.7 31.6 47.4



Abundance Ion 180.00 (179.70 to 180.70): E
Ion 182.00 (181.70 to 182.70): E
Ion 145.00 (144.70 to 145.70): E





#31

Naphthalene

Concen: 40.15 ng

RT: 8.14 min Scan# 530

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040


Tot Ion:128 Resp: 2132291

Ion Ratio Lower Upper

128 100

129 12.4 9.1 13.7




127 14.4 11.1 16.7



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#32

Benzoic acid

Concen: 30.76 ng

RT: 7.90 min Scan# 509

Delta R.T. 0.01 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47


Tgt Ion:122 Resp: 356193

Ion Ratio Lower Upper

122 100

105 119.8 100.3 140.3



77 91.3 63.5 103.5




Abundance Ion 122.00 (121.70 to 122.70): E

Ion 105.00 (104.70 to 105.70): E

Ion 77.00 (76.70 to 77.70): BF0









#33
4-Chloroaniline
Concen: 38.73 ng
RT: 8.19 min Scan# 534
Delta R.T. -0.01 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tot Ion:	127	Resp:	942993
Ion	Ratio	Lower	Upper
127	100		
129	32.3	26.5	39.7
65	37.1	27.2	40.8
92	21.2	17.7	26.5




Abundance Ion 127.00 (126.70 to 127.70): E
Ion 129.00 (128.70 to 129.70): E
Ion 65.00 (64.70 to 65.70): BF0
Ion 92.00 (91.70 to 92.70): BF0






#34
Hexachlorobutadiene
Concen: 36.08 ng
RT: 8.26 min Scan# 540
Delta R.T. 0.00 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47

Tgt Ion:	225	Resp:	350512
Ion	Ratio	Lower	Upper
225	100		
223	63.7	49.4	74.0
227	62.8	50.8	76.2



Abundance Ion 225.00 (224.70 to 225.70): E
Ion 223.00 (222.70 to 223.70): E
Ion 227.00 (226.70 to 227.70): E









#35
Caprolactam
Concen: 38.30 ng
RT: 8.57 min Scan# 567
Delta R.T. 0.00 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tot Ion:113 Resp: 211338
Ion Ratio Lower Upper
113 100
55 200.6 116.9 156.9#
56 153.2 93.8 133.8#




Abundance Ion 113.00 (112.70 to 113.70): E
Ion 55.00 (54.70 to 55.70): BF0
Ion 56.00 (55.70 to 56.70): BF0






#36
4-Chloro-3-methylphenol
Concen: 35.92 ng
RT: 8.68 min Scan# 577
Delta R.T. 0.00 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47

Tgt Ion:107 Resp: 658561
Ion Ratio Lower Upper
107 100
144 23.1 19.7 29.5
142 71.9 61.8 92.6



Abundance Ion 107.00 (106.70 to 107.70): E
Ion 144.00 (143.70 to 144.70): E
Ion 142.00 (141.70 to 142.70): E









#37
2-Methylnaphthalene
Concen: 36.39 ng
RT: 8.83 min Scan# 590
Delta R.T. 0.00 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tot Ion:142 Resp: 1387327
Ion Ratio Lower Upper
142 100
141 87.9 72.4 108.6
115 37.8 27.9 41.9




Abundance Ion 142.00 (141.70 to 142.70): E
Ion 141.00 (140.70 to 141.70): E
Ion 115.00 (114.70 to 115.70): E






#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.87 min Scan# 681
Delta R.T. 0.00 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47

Tgt Ion:164 Resp: 515661
Ion Ratio Lower Upper
164 100
162 103.7 85.1 127.7
160 46.5 37.5 56.3



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E





#39

1,2,4,5-Tetrachlorobenzene

Concen: 42.59 ng

RT: 9.00 min Scan# 605

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040

Tot Ion:216 Resp: 631362


Ion Ratio Lower Upper

216 100

214 80.7 64.2 96.2

179 24.0 18.7 28.1

108 21.9 16.8 25.2






Abundance Ion 216.00 (215.70 to 216.70): E

Ion 214.00 (213.70 to 214.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 108.00 (107.70 to 108.70): E



#40

Hexachlorocyclopentadiene

Concen: 35.39 ng

RT: 8.99 min Scan# 604

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47


Tgt Ion:237 Resp: 316727

Ion Ratio Lower Upper

237 100

235 64.5 43.1 83.1



272 12.6 0.0 35.1




Abundance Ion 236.80 (236.50 to 237.50): E

Ion 234.90 (234.60 to 235.60): E

Ion 271.75 (271.45 to 272.45): E









#41
 2,4,6-Tribromophenol
 Concen: 81.77 ng
 RT: 10.67 min Scan# 751
 Delta R.T. 0.00 min
 Lab File: BF084464.D
 Acq: 14 Jan 2016 1:47

Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040

Tot Ion:330 Resp: 425697
 Ion Ratio Lower Upper
 330 100
 332 97.0 76.6 114.8
 141 32.7 27.8 41.6




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#42
 2,4,6-Trichlorophenol
 Concen: 39.62 ng
 RT: 9.12 min Scan# 615
 Delta R.T. 0.00 min
 Lab File: BF084464.D
 Acq: 14 Jan 2016 1:47

Tgt Ion:196 Resp: 439411
 Ion Ratio Lower Upper
 196 100
 198 102.8 77.7 116.5
 200 33.5 24.6 37.0



Abundance Ion 196.00 (195.70 to 196.70): E
 Ion 198.00 (197.70 to 198.70): E
 Ion 200.00 (199.70 to 200.70): E









#43
 2,4,5-Trichlorophenol
 Concen: 40.94 ng
 RT: 9.16 min Scan# 619
 Delta R.T. 0.00 min
 Lab File: BF084464.D
 Acq: 14 Jan 2016 1:47

Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040

Tot Ion:196 Resp: 435233
 Ion Ratio Lower Upper
 196 100
 198 103.7 79.0 118.6
 97 35.7 33.0 49.6
 132 23.9 21.1 31.7




Abundance Ion 196.00 (195.70 to 196.70): E
 Ion 198.00 (197.70 to 198.70): E
 Ion 97.00 (96.70 to 97.70): BF0
 Ion 132.00 (131.70 to 132.70): E






#44
 2-Fluorobiphenyl
 Concen: 77.24 ng
 RT: 9.20 min Scan# 622
 Delta R.T. 0.00 min
 Lab File: BF084464.D
 Acq: 14 Jan 2016 1:47

Tgt Ion:172 Resp: 2281085
 Ion Ratio Lower Upper
 172 100
 171 37.9 28.9 43.3
 170 25.7 18.6 27.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#45

1,1'-Biphenyl

Concen: 41.21 ng

RT: 9.30 min Scan# 631

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040


Tot Ion:154 Resp: 1688988

Ion Ratio Lower Upper

154 100

153 42.1 21.6 61.6




76 13.3 0.0 32.7



Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 76.00 (75.70 to 76.70): BF0



#46

2-Chloronaphthalene

Concen: 38.76 ng

RT: 9.32 min Scan# 633

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47


Tgt Ion:162 Resp: 1247687

Ion Ratio Lower Upper

162 100

127 45.3 40.2 60.4



164 33.7 25.7 38.5




Abundance Ion 162.00 (161.70 to 162.70): E

Ion 127.00 (126.70 to 127.70): E

Ion 164.00 (163.70 to 164.70): E





#47

2-Nitroaniline

Concen: 45.22 ng

RT: 9.42 min Scan# 642

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040


Tot Ion: 65 Resp: 480498

Ion Ratio Lower Upper




65 100

92 74.0 53.4 80.2

138 121.2 71.1 106.7#



Abundance Ion 65.00 (64.70 to 65.70): BF0
Ion 92.00 (91.70 to 92.70): BF0
Ion 138.00 (137.70 to 138.70): E



#48

Acenaphthylene

Concen: 40.50 ng

RT: 9.73 min Scan# 669

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47


Tgt Ion:152 Resp: 1926379

Ion Ratio Lower Upper



152 100


151 21.1 16.3 24.5

153 15.4 10.4 15.6



Abundance Ion 152.00 (151.70 to 152.70): E
Ion 151.00 (150.70 to 151.70): E
Ion 153.00 (152.70 to 153.70): E





#49

Dimethylphthalate

Concen: 43.37 ng

RT: 9.61 min Scan# 658

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040


Tot Ion:163 Resp: 1598996

Ion Ratio Lower Upper

163 100

194 3.5 8.0 12.0#




164 10.4 8.0 12.0



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#50

2,6-Dinitrotoluene

Concen: 43.41 ng

RT: 9.66 min Scan# 663

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47


Tgt Ion:165 Resp: 351023

Ion Ratio Lower Upper

165 100

63 58.3 28.8 43.2#



89 59.6 35.1 52.7#




Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0





#51

Acenaphthene

Concen: 40.19 ng

RT: 9.90 min Scan# 684

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :


BNA_F

ClientSampleId :

SSTDCCC040

Tot Ion:154 Resp: 1282017




Ion	Ratio	Lower	Upper
154	100		
153	112.2	91.5	137.3
152	51.5	43.0	64.6



Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E



#52

3-Nitroaniline

Concen: 45.22 ng

RT: 9.84 min Scan# 678


Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Tgt Ion:138 Resp: 453015



Ion	Ratio	Lower	Upper
138	100		
108	10.0	10.5	15.7#
92	111.5	103.9	155.9




Abundance Ion 138.00 (137.70 to 138.70): E

Ion 108.00 (107.70 to 108.70): E

Ion 92.00 (91.70 to 92.70): BF0





#53

2,4-Dinitrophenol

Concen: 44.59 ng

RT: 9.94 min Scan# 687

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040


Tot Ion:184 Resp: 147893

Ion Ratio Lower Upper

184 100

63 47.9 43.1 64.7




154 57.6 60.5 90.7#



Abundance Ion 184.00 (183.70 to 184.70): E

Ion 63.00 (62.70 to 63.70): BF0

Ion 154.00 (153.70 to 154.70): E



#54

Dibenzofuran

Concen: 40.53 ng

RT: 10.08 min Scan# 699

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47


Tgt Ion:168 Resp: 1686646

Ion Ratio Lower Upper

168 100

139 44.1 30.5 45.7



169 14.7 10.4 15.6




Abundance Ion 168.00 (167.70 to 168.70): E

Ion 139.00 (138.70 to 139.70): E

Ion 169.00 (168.70 to 169.70): E









#55
4-Nitrophenol
Concen: 41.30 ng
RT: 10.01 min Scan# 693
Delta R.T. 0.00 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tot Ion:139 Resp: 300370
Ion Ratio Lower Upper
139 100
109 57.9 58.5 98.5#
65 60.8 57.6 97.6



#56
2,4-Dinitrotoluene
Concen: 41.29 ng
RT: 10.06 min Scan# 698
Delta R.T. 0.00 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47

Tgt Ion:165 Resp: 422528
Ion Ratio Lower Upper
165 100
63 53.5 36.7 55.1
89 81.0 61.9 92.9
182 2.1 2.0 3.0





#57

Fluorene

Concen: 37.95 ng

RT: 10.42 min Scan# 729

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040


Tot Ion:166 Resp: 1224486

Ion Ratio Lower Upper

166 100

165 98.6 79.1 118.7




167 14.1 10.4 15.6



Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E



#58

2,3,4,6-Tetrachlorophenol

Concen: 41.64 ng

RT: 10.20 min Scan# 710

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Tgt Ion:232 Resp: 378012


Ion Ratio Lower Upper

232 100

131 48.2 47.0 70.6

130 2.2 2.0 3.0

166 32.7 30.5 45.7






Abundance Ion 232.00 (231.70 to 232.70): E

Ion 131.00 (130.70 to 131.70): E

Ion 130.00 (129.70 to 130.70): E

Ion 166.00 (165.70 to 166.70): E





#59

Diethylphthalate

Concen: 41.58 ng

RT: 10.30 min Scan# 719

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040


Tot Ion:149 Resp: 1511264

Ion Ratio Lower Upper

149 100

177 24.1 17.3 25.9




150 12.9 9.8 14.8



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 177.00 (176.70 to 177.70): E

Ion 150.00 (149.70 to 150.70): E



#60

4-Chlorophenyl-phenylether

Concen: 47.93 ng

RT: 10.42 min Scan# 729

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47


Tgt Ion:204 Resp: 639141

Ion Ratio Lower Upper

204 100

206 33.1 25.7 38.5



141 61.4 55.1 82.7




Abundance Ion 204.00 (203.70 to 204.70): E

Ion 206.00 (205.70 to 206.70): E

Ion 141.00 (140.70 to 141.70): E





#61

4-Nitroaniline

Concen: 46.49 ng

RT: 10.44 min Scan# 731

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040


Tot Ion:138 Resp: 415230

Ion Ratio Lower Upper

138 100

92 54.6 32.6 72.6




108 75.0 68.6 108.6



Abundance Ion 138.00 (137.70 to 138.70): E

Ion 92.00 (91.70 to 92.70): BF0

Ion 108.00 (107.70 to 108.70): E



#62

Azobenzene

Concen: 42.56 ng

RT: 10.58 min Scan# 743

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Tgt Ion: 77 Resp: 1696811


Ion Ratio Lower Upper

77 100

182 27.6 8.3 48.3

105 26.2 4.6 44.6

51 30.0 6.2 46.2






Abundance Ion 77.00 (76.70 to 77.70): BF0

Ion 182.00 (181.70 to 182.70): E

Ion 105.00 (104.70 to 105.70): E

Ion 51.00 (50.70 to 51.70): BF0





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.36 min Scan# 811

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040


Tot Ion:188 Resp: 969251

Ion Ratio Lower Upper

188 100

94 10.6 9.0 13.4




80 11.6 9.6 14.4



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#64

4,6-Dinitro-2-methylphenol

Concen: 39.28 ng

RT: 10.48 min Scan# 734

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47


Tgt Ion:198 Resp: 232573

Ion Ratio Lower Upper

198 100

51 27.9 18.9 58.9



105 35.0 26.4 66.4




Abundance Ion 198.00 (197.70 to 198.70): E

Ion 51.00 (50.70 to 51.70): BF0

Ion 105.00 (104.70 to 105.70): E





#65

n-Nitrosodiphenylamine

Concen: 37.55 ng

RT: 10.53 min Scan# 739

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040


Tot Ion:169 Resp: 1163770

Ion Ratio Lower Upper

169 100

168 67.0 55.1 82.7




167 37.9 30.0 45.0



Abundance Ion 169.00 (168.70 to 169.70): E

Ion 168.00 (167.70 to 168.70): E

Ion 167.00 (166.70 to 167.70): E



#66

4-Bromophenyl-phenylether

Concen: 41.09 ng

RT: 10.91 min Scan# 772

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47


Tgt Ion:248 Resp: 428653

Ion Ratio Lower Upper

248 100

250 97.6 78.4 117.6



141 50.5 44.0 66.0




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E









#67
Hexachlorobenzene
Concen: 36.68 ng
RT: 10.97 min Scan# 777
Delta R.T. 0.00 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tot Ion:284 Resp: 430713
Ion Ratio Lower Upper
284 100
142 39.3 22.2 33.4#
249 32.8 24.6 37.0




Abundance Ion 283.80 (283.50 to 284.50): E
Ion 142.00 (141.70 to 142.70): E
Ion 249.00 (248.70 to 249.70): E






#68
Atrazine
Concen: 41.42 ng
RT: 11.07 min Scan# 786
Delta R.T. 0.00 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47

Tgt Ion:200 Resp: 420070
Ion Ratio Lower Upper
200 100
173 24.2 9.5 49.5
215 45.9 23.8 63.8



Abundance Ion 200.00 (199.70 to 200.70): E
Ion 173.00 (172.70 to 173.70): E
Ion 215.00 (214.70 to 215.70): E









#69
 Pentachlorophenol
 Concen: 34.81 ng
 RT: 11.16 min Scan# 794
 Delta R.T. 0.00 min
 Lab File: BF084464.D
 Acq: 14 Jan 2016 1:47




Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Tot Ion	Ratio	Lower	Upper
266	100		
268	62.1	52.4	78.6
264	62.7	50.2	75.2



#70
 Phenanthrene
 Concen: 37.32 ng
 RT: 11.38 min Scan# 813
 Delta R.T. 0.00 min
 Lab File: BF084464.D
 Acq: 14 Jan 2016 1:47

Tgt Ion	Ratio	Lower	Upper
178	100		
176	20.7	15.3	22.9
179	16.7	12.0	18.0





#71

Anthracene

Concen: 43.63 ng

RT: 11.44 min Scan# 818

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040


Tot Ion:178 Resp: 2168285

Ion Ratio Lower Upper

178 100

176 20.6 15.4 23.0




179 16.6 12.5 18.7



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



#72

Carbazole

Concen: 40.46 ng

RT: 11.60 min Scan# 832

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47


Tgt Ion:167 Resp: 1966060

Ion Ratio Lower Upper

167 100

166 22.7 17.6 26.4



139 12.8 11.8 17.8




Abundance Ion 167.00 (166.70 to 167.70): E

Ion 166.00 (165.70 to 166.70): E

Ion 139.00 (138.70 to 139.70): E





#73

Di-n-butylphthalate

Concen: 44.37 ng

RT: 11.93 min Scan# 861

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040


Tot Ion:149 Resp: 2299740

Ion Ratio Lower Upper

149 100

150 10.0 7.1 10.7




104 5.0 3.2 4.8#



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 104.00 (103.70 to 104.70): E



#74

Fluoranthene

Concen: 38.03 ng

RT: 12.57 min Scan# 917

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47


Tgt Ion:202 Resp: 2014293

Ion Ratio Lower Upper

202 100

101 12.6 0.0 32.8



203 19.1 0.0 37.9




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.00 min Scan# 1042

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040


Tot Ion:240 Resp: 798618

Ion Ratio Lower Upper

240 100

120 9.8 9.5 14.3




236 25.8 20.6 31.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#76

Benzidine

Concen: 30.53 ng

RT: 12.69 min Scan# 928

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47


Tgt Ion:184 Resp: 874257

Ion Ratio Lower Upper

184 100

185 15.2 12.2 18.2



183 11.7 9.8 14.8




Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E





#77

Pvrene

Concen: 33.16 ng

RT: 12.80 min Scan# 937

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040


Tot Ion:202 Resp: 2078038

Ion Ratio Lower Upper

202 100

200 23.1 17.2 25.8




203 18.7 14.3 21.5



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E



#78

Terphenyl-d14

Concen: 63.86 ng

RT: 12.95 min Scan# 950

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47


Tgt Ion:244 Resp: 2284670

Ion Ratio Lower Upper

244 100

212 7.8 5.7 8.5



122 12.9 7.4 11.0#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#79
Butylbenzylphthalate
Concen: 35.58 ng
RT: 13.43 min Scan# 992
Delta R.T. 0.00 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tot Ion:149 Resp: 964987
Ion Ratio Lower Upper
149 100
91 57.0 57.6 86.4#
206 24.4 13.2 19.8#




Abundance Ion 149.00 (148.70 to 149.70): E
Ion 91.00 (90.70 to 91.70): BF0
Ion 206.00 (205.70 to 206.70): E






#80
Benzo(a)anthracene
Concen: 33.23 ng
RT: 13.99 min Scan# 1041
Delta R.T. 0.00 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47

Tgt Ion:228 Resp: 1558157
Ion Ratio Lower Upper
228 100
226 28.1 21.8 32.6
229 20.6 15.8 23.8



Abundance Ion 228.00 (227.70 to 228.70): E
Ion 226.00 (225.70 to 226.70): E
Ion 229.00 (228.70 to 229.70): E









#81
 3,3'-Dichlorobenzidine
 Concen: 38.77 ng
 RT: 13.95 min Scan# 1038
 Delta R.T. 0.00 min
 Lab File: BF084464.D
 Acq: 14 Jan 2016 1:47




Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Tot Ion:252 Resp: 634525
 Ion Ratio Lower Upper
 252 100
 254 64.6 53.5 80.3
 126 11.8 4.9 7.3#



#82
 Chrysene
 Concen: 33.74 ng
 RT: 14.02 min Scan# 1044
 Delta R.T. 0.00 min
 Lab File: BF084464.D
 Acq: 14 Jan 2016 1:47

Tgt Ion:228 Resp: 1520144
 Ion Ratio Lower Upper
 228 100
 226 31.7 24.3 36.5
 229 21.0 16.1 24.1





#83

Bis(2-ethylhexyl)phthalate

Concen: 33.87 ng

RT: 13.99 min Scan# 1041

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040


Tot Ion:149 Resp: 1160309

Ion Ratio Lower Upper

149 100

167 27.6 19.7 29.5




279 4.1 1.8 2.6#



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E



#84

Di-n-octyl phthalate

Concen: 33.30 ng

RT: 14.59 min Scan# 1094

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47


Tgt Ion:149 Resp: 1925895

Ion Ratio Lower Upper

149 100

167 1.6 1.2 1.8



43 12.4 5.6 8.4#




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 43.00 (42.70 to 43.70): BF0









#85
Indeno(1,2,3-cd)pyrene
Concen: 36.63 ng
RT: 16.80 min Scan# 1287
Delta R.T. 0.00 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tot Ion:276 Resp: 1308485
Ion Ratio Lower Upper
276 100
138 28.7 20.6 30.8
277 24.9 20.1 30.1



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.41 min Scan# 1166
Delta R.T. 0.00 min
Lab File: BF084464.D
Acq: 14 Jan 2016 1:47

Tgt Ion:264 Resp: 597254
Ion Ratio Lower Upper
264 100
260 23.8 19.4 29.2
265 21.4 17.8 26.6





#87

Benzo(b)fluoranthene

Concen: 42.92 ng m

RT: 15.00 min Scan# 1130

Delta R.T. -0.01 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040


Tot Ion:252 Resp: 1676829

Ion Ratio Lower Upper

252 100

253 22.8 17.3 25.9




125 13.0 6.5 9.7#



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#88

Benzo(k)fluoranthene

Concen: 33.25 ng m

RT: 15.04 min Scan# 1133

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47


Tgt Ion:252 Resp: 1062517

Ion Ratio Lower Upper

252 100

253 22.9 18.1 27.1



125 9.9 9.0 13.6




Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E





#89

Benzo(a)pyrene

Concen: 39.06 ng

RT: 15.36 min Scan# 1161

Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :


BNA_F

ClientSampleId :

SSTDCCC040

Tot Ion:252 Resp: 1294557




Ion	Ratio	Lower	Upper
252	100		
253	22.3	17.3	25.9
125	10.3	7.0	10.4



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#90

Dibenzo(a,h)anthracene

Concen: 37.25 ng

RT: 16.81 min Scan# 1288


Delta R.T. 0.00 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Tgt Ion:278 Resp: 1062270



Ion	Ratio	Lower	Upper
278	100		
139	19.5	15.0	22.4
279	24.0	18.9	28.3




Abundance Ion 278.00 (277.70 to 278.70): E

Ion 139.00 (138.70 to 139.70): E

Ion 279.00 (278.70 to 279.70): E





#91

Benzo(a,h,i)perylene

Concen: 38.39 ng

RT: 17.21 min Scan# 1323

Delta R.T. -0.01 min

Lab File: BF084464.D

Acq: 14 Jan 2016 1:47

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040


Tot Ion:276 Resp: 1133663

Ion Ratio Lower Upper

276 100

277 23.3 18.8 28.2

138 25.7 17.8 26.6



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 277.00 (276.70 to 277.70): E

Ion 138.00 (137.70 to 138.70): E

