

Data Path : Z:\HPCHEM1\BNA F\DATA\BF011415\
 Data File : BF076868.D
 Acq On : 14 Jan 2015 20:01
 Operator : IZ / TP
 Sample : PB81326BL
 Misc : W
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB81326BL

Quant Time: Jan 15 00:24:52 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF011415.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 14 23:27:58 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.02	152	32177	20.00	ng	0.00
21) Naphthalene-d8	10.93	136	133542	20.00	ng	0.00
38) Acenaphthene-d10	15.07	164	70623	20.00	ng	-0.01
63) Phenanthrene-d10	17.81	188	128979	20.00	ng	-0.01
75) Chrysene-d12	21.31	240	128879	20.00	ng	0.00
86) Perylene-d12	22.97	264	117854	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.10	112	252707	129.13	ng	0.01
7) Phenol-d6	7.42	99	308969	125.15	ng	0.00
23) Nitrobenzene-d5	9.32	82	186587	77.41	ng	0.00
41) 2,4,6-Tribromophenol	16.72	330	75360	131.46	ng	0.00
44) 2-Fluorobiphenyl	13.59	172	393922	84.88	ng	0.00
78) Terphenyl-d14	20.04	244	439859	78.57	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF011415\
Data File : BF076868.D
Acq On : 14 Jan 2015 20:01
Operator : IZ / TP
Sample : PB81326BL
Misc : W
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB81326BL

Quant Time: Jan 15 00:24:52 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF011415.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 14 23:27:58 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.02 min Scan# 607
Delta R.T. 0.00 min
Lab File: BF076868.D
Acq: 14 Jan 2015 20:01

Instrument :
BNA_F
ClientSampleId :
PB81326BL

Tot Ion:152 Resp: 32177
Ion Ratio Lower Upper
152 100
150 158.0 121.7 182.5
115 61.4 47.0 70.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 129.13 ng
RT: 5.10 min Scan# 351
Delta R.T. 0.01 min
Lab File: BF076868.D
Acq: 14 Jan 2015 20:01

Tgt Ion:112 Resp: 252707
Ion Ratio Lower Upper
112 100
64 59.9 54.2 81.4
63 35.0 28.4 42.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 125.15 ng

RT: 7.42 min Scan# 554

Delta R.T. 0.00 min

Lab File: BF076868.D

Acq: 14 Jan 2015 20:01

Instrument :

BNA_F

ClientSampleId :

PB81326BL


Tot Ion: 99 Resp: 308969

Ion Ratio Lower Upper

99 100

42 17.7 15.0 22.4




71 37.1 30.5 45.7



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.93 min Scan# 861

Delta R.T. 0.00 min

Lab File: BF076868.D

Acq: 14 Jan 2015 20:01

Tgt Ion: 136 Resp: 133542


Ion Ratio Lower Upper

136 100

137 11.8 8.1 12.1

54 7.9 7.0 10.4

68 4.2 3.7 5.5






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 77.41 ng
 RT: 9.32 min Scan# 720
 Delta R.T. 0.00 min
 Lab File: BF076868.D
 Acq: 14 Jan 2015 20:01




Instrument :
 BNA_F
 ClientSampleId :
 PB81326BL


Tot Ion: 82 Resp: 186587
 Ion Ratio Lower Upper
 82 100
 128 45.0 33.1 49.7
 54 60.0 48.3 72.5



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 15.07 min Scan# 1223
 Delta R.T. -0.01 min
 Lab File: BF076868.D
 Acq: 14 Jan 2015 20:01

Tgt Ion: 164 Resp: 70623
 Ion Ratio Lower Upper
 164 100
 162 99.4 82.4 123.6
 160 41.7 34.8 52.2









#41
 2,4,6-Tribromophenol
 Concen: 131.46 ng
 RT: 16.72 min Scan# 1368
 Delta R.T. 0.00 min
 Lab File: BF076868.D
 Acq: 14 Jan 2015 20:01

Instrument :
 BNA_F
 ClientSampleId :
 PB81326BL

Tot Ion:330 Resp: 75360
 Ion Ratio Lower Upper
 330 100
 332 95.6 77.8 116.6
 141 48.0 38.5 57.7




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 84.88 ng
 RT: 13.59 min Scan# 1094
 Delta R.T. 0.00 min
 Lab File: BF076868.D
 Acq: 14 Jan 2015 20:01

Tgt Ion:172 Resp: 393922
 Ion Ratio Lower Upper
 172 100
 171 34.4 26.6 40.0
 170 23.6 18.0 27.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.81 min Scan# 1463
Delta R.T. -0.01 min
Lab File: BF076868.D
Acq: 14 Jan 2015 20:01

Instrument :
BNA_F
ClientSampleId :
PB81326BL

Tot Ion:188 Resp: 128979
Ion Ratio Lower Upper
188 100
94 9.3 6.0 9.0#
80 10.6 6.9 10.3#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.31 min Scan# 1769
Delta R.T. 0.00 min
Lab File: BF076868.D
Acq: 14 Jan 2015 20:01

Tgt Ion:240 Resp: 128879
Ion Ratio Lower Upper
240 100
120 10.9 10.4 15.6
236 25.4 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 78.57 ng

RT: 20.04 min Scan# 1658

Delta R.T. 0.00 min

Lab File: BF076868.D

Acq: 14 Jan 2015 20:01

Instrument :

BNA_F

ClientSampleId :

PB81326BL


Tot Ion:244 Resp: 439859

Ion Ratio Lower Upper

244 100

212 7.6 6.3 9.5




122 12.5 10.1 15.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 22.97 min Scan# 1915

Delta R.T. -0.02 min

Lab File: BF076868.D

Acq: 14 Jan 2015 20:01


Tgt Ion:264 Resp: 117854

Ion Ratio Lower Upper

264 100

260 22.2 19.0 28.4

265 20.4 18.1 27.1



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

