

Data Path : U:\HPCHEM1\BNA F\DATA\BF011618\
 Data File : BF102129.D
 Acq On : 17 Jan 2018 00:09
 Operator : SJ/JU
 Sample : J1122-13
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 C-1

Quant Time: Jan 17 03:48:01 2018
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF010918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jan 11 12:53:54 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.72	152	137234	20.00	ng	0.00
21) Naphthalene-d8	8.00	136	540825	20.00	ng	0.00
38) Acenaphthene-d10	9.75	164	234294	20.00	ng	-0.01
63) Phenanthrene-d10	11.23	188	368450	20.00	ng	-0.01
75) Chrysene-d12	13.86	240	252995	20.00	ng	-0.02
86) Perylene-d12	15.28	264	246451	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.33	112	842576	86.70	ng	0.00
7) Phenol-d6	6.36	99	1038787	89.59	ng	0.00
23) Nitrobenzene-d5	7.29	82	648081	70.42	ng	-0.01
41) 2,4,6-Tribromophenol	10.54	330	206081	100.79	ng	-0.01
44) 2-Fluorobiphenyl	9.08	172	1160748	77.40	ng	-0.01
78) Terphenyl-d14	12.82	244	853446	70.04	ng	-0.01
Target Compounds						Qvalue
49) Dimethylphthalate	9.47	163	119900	6.379	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : U:\HPCHEM1\BNA F\DATA\BF011618\
Data File : BF102129.D
Acq On : 17 Jan 2018 00:09
Operator : SJ/JU
Sample : J1122-13
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
C-1

Quant Time: Jan 17 03:48:01 2018
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF010918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jan 11 12:53:54 2018
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.72 min Scan# 788
Delta R.T. -0.01 min
Lab File: BF102129.D
Acq: 17 Jan 2018 00:09

Instrument :
BNA_F
ClientSampleId :
C-1




Tot Ion:152 Resp: 137234
Ion Ratio Lower Upper
152 100
150 154.6 124.6 186.8
115 59.0 50.1 75.1



#5

2-Fluorophenol
Concen: 86.698 ng
RT: 5.33 min Scan# 552
Delta R.T. 0.01 min
Lab File: BF102129.D
Acq: 17 Jan 2018 00:09

Tgt Ion:112 Resp: 842576
Ion Ratio Lower Upper
112 100
64 56.6 47.9 71.9
63 29.0 23.7 35.5





#7

Phenol-d6

Concen: 89.587 ng

RT: 6.36 min Scan# 726

Delta R.T. -0.01 min

Lab File: BF102129.D

Acq: 17 Jan 2018 00:09

Instrument :


BNA_F

ClientSampleId :

C-1

Tot Ion: 99 Resp: 1038787




Ion	Ratio	Lower	Upper
99	100		
42	20.6	14.5	21.7
71	35.6	25.4	38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.00 min Scan# 1006


Delta R.T. -0.01 min

Lab File: BF102129.D

Acq: 17 Jan 2018 00:09

Tgt Ion: 136 Resp: 540825

Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.9	13.3
54	7.0	6.6	9.8
68	4.7	5.0	7.4#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 70.418 ng
 RT: 7.29 min Scan# 884
 Delta R.T. -0.01 min
 Lab File: BF102129.D
 Acq: 17 Jan 2018 00:09




Instrument :
 BNA_F
 ClientSampleId :
 C-1


Tot Ion	82	Resp	648081
Ion Ratio	Lower	Upper	
82	100		
128	46.2	36.1	54.1
54	53.7	41.4	62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.75 min Scan# 1303
 Delta R.T. -0.01 min
 Lab File: BF102129.D
 Acq: 17 Jan 2018 00:09

Tgt Ion	164	Resp	234294
Ion Ratio	Lower	Upper	
164	100		
162	102.0	86.1	129.1
160	45.3	38.3	57.5









#41
 2,4,6-Tribromophenol
 Concen: 100.790 ng
 RT: 10.54 min Scan# 1437
 Delta R.T. -0.01 min
 Lab File: BF102129.D
 Acq: 17 Jan 2018 00:09

Instrument :
 BNA_F
 ClientSampled :
 C-1

Tot Ion:330 Resp: 206081
 Ion Ratio Lower Upper
 330 100
 332 97.4 77.0 115.6
 141 38.4 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 77.399 ng
 RT: 9.08 min Scan# 1189
 Delta R.T. -0.01 min
 Lab File: BF102129.D
 Acq: 17 Jan 2018 00:09

Tgt Ion:172 Resp: 1160748
 Ion Ratio Lower Upper
 172 100
 171 36.3 29.7 44.5
 170 24.6 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 6.379 ng

RT: 9.47 min Scan# 1255

Delta R.T. -0.02 min

Lab File: BF102129.D

Acq: 17 Jan 2018 00:09

Instrument :

BNA_F

ClientSampleId :

C-1


Tot Ion:163 Resp: 119900

Ion Ratio Lower Upper

163 100

194 3.2 2.7 4.1




164 9.9 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.23 min Scan# 1555

Delta R.T. -0.01 min

Lab File: BF102129.D

Acq: 17 Jan 2018 00:09


Tgt Ion:188 Resp: 368450

Ion Ratio Lower Upper

188 100

94 9.9 8.5 12.7



80 11.3 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.86 min Scan# 2002

Delta R.T. -0.02 min

Lab File: BF102129.D

Acq: 17 Jan 2018 00:09

Instrument :

BNA_F

ClientSampleId :

C-1


Tot Ion:240 Resp: 252995

Ion Ratio Lower Upper

240 100

120 13.1 9.5 14.3




236 25.8 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 70.040 ng

RT: 12.82 min Scan# 1825

Delta R.T. -0.01 min

Lab File: BF102129.D

Acq: 17 Jan 2018 00:09


Tgt Ion:244 Resp: 853446

Ion Ratio Lower Upper

244 100

212 6.7 5.4 8.0



122 12.8 11.0 16.4






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.28 min Scan# 2243
 Delta R.T. -0.01 min
 Lab File: BF102129.D
 Acq: 17 Jan 2018 00:09

Instrument :
 BNA_F
 ClientSampleId :
 C-1

Tot Ion:	264	Resp:	246451
Ion	Ratio	Lower	Upper
264	100		
260	24.4	19.2	28.8
265	21.6	17.5	26.3

