

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF011725\
 Data File : BF141205.D
 Acq On : 17 Jan 2025 20:44
 Operator : RC/JU
 Sample : Q1110-01
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 BIN-1

Quant Time: Jan 17 23:12:18 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF011025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jan 10 22:54:19 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.810	152	201610	20.000	ng	-0.01
21) Naphthalene-d8	8.092	136	802580	20.000	ng	-0.01
39) Acenaphthene-d10	9.845	164	397983	20.000	ng	-0.02
64) Phenanthrene-d10	11.328	188	560882	20.000	ng	-0.02
76) Chrysene-d12	13.969	240	400195	20.000	ng	-0.02
86) Perylene-d12	15.421	264	361883	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.428	112	1391011	106.584	ng	0.00
7) Phenol-d6	6.440	99	1733510	104.860	ng	0.00
23) Nitrobenzene-d5	7.369	82	1121193	74.052	ng	-0.02
42) 2,4,6-Tribromophenol	10.633	330	481587	106.199	ng	-0.02
45) 2-Fluorobiphenyl	9.169	172	1990666	76.381	ng	-0.01
79) Terphenyl-d14	12.916	244	1648318	61.218	ng	-0.02
Target Compounds						Qvalue
6) Aniline	6.510	93	54626	3.722	ng	# 50
11) bis(2-Chloroethyl)ether	6.510	93	54626	4.142	ng	# 23
19) n-Nitroso-di-n-propyla...	7.369	70	155043	15.921	ng	# 76
25) Isophorone	7.369	82	1114765	43.083	ng	# 65
31) Naphthalene	8.110	128	466919	11.032	ng	100
33) 4-Chloroaniline	8.110	127	62447	4.266	ng	# 47
37) 2-Methylnaphthalene	8.798	142	129387	4.797	ng	98
38) 1-Methylnaphthalene	8.898	142	67542	2.541	ng	100
51) 2,6-Dinitrotoluene	9.839	165	56368	9.072	ng	# 27
52) Acenaphthene	9.875	154	111730	4.650	ng	98
55) Dibenzofuran	10.045	168	174095	5.327	ng	99
56) 4-Nitrophenol	10.045	139	68505	13.854	ng	# 10
58) Fluorene	10.386	166	169116	6.660	ng	99
63) Azobenzene	10.557	77	271980	10.567	ng	# 1
67) 4-Bromophenyl-phenylether	10.633	248	28960	4.485	ng	# 1
71) Phenanthrene	11.351	178	815781	27.092	ng	99
72) Anthracene	11.404	178	117470	4.012	ng	99
75) Fluoranthene	12.539	202	746744	24.851	ng	99
78) Pyrene	12.769	202	611913	16.009	ng	99
81) Benzo(a)anthracene	13.957	228	258207	9.481	ng	95
83) Chrysene	13.992	228	272275	10.684	ng	98
87) Indeno(1,2,3-cd)pyrene	16.857	276	74943	2.827	ng	95
88) Benzo(b)fluoranthene	15.004	252	399417	17.116	ng	98
89) Benzo(k)fluoranthene	15.004	252	399417	20.254	ng	98
90) Benzo(a)pyrene	15.357	252	156859	8.147	ng	98
92) Benzo(g,h,i)perylene	17.286	276	67428	3.023	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF011725\
Data File : BF141205.D
Acq On : 17 Jan 2025 20:44
Operator : RC/JU
Sample : Q1110-01
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
BIN-1

Quant Time: Jan 17 23:12:18 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF011025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jan 10 22:54:19 2025
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.810 min Scan# 804
 Delta R.T. -0.012 min
 Lab File: BF141205.D
 Acq: 17 Jan 2025 20:44




Instrument :
 BNA_F
 ClientSampleId :
 BIN-1


Tgt Ion:152 Resp: 201610
 Ion Ratio Lower Upper
 152 100
 150 156.1 125.8 188.8
 115 62.8 51.4 77.2



#5
 2-Fluorophenol
 Concen: 106.584 ng
 RT: 5.428 min Scan# 567
 Delta R.T. 0.000 min
 Lab File: BF141205.D
 Acq: 17 Jan 2025 20:44

Tgt Ion:112 Resp: 1391011
 Ion Ratio Lower Upper
 112 100
 64 58.1 47.3 70.9
 63 30.8 24.2 36.2









#6
Aniline
Concen: 3.722 ng
RT: 6.510 min Scan# 710
Delta R.T. 0.024 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44




Instrument :
BNA_F
ClientSampleId :
BIN-1


Tgt Ion: 93 Resp: 54626
Ion Ratio Lower Upper
93 100
66 2.3 31.5 47.3#
65 7.0 15.3 22.9#



#7
Phenol-d6
Concen: 104.860 ng
RT: 6.440 min Scan# 739
Delta R.T. -0.006 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44

Tgt Ion: 99 Resp: 1733510
Ion Ratio Lower Upper
99 100
42 18.6 15.0 22.4
71 36.2 27.6 41.4









#11
bis(2-Chloroethyl)ether
Concen: 4.142 ng
RT: 6.510 min Scan# 70
Delta R.T. -0.047 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44




Instrument :
BNA_F
ClientSampleId :
BIN-1


Tgt Ion: 93 Resp: 54626
Ion Ratio Lower Upper
93 100
63 2.4 58.0 98.0#
95 2.4 12.5 52.5#



#19
n-Nitroso-di-n-propylamine
Concen: 15.921 ng
RT: 7.369 min Scan# 897
Delta R.T. 0.135 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44

Tgt Ion: 70 Resp: 155043
Ion Ratio Lower Upper
70 100
42 47.2 47.8 71.6#
101 0.0 7.9 11.9#
130 2.2 17.6 26.4#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.092 min Scan# 1020
Delta R.T. -0.012 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44

Instrument :
BNA_F
ClientSampleId :
BIN-1

Tgt Ion:136 Resp: 802580




Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.8	13.2
54	7.7	6.3	9.5
68	5.7	4.9	7.3




#23
Nitrobenzene-d5
Concen: 74.052 ng
RT: 7.369 min Scan# 897
Delta R.T. -0.018 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44

Tgt Ion: 82 Resp: 1121193

Ion	Ratio	Lower	Upper
82	100		
128	44.7	36.1	54.1
54	51.1	41.0	61.4









#25
Isophorone
Concen: 43.083 ng
RT: 7.369 min Scan# 897
Delta R.T. -0.271 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44




Instrument :
BNA_F
ClientSampleId :
BIN-1


Tgt Ion: 82 Resp: 1114765
Ion Ratio Lower Upper
82 100
95 0.1 5.9 8.9#
138 0.0 14.2 21.2#



#31
Naphthalene
Concen: 11.032 ng
RT: 8.110 min Scan# 1023
Delta R.T. -0.018 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44

Tgt Ion:128 Resp: 466919
Ion Ratio Lower Upper
128 100
129 11.3 9.0 13.6
127 13.5 10.8 16.2









#33
4-Chloroaniline
Concen: 4.266 ng
RT: 8.110 min Scan# 110
Delta R.T. -0.065 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44




Instrument :
BNA_F
ClientSampleId :
BIN-1


Tgt Ion:	127	Resp:	62447
Ion	Ratio	Lower	Upper
127	100		
129	84.1	25.9	38.9#
65	8.1	23.8	35.8#
92	16.2	15.2	22.8



#37
2-Methylnaphthalene
Concen: 4.797 ng
RT: 8.798 min Scan# 1140
Delta R.T. -0.018 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44

Tgt Ion:	142	Resp:	129387
Ion	Ratio	Lower	Upper
142	100		
141	87.4	71.3	106.9









#38
1-Methylnaphthalene
Concen: 2.541 ng
RT: 8.898 min Scan# 1160
Delta R.T. -0.018 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44




Instrument :
BNA_F
ClientSampleId :
BIN-1


Tgt Ion:142 Resp: 67542
Ion Ratio Lower Upper
142 100
141 91.5 73.1 109.7



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.845 min Scan# 1318
Delta R.T. -0.018 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44

Tgt Ion:164 Resp: 397983
Ion Ratio Lower Upper
164 100
162 100.6 81.0 121.4
160 45.0 36.1 54.1





#42

2,4,6-Tribromophenol

Concen: 106.199 ng

RT: 10.633 min Scan# 1455

Delta R.T. -0.018 min

Lab File: BF141205.D

Acq: 17 Jan 2025 20:44

Instrument :

BNA_F

ClientSampleId :

BIN-1





Tgt Ion:330 Resp: 481587

Ion Ratio Lower Upper

330 100

332 95.3 76.9 115.3

141 28.6 25.2 37.8



#45

2-Fluorobiphenyl

Concen: 76.381 ng

RT: 9.169 min Scan# 1203

Delta R.T. -0.012 min

Lab File: BF141205.D

Acq: 17 Jan 2025 20:44




Tgt Ion:172 Resp: 1990666


Ion Ratio Lower Upper

172 100

171 36.1 28.7 43.1

170 23.8 19.0 28.6





#51

2,6-Dinitrotoluene

Concen: 9.072 ng

RT: 9.839 min Scan# 1

Delta R.T. 0.194 min

Lab File: BF141205.D

Acq: 17 Jan 2025 20:44

Instrument :

BNA_F

ClientSampleId :

BIN-1





Tgt Ion:165 Resp: 56368

Ion Ratio Lower Upper

165 100

63 1.4 42.3 63.5#

89 1.3 43.1 64.7#



#52

Acenaphthene

Concen: 4.650 ng

RT: 9.875 min Scan# 1323

Delta R.T. -0.018 min

Lab File: BF141205.D

Acq: 17 Jan 2025 20:44




Tgt Ion:154 Resp: 111730


Ion Ratio Lower Upper

154 100

153 113.2 89.8 134.6

152 53.0 40.8 61.2









#55
Dibenzenofuran
Concen: 5.327 ng
RT: 10.045 min Scan# 1352
Delta R.T. -0.018 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44




Instrument :
BNA_F
ClientSampleId :
BIN-1


Tgt Ion:168 Resp: 174095
Ion Ratio Lower Upper
168 100
139 38.9 31.4 47.0
169 14.4 10.9 16.3



#56
4-Nitrophenol
Concen: 13.854 ng
RT: 10.045 min Scan# 1352
Delta R.T. 0.082 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44

Tgt Ion:139 Resp: 68505
Ion Ratio Lower Upper
139 100
109 1.2 50.2 90.2#
65 1.9 72.1 112.1#





#58

Fluorene

Concen: 6.660 ng

RT: 10.386 min Scan# 1410

Delta R.T. -0.024 min

Lab File: BF141205.D

Acq: 17 Jan 2025 20:44

Instrument :

BNA_F

ClientSampleId :

BIN-1





Tgt Ion:166 Resp: 169116

Ion Ratio Lower Upper

166 100

165 96.8 77.8 116.8

167 14.2 10.8 16.2



#63

Azobenzene

Concen: 10.567 ng

RT: 10.557 min Scan# 1439

Delta R.T. -0.006 min

Lab File: BF141205.D

Acq: 17 Jan 2025 20:44

Tgt Ion: 77 Resp: 271980




Ion Ratio Lower Upper


77 100

182 85.4 6.1 46.1#

105 154.0 2.1 42.1#

51 38.7 10.0 50.0





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.328 min Scan# 1

Delta R.T. -0.018 min

Lab File: BF141205.D

Acq: 17 Jan 2025 20:44

Instrument :

BNA_F

ClientSampleId :

BIN-1





Tgt Ion:188 Resp: 560882

Ion Ratio Lower Upper

188 100

94 9.6 8.3 12.5

80 10.7 9.0 13.4



#67

4-Bromophenyl-phenylether

Concen: 4.485 ng

RT: 10.633 min Scan# 1452

Delta R.T. -0.259 min

Lab File: BF141205.D

Acq: 17 Jan 2025 20:44




Tgt Ion:248 Resp: 28960


Ion Ratio Lower Upper

248 100

250 197.5 77.9 116.9#

141 458.1 59.9 89.9#









#71
Phenanthrene
Concen: 27.092 ng
RT: 11.351 min Scan# 11
Delta R.T. -0.018 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44




Instrument :
BNA_F
ClientSampleId :
BIN-1


Tgt Ion:178 Resp: 815781
Ion Ratio Lower Upper
178 100
176 19.1 15.7 23.5
179 15.3 12.6 19.0



#72
Anthracene
Concen: 4.012 ng
RT: 11.404 min Scan# 1583
Delta R.T. -0.018 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44

Tgt Ion:178 Resp: 117470
Ion Ratio Lower Upper
178 100
176 18.1 14.9 22.3
179 15.6 12.6 19.0









#75
Fluoranthene
Concen: 24.851 ng
RT: 12.539 min Scan# 1
Delta R.T. -0.018 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44




Instrument :
BNA_F
ClientSampleId :
BIN-1


Tgt Ion:202 Resp: 746744
Ion Ratio Lower Upper
202 100
101 11.7 0.0 32.3
203 18.0 0.0 37.7



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.969 min Scan# 2019
Delta R.T. -0.018 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44

Tgt Ion:240 Resp: 400195
Ion Ratio Lower Upper
240 100
120 11.1 9.1 13.7
236 26.7 19.8 29.6









#78
Pyrene
Concen: 16.009 ng
RT: 12.769 min Scan# 1815
Delta R.T. -0.018 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44




Instrument :
BNA_F
ClientSampleId :
BIN-1


Tgt Ion:202 Resp: 611913
Ion Ratio Lower Upper
202 100
200 20.8 16.8 25.2
203 19.1 14.3 21.5



#79
Terphenyl-d14
Concen: 61.218 ng
RT: 12.916 min Scan# 1840
Delta R.T. -0.018 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44

Tgt Ion:244 Resp: 1648318
Ion Ratio Lower Upper
244 100
212 6.7 5.4 8.2
122 11.3 8.8 13.2









#81
Benzo(a)anthracene
Concen: 9.481 ng
RT: 13.957 min Scan# 20
Delta R.T. -0.018 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44




Instrument :
BNA_F
ClientSampleId :
BIN-1


Tgt Ion:228 Resp: 258207
Ion Ratio Lower Upper
228 100
226 30.2 21.7 32.5
229 21.4 15.7 23.5



#83
Chrysene
Concen: 10.684 ng
RT: 13.992 min Scan# 2023
Delta R.T. -0.023 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44

Tgt Ion:228 Resp: 272275
Ion Ratio Lower Upper
228 100
226 29.7 23.8 35.8
229 21.8 15.8 23.8





#86

Perylene-d12

Concen: 20.000 ng

RT: 15.421 min Scan# 21

Delta R.T. -0.018 min

Lab File: BF141205.D

Acq: 17 Jan 2025 20:44

Instrument :

BNA_F

ClientSampleId :

BIN-1





Tgt Ion:264 Resp: 361883

Ion Ratio Lower Upper

264 100

260 23.6 18.6 28.0

265 21.9 17.4 26.0



#87

Indeno(1,2,3-cd)pyrene

Concen: 2.827 ng

RT: 16.857 min Scan# 2510

Delta R.T. -0.041 min

Lab File: BF141205.D

Acq: 17 Jan 2025 20:44




Tgt Ion:276 Resp: 74943


Ion Ratio Lower Upper

276 100

138 21.7 20.7 31.1

277 27.0 20.6 30.8





#88

Benzo(b)fluoranthene

Concen: 17.116 ng

RT: 15.004 min Scan# 2195

Delta R.T. -0.018 min

Lab File: BF141205.D

Acq: 17 Jan 2025 20:44

Instrument :

BNA_F

ClientSampleId :

BIN-1





Tgt Ion:252 Resp: 399417

Ion Ratio Lower Upper

252 100

253 22.5 17.8 26.6

125 11.5 8.1 12.1



#89

Benzo(k)fluoranthene

Concen: 20.254 ng

RT: 15.004 min Scan# 2195

Delta R.T. -0.047 min

Lab File: BF141205.D

Acq: 17 Jan 2025 20:44




Tgt Ion:252 Resp: 399417


Ion Ratio Lower Upper

252 100

253 22.5 17.8 26.8

125 11.5 7.9 11.9









#90
Benzo(a)pyrene
Concen: 8.147 ng
RT: 15.357 min Scan# 21
Delta R.T. -0.023 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44

Instrument :
BNA_F
ClientSampleId :
BIN-1

Tgt Ion:252 Resp: 156859
Ion Ratio Lower Upper
252 100
253 23.4 17.7 26.5
125 11.6 9.1 13.7



#92
Benzo(g,h,i)perylene
Concen: 3.023 ng
RT: 17.286 min Scan# 2583
Delta R.T. -0.053 min
Lab File: BF141205.D
Acq: 17 Jan 2025 20:44

Tgt Ion:276 Resp: 67428
Ion Ratio Lower Upper
276 100
277 24.5 19.0 28.4
138 21.7 17.4 26.2

