

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF011817\
 Data File : BF092353.D
 Acq On : 18 Jan 2017 16:10
 Operator : UM/SJ
 Sample : PB96092BL
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB96092BL

Quant Time: Jan 19 00:01:43 2017
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF122116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jan 06 15:43:51 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.70	152	590614	20.00	ng	0.06
21) Naphthalene-d8	7.83	136	621818	20.00	ng	-0.10
38) Acenaphthene-d10	9.57	164	407031	20.00	ng	-0.11
63) Phenanthrene-d10	11.06	188	663796	20.00	ng	-0.10
75) Chrysene-d12	13.69	240	421553	20.00	ng	-0.10
86) Perylene-d12	15.03	264	398696	20.00	ng	-0.11
System Monitoring Compounds						
5) 2-Fluorophenol	5.14	112	1414586	39.99	ng	-0.10
7) Phenol-d6	6.21	99	1596979	36.98	ng	-0.10
23) Nitrobenzene-d5	7.11	82	960812	85.92	ng	-0.10
41) 2,4,6-Tribromophenol	10.37	330	450587	133.77	ng	-0.10
44) 2-Fluorobiphenyl	8.91	172	1997831	103.35	ng	-0.10
78) Terphenyl-d14	12.64	244	1771719	101.93	ng	-0.10
Target Compounds						
9) Benzaldehyde	6.21	77	2360	Below Cal	#	1
19) n-Nitroso-di-n-propylamine	7.11	70	124794	4.34 ng	#	78
50) 2,6-Dinitrotoluene	9.57	165	52080	9.14 ng	#	31
56) 2,4-Dinitrotoluene	9.57	165	52083	7.28 ng	#	20
66) 4-Bromophenyl-phenylether	10.37	248	27333	3.96 ng	#	1
73) Di-n-butylphthalate	11.64	149	1014	Below Cal	#	76
76) Benizidine	12.63	184	22012	Below Cal		99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF011817\
Data File : BF092353.D
Acq On : 18 Jan 2017 16:10
Operator : UM/SJ
Sample : PB96092BL
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB96092BL

Quant Time: Jan 19 00:01:43 2017
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF122116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jan 06 15:43:51 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.70 min Scan# 430
 Delta R.T. 0.06 min
 Lab File: BF092353.D
 Acq: 18 Jan 2017 16:10

Instrument :
 BNA_F
 ClientSampleId :
 PB96092BL

Tgt Ion:152 Resp: 590614
 Ion Ratio Lower Upper
 152 100
 150 152.3 124.9 187.3
 115 58.8 46.0 69.0




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 39.99 ng
 RT: 5.14 min Scan# 293
 Delta R.T. -0.10 min
 Lab File: BF092353.D
 Acq: 18 Jan 2017 16:10

Tgt Ion:112 Resp: 1414586
 Ion Ratio Lower Upper
 112 100
 64 59.2 46.1 69.1
 63 30.2 23.8 35.6



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 36.98 ng

RT: 6.21 min Scan# 387

Delta R.T. -0.10 min

Lab File: BF092353.D

Acq: 18 Jan 2017 16:10

Instrument :

BNA_F

ClientSampleId :

PB96092BL


Tgt Ion: 99 Resp: 1596979

Ion Ratio Lower Upper

99 100

42 19.3 15.6 23.4




71 34.4 27.5 41.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 4.34 ng

RT: 7.11 min Scan# 466

Delta R.T. 0.04 min

Lab File: BF092353.D

Acq: 18 Jan 2017 16:10

Tgt Ion: 70 Resp: 124794


Ion Ratio Lower Upper

70 100

42 48.0 49.4 74.0#

101 0.0 7.4 11.2#

130 1.8 14.2 21.4#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 7.83 min Scan# 529
Delta R.T. -0.10 min
Lab File: BF092353.D
Acq: 18 Jan 2017 16:10

Instrument :
BNA_F
ClientSampleId :
PB96092BL

Tgt Ion:	136	Resp:	621818
Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.4	12.6
54	6.2	4.5	6.7
68	5.1	3.6	5.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0






#23
Nitrobenzene-d5
Concen: 85.92 ng
RT: 7.11 min Scan# 466
Delta R.T. -0.10 min
Lab File: BF092353.D
Acq: 18 Jan 2017 16:10

Tgt Ion:	82	Resp:	960812
Ion	Ratio	Lower	Upper
82	100		
128	39.5	34.6	52.0
54	50.7	39.5	59.3



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.57 min Scan# 681

Delta R.T. -0.11 min

Lab File: BF092353.D

Acq: 18 Jan 2017 16:10

Instrument :

BNA_F

ClientSampleId :

PB96092BL


Tgt Ion:164 Resp: 407031

Ion Ratio Lower Upper

164 100

162 100.8 80.2 120.2




160 44.8 36.9 55.3



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 133.77 ng

RT: 10.37 min Scan# 751

Delta R.T. -0.10 min

Lab File: BF092353.D

Acq: 18 Jan 2017 16:10


Tgt Ion:330 Resp: 450587

Ion Ratio Lower Upper

330 100

332 95.9 77.4 116.2



141 32.0 34.1 51.1#




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 103.35 ng
 RT: 8.91 min Scan# 623
 Delta R.T. -0.10 min
 Lab File: BF092353.D
 Acq: 18 Jan 2017 16:10




Instrument :
 BNA_F
 ClientSampleId :
 PB96092BL


Tgt Ion:172 Resp: 1997831
 Ion Ratio Lower Upper
 172 100
 171 36.0 29.4 44.0
 170 24.3 20.2 30.4



#50
 2,6-Dinitrotoluene
 Concen: 9.14 ng
 RT: 9.57 min Scan# 681
 Delta R.T. 0.09 min
 Lab File: BF092353.D
 Acq: 18 Jan 2017 16:10

Tgt Ion:165 Resp: 52080
 Ion Ratio Lower Upper
 165 100
 63 1.3 36.2 54.4#
 89 1.1 40.2 60.4#









#56
 2,4-Dinitrotoluene
 Concen: 7.28 ng
 RT: 9.57 min Scan# 681
 Delta R.T. -0.32 min
 Lab File: BF092353.D
 Acq: 18 Jan 2017 16:10




Instrument :
 BNA_F
 ClientSampleId :
 PB96092BL


Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.3	40.2	60.4#
89	1.1	62.5	93.7#
182	0.0	1.8	2.8#



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.06 min Scan# 811
 Delta R.T. -0.10 min
 Lab File: BF092353.D
 Acq: 18 Jan 2017 16:10

Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.0	10.0	15.0#
80	8.3	11.2	16.8#









#66
 4-Bromophenyl-phenylether
 Concen: 3.96 ng
 RT: 10.37 min Scan# 751
 Delta R.T. -0.34 min
 Lab File: BF092353.D
 Acq: 18 Jan 2017 16:10

Instrument :
 BNA_F
 ClientSampleId :
 PB96092BL

Tgt Ion:248 Resp: 27333
 Ion Ratio Lower Upper
 248 100
 250 196.6 76.9 115.3#
 141 360.3 68.2 102.4#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#73
 Di-n-butylphthalate
 Concen: Below Cal
 RT: 11.64 min Scan# 862
 Delta R.T. -0.09 min
 Lab File: BF092353.D
 Acq: 18 Jan 2017 16:10

Tgt Ion:149 Resp: 1014
 Ion Ratio Lower Upper
 149 100
 150 0.0 8.1 12.1#
 104 0.0 4.6 7.0#



Abundance Ion 149.00 (148.70 to 149.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 104.00 (103.70 to 104.70): E





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.69 min Scan# 1041

Delta R.T. -0.10 min

Lab File: BF092353.D

Acq: 18 Jan 2017 16:10

Instrument :

BNA_F

ClientSampleId :

PB96092BL


Tgt Ion:240 Resp: 421553

Ion Ratio Lower Upper

240 100

120 8.6 12.9 19.3#




236 24.7 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 101.93 ng

RT: 12.64 min Scan# 950

Delta R.T. -0.10 min

Lab File: BF092353.D

Acq: 18 Jan 2017 16:10


Tgt Ion:244 Resp: 1771719

Ion Ratio Lower Upper

244 100

212 6.2 6.2 9.2#



122 6.7 11.4 17.2#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Perylene-d12
Concen: 20.00 ng
RT: 15.03 min Scan# 1159
Delta R.T. -0.11 min
Lab File: BF092353.D
Acq: 18 Jan 2017 16:10

Instrument :
BNA_F
ClientSampleId :
PB96092BL

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.2	19.2	28.8
265	22.2	17.4	26.0



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

