

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF011817\
 Data File : BF092354.D
 Acq On : 18 Jan 2017 16:39
 Operator : UM/SJ
 Sample : PB96092TB
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB96092TB

Quant Time: Jan 19 02:45:08 2017
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF122116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jan 19 01:06:01 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.54	152	141610	20.00	ng	0.00
21) Naphthalene-d8	7.83	136	751764	20.00	ng	0.00
38) Acenaphthene-d10	9.57	164	371978	20.00	ng	-0.01
63) Phenanthrene-d10	11.06	188	584119	20.00	ng	0.00
75) Chrysene-d12	13.69	240	381232	20.00	ng	-0.01
86) Perylene-d12	15.03	264	358755	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.14	112	1244765	146.77	ng	0.01
7) Phenol-d6	6.21	99	1591743	153.72	ng	-0.01
23) Nitrobenzene-d5	7.11	82	866373	64.08	ng	-0.01
41) 2,4,6-Tribromophenol	10.37	330	414251	134.57	ng	0.00
44) 2-Fluorobiphenyl	8.91	172	1815998	102.72	ng	-0.01
78) Terphenyl-d14	12.65	244	1651922	105.09	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF011817\
Data File : BF092354.D
Acq On : 18 Jan 2017 16:39
Operator : UM/SJ
Sample : PB96092TB
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB96092TB

Quant Time: Jan 19 02:45:08 2017
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF122116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jan 19 01:06:01 2017
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.54 min Scan# 416
 Delta R.T. 0.00 min
 Lab File: BF092354.D
 Acq: 18 Jan 2017 16:39




Instrument :
 BNA_F
 ClientSampleId :
 PB96092TB

Tgt Ion:152 Resp: 141610
 Ion Ratio Lower Upper
 152 100
 150 157.6 124.9 187.3
 115 59.3 46.0 69.0



#5
 2-Fluorophenol
 Concen: 146.77 ng
 RT: 5.14 min Scan# 293
 Delta R.T. 0.01 min
 Lab File: BF092354.D
 Acq: 18 Jan 2017 16:39

Tgt Ion:112 Resp: 1244765
 Ion Ratio Lower Upper
 112 100
 64 55.6 46.1 69.1
 63 28.3 23.8 35.6





#7

Phenol-d6

Concen: 153.72 ng

RT: 6.21 min Scan# 387

Delta R.T. -0.01 min

Lab File: BF092354.D

Acq: 18 Jan 2017 16:39

Instrument :

BNA_F

ClientSampleId :

PB96092TB


Tgt Ion: 99 Resp: 1591743

Ion Ratio Lower Upper

99 100

42 18.6 15.6 23.4




71 34.1 27.5 41.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.83 min Scan# 529

Delta R.T. 0.00 min

Lab File: BF092354.D

Acq: 18 Jan 2017 16:39

Tgt Ion: 136 Resp: 751764


Ion Ratio Lower Upper

136 100

137 11.0 8.4 12.6

54 5.8 4.5 6.7

68 5.0 3.6 5.4






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
Nitrobenzene-d5
Concen: 64.08 ng
RT: 7.11 min Scan# 466
Delta R.T. -0.01 min
Lab File: BF092354.D
Acq: 18 Jan 2017 16:39

Instrument :
BNA_F
ClientSampled :
PB96092TB

Tgt Ion: 82 Resp: 866373
Ion Ratio Lower Upper
82 100
128 40.1 34.6 52.0
54 51.8 39.5 59.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): B
Ion 54.00 (53.70 to 54.70): BF0






#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.57 min Scan# 681
Delta R.T. -0.01 min
Lab File: BF092354.D
Acq: 18 Jan 2017 16:39

Tgt Ion: 164 Resp: 371978
Ion Ratio Lower Upper
164 100
162 101.4 80.2 120.2
160 44.3 36.9 55.3



Abundance Ion 164.00 (163.70 to 164.70): B
Ion 162.00 (161.70 to 162.70): B
Ion 160.00 (159.70 to 160.70): B









#41
 2,4,6-Tribromophenol
 Concen: 134.57 ng
 RT: 10.37 min Scan# 751
 Delta R.T. 0.00 min
 Lab File: BF092354.D
 Acq: 18 Jan 2017 16:39




Instrument :
 BNA_F
 ClientSampleId :
 PB96092TB


Tgt Ion:330 Resp: 414251
 Ion Ratio Lower Upper
 330 100
 332 96.6 77.4 116.2
 141 30.8 34.1 51.1#



#44
 2-Fluorobiphenyl
 Concen: 102.72 ng
 RT: 8.91 min Scan# 623
 Delta R.T. -0.01 min
 Lab File: BF092354.D
 Acq: 18 Jan 2017 16:39

Tgt Ion:172 Resp: 1815998
 Ion Ratio Lower Upper
 172 100
 171 35.6 29.4 44.0
 170 24.1 20.2 30.4









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.06 min Scan# 811
Delta R.T. 0.00 min
Lab File: BF092354.D
Acq: 18 Jan 2017 16:39




Instrument :
BNA_F
ClientSampleId :
PB96092TB


Tgt Ion:188 Resp: 584119
Ion Ratio Lower Upper
188 100
94 7.8 10.0 15.0#
80 7.9 11.2 16.8#



#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.69 min Scan# 1041
Delta R.T. -0.01 min
Lab File: BF092354.D
Acq: 18 Jan 2017 16:39

Tgt Ion:240 Resp: 381232
Ion Ratio Lower Upper
240 100
120 8.5 12.9 19.3#
236 24.5 20.9 31.3









#78
 Terphenyl-d14
 Concen: 105.09 ng
 RT: 12.65 min Scan# 950
 Delta R.T. 0.00 min
 Lab File: BF092354.D
 Acq: 18 Jan 2017 16:39

Instrument :
 BNA_F
 ClientSampleId :
 PB96092TB

Tgt Ion:244 Resp: 1651922
 Ion Ratio Lower Upper
 244 100
 212 6.4 6.2 9.2
 122 7.0 11.4 17.2#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.03 min Scan# 1159
 Delta R.T. 0.00 min
 Lab File: BF092354.D
 Acq: 18 Jan 2017 16:39

Tgt Ion:264 Resp: 358755
 Ion Ratio Lower Upper
 264 100
 260 23.2 19.2 28.8
 265 21.8 17.4 26.0

