

Data Path : Z:\HPCHEM1\BNA F\DATA\BF011915\
 Data File : BF076933.D
 Acq On : 19 Jan 2015 17:07
 Operator : IZ / TP
 Sample : G1101-16
 Misc : W
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TE-PMW-40

Quant Time: Jan 20 00:54:08 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF011415.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jan 19 23:54:01 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.97	152	34497	20.00	ng	-0.01
21) Naphthalene-d8	10.88	136	148834	20.00	ng	0.00
38) Acenaphthene-d10	15.01	164	80108	20.00	ng	-0.01
63) Phenanthrene-d10	17.77	188	133869	20.00	ng	0.00
75) Chrysene-d12	21.27	240	121295	20.00	ng	0.00
86) Perylene-d12	22.97	264	110667	20.00	ng	0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.03	112	110744	52.78	ng	0.00
7) Phenol-d6	7.37	99	86028	32.50	ng	0.00
23) Nitrobenzene-d5	9.27	82	210586	78.39	ng	-0.01
41) 2,4,6-Tribromophenol	16.69	330	84651	130.18	ng	0.00
44) 2-Fluorobiphenyl	13.53	172	433126	82.28	ng	0.00
78) Terphenyl-d14	20.00	244	398334	75.60	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF011915\
Data File : BF076933.D
Acq On : 19 Jan 2015 17:07
Operator : IZ / TP
Sample : G1101-16
Misc : W
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TE-PMW-40

Quant Time: Jan 20 00:54:08 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF011415.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jan 19 23:54:01 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.97 min Scan# 602
Delta R.T. -0.01 min
Lab File: BF076933.D
Acq: 19 Jan 2015 17:07

Instrument :
BNA_F
ClientSampleId :
TE-PMW-40

Tot Ion:152 Resp: 34497
Ion Ratio Lower Upper
152 100
150 154.5 121.7 182.5
115 58.2 47.0 70.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 52.78 ng
RT: 5.03 min Scan# 345
Delta R.T. -0.00 min
Lab File: BF076933.D
Acq: 19 Jan 2015 17:07

Tgt Ion:112 Resp: 110744
Ion Ratio Lower Upper
112 100
64 69.6 54.2 81.4
63 34.8 28.4 42.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 32.50 ng

RT: 7.37 min Scan# 550

Delta R.T. -0.00 min

Lab File: BF076933.D

Acq: 19 Jan 2015 17:07

Instrument :

BNA_F

ClientSampleId :

TE-PMW-40


Tot Ion: 99 Resp: 86028

Ion Ratio Lower Upper




99 100

42 16.3 15.0 22.4

71 35.5 30.5 45.7



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.88 min Scan# 857

Delta R.T. -0.00 min

Lab File: BF076933.D

Acq: 19 Jan 2015 17:07

Tgt Ion: 136 Resp: 148834


Ion Ratio Lower Upper

136 100



137 9.7 8.1 12.1


54 7.6 7.0 10.4

68 4.7 3.7 5.5



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 78.39 ng
 RT: 9.27 min Scan# 716
 Delta R.T. -0.01 min
 Lab File: BF076933.D
 Acq: 19 Jan 2015 17:07




Instrument :
 BNA_F
 ClientSampleId :
 TE-PMW-40


Tot Ion	82	Resp	210586
Ion Ratio	100	Lower	Upper
128	40.9	33.1	49.7
54	57.7	48.3	72.5



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 15.01 min Scan# 1218
 Delta R.T. -0.01 min
 Lab File: BF076933.D
 Acq: 19 Jan 2015 17:07

Tgt Ion	164	Resp	80108
Ion Ratio	100	Lower	Upper
162	99.5	82.4	123.6
160	42.7	34.8	52.2









#41
 2,4,6-Tribromophenol
 Concen: 130.18 ng
 RT: 16.69 min Scan# 1365
 Delta R.T. -0.00 min
 Lab File: BF076933.D
 Acq: 19 Jan 2015 17:07

Instrument :
 BNA_F
 ClientSampleId :
 TE-PMW-40

Tot Ion:330 Resp: 84651
 Ion Ratio Lower Upper
 330 100
 332 94.9 77.8 116.6
 141 46.4 38.5 57.7




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 82.28 ng
 RT: 13.53 min Scan# 1089
 Delta R.T. -0.00 min
 Lab File: BF076933.D
 Acq: 19 Jan 2015 17:07

Tgt Ion:172 Resp: 433126
 Ion Ratio Lower Upper
 172 100
 171 34.5 26.6 40.0
 170 24.4 18.0 27.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.77 min Scan# 1460

Delta R.T. -0.00 min

Lab File: BF076933.D

Acq: 19 Jan 2015 17:07

Instrument :

BNA_F

ClientSampleId :

TE-PMW-40


Tot Ion:188 Resp: 133869

Ion Ratio Lower Upper

188 100

94 8.4 6.0 9.0




80 10.0 6.9 10.3



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.27 min Scan# 1766

Delta R.T. -0.00 min

Lab File: BF076933.D

Acq: 19 Jan 2015 17:07


Tgt Ion:240 Resp: 121295

Ion Ratio Lower Upper

240 100

120 11.2 10.4 15.6



236 25.2 20.2 30.2




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 75.60 ng
 RT: 20.00 min Scan# 1655
 Delta R.T. -0.00 min
 Lab File: BF076933.D
 Acq: 19 Jan 2015 17:07

Instrument :
 BNA_F
 ClientSampleId :
 TE-PMW-40

Tot Ion:244 Resp: 398334
 Ion Ratio Lower Upper
 244 100
 212 7.5 6.3 9.5
 122 13.6 10.1 15.1



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 22.97 min Scan# 1915
 Delta R.T. 0.03 min
 Lab File: BF076933.D
 Acq: 19 Jan 2015 17:07

Tgt Ion:264 Resp: 110667
 Ion Ratio Lower Upper
 264 100
 260 23.6 19.0 28.4
 265 20.5 18.1 27.1

