

Data Path : Z:\HPCHEM1\BNA F\Data\BF012015\
 Data File : BF076969.D
 Acq On : 20 Jan 2015 19:03
 Operator : IZ / TP
 Sample : G1109-06
 Misc : W
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Jan 21 01:02:27 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF011415.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 21 00:34:31 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.91	152	28575	20.00	ng	0.00
21) Naphthalene-d8	10.81	136	127849	20.00	ng	-0.01
38) Acenaphthene-d10	14.95	164	68308	20.00	ng	0.00
63) Phenanthrene-d10	17.73	188	118422	20.00	ng	-0.01
75) Chrysene-d12	21.23	240	115937	20.00	ng	-0.01
86) Perylene-d12	22.89	264	96979	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	4.96	112	105925	60.95	ng	0.00
7) Phenol-d6	7.30	99	75587	34.48	ng	-0.01
23) Nitrobenzene-d5	9.20	82	214858	93.11	ng	-0.01
41) 2,4,6-Tribromophenol	16.63	330	82821	149.37	ng	0.00
44) 2-Fluorobiphenyl	13.48	172	435707	97.07	ng	0.00
78) Terphenyl-d14	19.97	244	434501	86.28	ng	0.00
Target Compounds						
2) 1,4-Dioxane	1.44	88	1950	2.62	ng	Qvalue # 12

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\Data\BF012015\
Data File : BF076969.D
Acq On : 20 Jan 2015 19:03
Operator : IZ / TP
Sample : G1109-06
Misc : W
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Jan 21 01:02:27 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF011415.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 21 00:34:31 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.91 min Scan# 597
Delta R.T. 0.00 min
Lab File: BF076969.D
Acq: 20 Jan 2015 19:03

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 28575
Ion Ratio Lower Upper
152 100
150 164.9 121.7 182.5
115 64.0 47.0 70.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2


1,4-Dioxane
Concen: 2.62 ng
RT: 1.44 min Scan# 31
Delta R.T. 0.18 min
Lab File: BF076969.D
Acq: 20 Jan 2015 19:03

Tgt Ion: 88 Resp: 1950
Ion Ratio Lower Upper
88 100
58 0.0 77.0 115.4#
43 0.0 25.6 38.4#



Abundance Ion 88.00 (87.70 to 88.70): BF0
Ion 58.00 (57.70 to 58.70): BF0
Ion 43.00 (42.70 to 43.70): BF0





#5

2-Fluorophenol

Concen: 60.95 ng

RT: 4.96 min Scan# 339


Delta R.T. 0.00 min

Lab File: BF076969.D




Acq: 20 Jan 2015 19:03

Instrument :
BNA_F
ClientSampleId :

Tot Ion:	112	Resp:	105925
Ion	Ratio	Lower	Upper
112	100		
64	60.5	54.2	81.4
63	33.0	28.4	42.6



Abundance Ion 112.00 (111.70 to 112.70): E



#7

Phenol-d6

Concen: 34.48 ng


RT: 7.30 min Scan# 544

Delta R.T. -0.01 min



Lab File: BF076969.D

Acq: 20 Jan 2015 19:03

Tgt Ion:	99	Resp:	75587
Ion	Ratio	Lower	Upper
99	100		
42	18.4	15.0	22.4
71	38.3	30.5	45.7



Abundance Ion 99.00 (98.70 to 99.70): BF0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.81 min Scan# 851
Delta R.T. -0.01 min
Lab File: BF076969.D
Acq: 20 Jan 2015 19:03

Instrument :
BNA_F
ClientSampleId :

Tot Ion:136	Resp:	127849
Ion	Ratio	Lower Upper
136	100	
137	9.7	8.1 12.1
54	8.0	7.0 10.4
68	4.6	3.7 5.5




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0






#23
Nitrobenzene-d5
Concen: 93.11 ng
RT: 9.20 min Scan# 710
Delta R.T. -0.01 min
Lab File: BF076969.D
Acq: 20 Jan 2015 19:03

Tgt Ion: 82	Resp:	214858
Ion	Ratio	Lower Upper
82	100	
128	40.5	33.1 49.7
54	56.8	48.3 72.5



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.95 min Scan# 1213
 Delta R.T. 0.00 min
 Lab File: BF076969.D
 Acq: 20 Jan 2015 19:03




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:164 Resp: 68308
 Ion Ratio Lower Upper
 164 100
 162 101.0 82.4 123.6
 160 39.1 34.8 52.2



#41
 2,4,6-Tribromophenol
 Concen: 149.37 ng
 RT: 16.63 min Scan# 1360
 Delta R.T. 0.00 min
 Lab File: BF076969.D
 Acq: 20 Jan 2015 19:03

Tgt Ion:330 Resp: 82821
 Ion Ratio Lower Upper
 330 100
 332 96.8 77.8 116.6
 141 49.9 38.5 57.7









#44
 2-Fluorobiphenyl
 Concen: 97.07 ng
 RT: 13.48 min Scan# 1084
 Delta R.T. 0.00 min
 Lab File: BF076969.D
 Acq: 20 Jan 2015 19:03




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:172 Resp: 435707
 Ion Ratio Lower Upper
 172 100
 171 34.6 26.6 40.0
 170 23.6 18.0 27.0



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 17.73 min Scan# 1456
 Delta R.T. -0.01 min
 Lab File: BF076969.D
 Acq: 20 Jan 2015 19:03

Tgt Ion:188 Resp: 118422
 Ion Ratio Lower Upper
 188 100
 94 9.1 6.0 9.0#
 80 9.9 6.9 10.3





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.23 min Scan# 1762

Delta R.T. -0.01 min

Lab File: BF076969.D

Acq: 20 Jan 2015 19:03

Instrument :

BNA_F

ClientSampled :


Tot Ion:240 Resp: 115937

Ion Ratio Lower Upper

240 100

120 13.3 10.4 15.6




236 25.1 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 86.28 ng

RT: 19.97 min Scan# 1652

Delta R.T. 0.00 min

Lab File: BF076969.D

Acq: 20 Jan 2015 19:03


Tgt Ion:244 Resp: 434501

Ion Ratio Lower Upper

244 100

212 7.5 6.3 9.5



122 10.3 10.1 15.1




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.00 ng
RT: 22.89 min Scan# 1908
Delta R.T. -0.03 min
Lab File: BF076969.D
Acq: 20 Jan 2015 19:03

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.1	19.0	28.4
265	21.9	18.1	27.1



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

