

Data Path : Z:\HPCHEM1\BNA F\DATA\BF012015\
 Data File : BF076968.D
 Acq On : 20 Jan 2015 18:29
 Operator : IZ / TP
 Sample : G1110-04
 Misc : W
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-10

Quant Time: Jan 21 00:57:16 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF011415.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 21 00:34:31 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.91	152	29353	20.00	ng	0.00
21) Naphthalene-d8	10.81	136	124968	20.00	ng	-0.01
38) Acenaphthene-d10	14.95	164	66514	20.00	ng	0.00
63) Phenanthrene-d10	17.73	188	110932	20.00	ng	-0.01
75) Chrysene-d12	21.23	240	110720	20.00	ng	-0.01
86) Perylene-d12	22.89	264	99851	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	4.96	112	77848	43.61	ng	0.00
7) Phenol-d6	7.30	99	60825	27.01	ng	-0.01
23) Nitrobenzene-d5	9.20	82	168746	74.81	ng	-0.01
41) 2,4,6-Tribromophenol	16.63	330	79018	146.35	ng	0.00
44) 2-Fluorobiphenyl	13.48	172	378857	86.68	ng	0.00
78) Terphenyl-d14	19.97	244	355508	73.92	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF012015\
Data File : BF076968.D
Acq On : 20 Jan 2015 18:29
Operator : IZ / TP
Sample : G1110-04
Misc : W
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-10

Quant Time: Jan 21 00:57:16 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF011415.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 21 00:34:31 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.91 min Scan# 597
Delta R.T. 0.00 min
Lab File: BF076968.D
Acq: 20 Jan 2015 18:29

Instrument :
BNA_F
ClientSampleId :
MW-10

Tot Ion:152 Resp: 29353
Ion Ratio Lower Upper
152 100
150 151.2 121.7 182.5
115 61.0 47.0 70.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 43.61 ng
RT: 4.96 min Scan# 339
Delta R.T. 0.00 min
Lab File: BF076968.D
Acq: 20 Jan 2015 18:29

Tgt Ion:112 Resp: 77848
Ion Ratio Lower Upper
112 100
64 65.4 54.2 81.4
63 37.8 28.4 42.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 27.01 ng

RT: 7.30 min Scan# 544

Delta R.T. -0.01 min

Lab File: BF076968.D

Acq: 20 Jan 2015 18:29

Instrument :

BNA_F

ClientSampled :

MW-10


Tot Ion: 99 Resp: 60825

Ion Ratio Lower Upper

99 100

42 18.5 15.0 22.4




71 34.1 30.5 45.7



Abundance Ion 99.00 (98.70 to 99.70): BF076968.D (-536) (-)

Ion 42.00 (41.70 to 42.70): BF076968.D (-536) (-)

Ion 71.00 (70.70 to 71.70): BF076968.D (-536) (-)



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.81 min Scan# 851

Delta R.T. -0.01 min

Lab File: BF076968.D

Acq: 20 Jan 2015 18:29

Tgt Ion: 136 Resp: 124968


Ion Ratio Lower Upper

136 100

137 10.9 8.1 12.1

54 9.3 7.0 10.4

68 4.3 3.7 5.5






Abundance Ion 136.00 (135.70 to 136.70): BF076968.D (-843) (-)

Ion 137.00 (136.70 to 137.70): BF076968.D (-843) (-)

Ion 54.00 (53.70 to 54.70): BF076968.D (-843) (-)

Ion 68.00 (67.70 to 68.70): BF076968.D (-843) (-)





#23

Nitrobenzene-d5

Concen: 74.81 ng

RT: 9.20 min Scan# 710

Delta R.T. -0.01 min

Lab File: BF076968.D

Acq: 20 Jan 2015 18:29

Instrument :

BNA_F

ClientSampled :

MW-10


Tot Ion: 82 Resp: 168746

Ion Ratio Lower Upper

82 100

128 40.5 33.1 49.7




54 60.0 48.3 72.5



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.95 min Scan# 1213

Delta R.T. 0.00 min

Lab File: BF076968.D

Acq: 20 Jan 2015 18:29


Tgt Ion: 164 Resp: 66514

Ion Ratio Lower Upper

164 100

162 98.4 82.4 123.6



160 41.6 34.8 52.2




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 146.35 ng
 RT: 16.63 min Scan# 1360
 Delta R.T. 0.00 min
 Lab File: BF076968.D
 Acq: 20 Jan 2015 18:29




Instrument :
 BNA_F
 ClientSampleId :
 MW-10


Tot Ion	Ratio	Lower	Upper
330	100		
332	95.6	77.8	116.6
141	50.4	38.5	57.7



#44
 2-Fluorobiphenyl
 Concen: 86.68 ng
 RT: 13.48 min Scan# 1084
 Delta R.T. 0.00 min
 Lab File: BF076968.D
 Acq: 20 Jan 2015 18:29

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.7	26.6	40.0
170	23.1	18.0	27.0









#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 17.73 min Scan# 1456
 Delta R.T. -0.01 min
 Lab File: BF076968.D
 Acq: 20 Jan 2015 18:29

Instrument :
 BNA_F
 ClientSampleId :
 MW-10

Tot Ion:188 Resp: 110932
 Ion Ratio Lower Upper
 188 100
 94 9.3 6.0 9.0#
 80 10.4 6.9 10.3#




Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0






#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 21.23 min Scan# 1762
 Delta R.T. -0.01 min
 Lab File: BF076968.D
 Acq: 20 Jan 2015 18:29

Tgt Ion:240 Resp: 110720
 Ion Ratio Lower Upper
 240 100
 120 15.0 10.4 15.6
 236 27.1 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 73.92 ng

RT: 19.97 min Scan# 1652

Delta R.T. 0.00 min

Lab File: BF076968.D

Acq: 20 Jan 2015 18:29

Instrument :

BNA_F

ClientSampleId :

MW-10


Tot Ion:244 Resp: 355508

Ion Ratio Lower Upper

244 100

212 7.1 6.3 9.5




122 10.2 10.1 15.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 22.89 min Scan# 1908

Delta R.T. -0.03 min

Lab File: BF076968.D

Acq: 20 Jan 2015 18:29


Tgt Ion:264 Resp: 99851

Ion Ratio Lower Upper

264 100

260 22.4 19.0 28.4

265 22.3 18.1 27.1



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

