

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012022\
 Data File : BF126608.D
 Acq On : 20 Jan 2022 13:47
 Operator : CG/JU
 Sample : PB142146BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB142146BS

Manual Integrations
 APPROVED

Reviewed By :Jagrut
 Upadhyay

Quant Time: Jan 20 15:31:39 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF011822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 19 07:04:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)	
Internal Standards							01/21/2022
1) 1,4-Dichlorobenzene-d4	6.963	152	139705	20.000	ng	0.00	Supervised By :mohammad
21) Naphthalene-d8	8.251	136	553046	20.000	ng	0.00	01/21/2022
39) Acenaphthene-d10	10.010	164	304472	20.000	ng	0.00	
64) Phenanthrene-d10	11.504	188	505710	20.000	ng	0.00	
76) Chrysene-d12	14.151	240	368618	20.000	ng	# 0.00	
86) Perylene-d12	15.680	264	291394	20.000	ng	0.00	
System Monitoring Compounds							
5) 2-Fluorophenol	5.598	112	1201484	113.169	ng	0.02	
7) Phenol-d6	6.586	99	1643265	111.403	ng	0.00	
23) Nitrobenzene-d5	7.533	82	1213346	85.873	ng	0.00	
42) 2,4,6-Tribromophenol	10.804	330	345891	121.391	ng	0.00	
45) 2-Fluorobiphenyl	9.327	172	1503233	75.613	ng	0.00	
79) Terphenyl-d14	13.092	244	1661263	75.590	ng	0.00	
Target Compounds							Qvalue
2) 1,4-Dioxane	2.922	88	170146	32.517	ng		90
3) Pyridine	3.669	79	417377	28.475	ng	#	82
4) n-Nitrosodimethylamine	3.634	42	219106	42.248	ng		88
6) Aniline	6.634	93	636091	34.413	ng		99
8) 2-Chlorophenol	6.751	128	426727	43.822	ng		93
9) Benzaldehyde	6.522	77	373294	40.783	ng		85
10) Phenol	6.598	94	660185	42.080	ng		89
11) bis(2-Chloroethyl)ether	6.698	93	546368	42.916	ng		98
12) 1,3-Dichlorobenzene	6.904	146	443959	41.068	ng	#	90
13) 1,4-Dichlorobenzene	6.981	146	451805	41.387	ng		94
14) 1,2-Dichlorobenzene	7.133	146	434191	42.189	ng		97
15) Benzyl Alcohol	7.104	79	528635m	40.198	ng		
16) 2,2'-oxybis(1-Chloropr...	7.239	45	621029	42.756	ng		82
17) 2-Methylphenol	7.210	107	418363	43.699	ng	#	90
18) Hexachloroethane	7.481	117	190320	43.178	ng		91
19) n-Nitroso-di-n-propyla...	7.381	70	443213	41.169	ng	#	85
20) 3+4-Methylphenols	7.363	107	516375	41.598	ng		89
22) Acetophenone	7.375	105	706775	41.469	ng	#	92
24) Nitrobenzene	7.551	77	664835	45.579	ng	#	85
25) Isophorone	7.786	82	1159782	42.325	ng	#	93
26) 2-Nitrophenol	7.863	139	200816	52.777	ng	#	65
27) 2,4-Dimethylphenol	7.892	122	417760	46.265	ng		85
28) bis(2-Chloroethoxy)met...	7.992	93	687603	40.234	ng		96
29) 2,4-Dichlorophenol	8.098	162	360566	42.095	ng		94
30) 1,2,4-Trichlorobenzene	8.186	180	377751	41.125	ng		99
31) Naphthalene	8.275	128	1232690	41.260	ng		100
32) Benzoic acid	8.016	122	276065	53.895	ng	#	67
33) 4-Chloroaniline	8.316	127	203869	17.079	ng	#	90
34) Hexachlorobutadiene	8.386	225	238556	40.828	ng		98
35) Caprolactam	8.692	113	132170m	43.210	ng		
36) 4-Chloro-3-methylphenol	8.792	107	468823	41.855	ng	#	84
37) 2-Methylnaphthalene	8.963	142	792057	42.628	ng		98
38) 1-Methylnaphthalene	9.063	142	728762	40.466	ng		98
40) 1,2,4,5-Tetrachloroben...	9.127	216	355003	41.570	ng		97
41) Hexachlorocyclopentadiene	9.116	237	509473	97.985	ng		94
43) 2,4,6-Trichlorophenol	9.239	196	252957	41.551	ng		98

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012022\
 Data File : BF126608.D
 Acq On : 20 Jan 2022 13:47
 Operator : CG/JU
 Sample : PB142146BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB142146BS


Manual Integrations
 APPROVED

Reviewed By :Jagrut
 Upadhyay

Quant Time: Jan 20 15:31:39 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF011822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 19 07:04:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)	
44) 2,4,5-Trichlorophenol	9.275	196	256804	40.729	ng	91	01/21/2022
46) 1,1'-Biphenyl	9.427	154	962707	41.969	ng	96	Supervised By :mohammad ahmed
47) 2-Chloronaphthalene	9.457	162	730972	40.561	ng	98	
48) 2-Nitroaniline	9.551	65	325585	52.325	ng	90	
49) Acenaphthylene	9.874	152	1175875	41.595	ng	99	
50) Dimethylphthalate	9.733	163	889028	41.168	ng	# 99	
51) 2,6-Dinitrotoluene	9.792	165	191842	51.411	ng	# 80	01/21/2022
52) Acenaphthene	10.045	154	780076	45.136	ng	97	
53) 3-Nitroaniline	9.963	138	118261	27.719	ng	# 89	
54) 2,4-Dinitrophenol	10.069	184	149419	82.010	ng	88	
55) Dibenzofuran	10.222	168	1037037	39.929	ng	96	
56) 4-Nitrophenol	10.116	139	305228	89.843	ng	# 54	
57) 2,4-Dinitrotoluene	10.198	165	250369	55.369	ng	# 88	
58) Fluorene	10.563	166	788431	40.207	ng	99	
59) 2,3,4,6-Tetrachlorophenol	10.327	232	217503	42.194	ng	88	
60) Diethylphthalate	10.433	149	868240	40.447	ng	97	
61) 4-Chlorophenyl-phenyle...	10.551	204	387568	39.574	ng	94	
62) 4-Nitroaniline	10.580	138	191126	46.159	ng	# 63	
63) Azobenzene	10.716	77	1252729	39.434	ng	92	
65) 4,6-Dinitro-2-methylph...	10.604	198	103372	43.586	ng	97	
66) n-Nitrosodiphenylamine	10.674	169	695246	40.728	ng	99	
67) 4-Bromophenyl-phenylether	11.045	248	238399	40.903	ng	98	
68) Hexachlorobenzene	11.104	284	265731	42.733	ng	# 94	
69) Atrazine	11.198	200	234433	43.001	ng	94	
70) Pentachlorophenol	11.298	266	304084	84.094	ng	98	
71) Phenanthrene	11.527	178	1181556	40.896	ng	99	
72) Anthracene	11.580	178	1238409	42.721	ng	100	
73) Carbazole	11.733	167	1068628	39.265	ng	99	
74) Di-n-butylphthalate	12.057	149	1300110	39.615	ng	# 97	
75) Fluoranthene	12.721	202	1199022	42.016	ng	96	
77) Benzidine	12.839	184	391096	30.755	ng	97	
78) Pyrene	12.951	202	1211626	40.646	ng	98	
80) Butylbenzylphthalate	13.562	149	530686	40.977	ng	# 84	
81) Benzo(a)anthracene	14.145	228	1036679	41.376	ng	99	
82) 3,3'-Dichlorobenzidine	14.104	252	210408	25.564	ng	# 96	
83) Chrysene	14.180	228	1012089	41.981	ng	98	
84) Bis(2-ethylhexyl)phtha...	14.121	149	712027	40.596	ng	98	
85) Di-n-octyl phthalate	14.757	149	1144718	42.629	ng	97	
87) Indeno(1,2,3-cd)pyrene	17.250	276	778785	43.256	ng	# 88	
88) Benzo(b)fluoranthene	15.233	252	890723	46.095	ng	# 93	
89) Benzo(k)fluoranthene	15.262	252	834157	43.965	ng	# 95	
90) Benzo(a)pyrene	15.621	252	799487	50.850	ng	# 93	
91) Dibenzo(a,h)anthracene	17.274	278	653581	43.820	ng	# 92	
92) Benzo(g,h,i)perylene	17.727	276	643843	44.023	ng	# 88	

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F



ClientSampleId :

PB142146BS

Tgt Ion:152 Resp: 139708
Ion Ratio Lower Upper
152 100
150 161.3 128.1 192.1
115 72.6 56.7 85.1



Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay






01/21/2022
Supervised By :mohammad
ahmed


01/21/2022



#2
1,4-Dioxane
Concen: 32.517 ng
RT: 2.922 min Scan# 142
Delta R.T. 0.100 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47


Tgt Ion: 88 Resp: 170146
Ion Ratio Lower Upper
88 100
58 68.9 62.8 94.2
43 24.2 22.3 33.5





#3
Pyridine
Concen: 28.475 ng
RT: 3.669 min Scan# 20
Delta R.T. 0.082 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Instrument :
BNA_F
ClientSampleId :
PB142146BS



Tgt Ion: 79 Resp: 41737
Ion Ratio Lower Upper
79 100
52 53.6 56.2 84.4
51 26.8 26.7 40.1


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/21/2022
Supervised By :mohammad
ahmed



01/21/2022




#4
n-Nitrosodimethylamine
Concen: 42.248 ng
RT: 3.634 min Scan# 263
Delta R.T. 0.076 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Tgt Ion: 42 Resp: 219106
Ion Ratio Lower Upper
42 100
74 173.6 125.6 188.4
44 6.1 5.7 8.5






#5
2-Fluorophenol
Concen: 113.169 ng
RT: 5.598 min Scan# 594
Delta R.T. 0.017 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F

ClientSampleId :



PB142146BS



Tgt Ion:112 Resp: 1201484
Ion Ratio Lower Upper
112 100
64 64.2 49.5 74.3
63 33.6 23.9 35.9


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/21/2022
Supervised By :mohammad
ahmed



01/21/2022




#6
Aniline
Concen: 34.413 ng
RT: 6.634 min Scan# 773
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47




Tgt Ion: 93 Resp: 636091
Ion Ratio Lower Upper
93 100
66 40.7 32.2 48.4
65 20.0 16.3 24.5





#7
Phenol-d6
Concen: 111.403 ng
RT: 6.586 min Scan# 765
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Instrument :
BNA_F
ClientSampleId :
PB142146BS



Tgt Ion: 99 Resp: 164326
Ion Ratio Lower Upper
99 100
42 16.7 14.2 21.4
71 42.1 24.3 36.5


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay






01/21/2022
Supervised By :mohammad
ahmed


01/21/2022



#8
2-Chlorophenol
Concen: 43.822 ng
RT: 6.751 min Scan# 793
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Tgt Ion:128 Resp: 426727
Ion Ratio Lower Upper
128 100
130 32.8 12.7 52.7
64 63.2 35.6 75.6





#9
Benzaldehyde
Concen: 40.783 ng
RT: 6.522 min Scan# 754
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F



ClientSampleId :

PB142146BS

Tgt Ion: 77 Resp: 373294
Ion Ratio Lower Upper
77 100
105 81.3 74.9 114.9
106 77.9 72.4 112.4



Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay






01/21/2022
Supervised By :mohammad
ahmed


01/21/2022



#10
Phenol
Concen: 42.080 ng
RT: 6.598 min Scan# 767
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47


Tgt Ion: 94 Resp: 660185
Ion Ratio Lower Upper
94 100
65 30.5 7.2 47.2
66 42.5 14.5 54.5





#11
bis(2-Chloroethyl)ether
Concen: 42.916 ng
RT: 6.698 min Scan# 784
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Instrument :
BNA_F
ClientSampleId :
PB142146BS



Tgt Ion: 93 Resp: 546368
Ion Ratio Lower Upper
93 100
63 77.9 60.5 100.5
95 33.1 12.9 52.9


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay






01/21/2022
Supervised By :mohammad
ahmed


01/21/2022



#12
1,3-Dichlorobenzene
Concen: 41.068 ng
RT: 6.904 min Scan# 819
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47


Tgt Ion:146 Resp: 443959
Ion Ratio Lower Upper
146 100
148 64.0 50.9 76.3
75 50.9 28.4 42.6#





#13
1,4-Dichlorobenzene
Concen: 41.387 ng
RT: 6.981 min Scan# 811
Delta R.T. -0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47


Instrument :
BNA_F
ClientSampleId :
PB142146BS



Tgt Ion:146 Resp: 45180
Ion Ratio Lower Upper
146 100
148 62.9 49.8 74.6
111 54.1 36.1 54.1


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/21/2022
Supervised By :mohammad
ahmed



01/21/2022




#14
1,2-Dichlorobenzene
Concen: 42.189 ng
RT: 7.133 min Scan# 858
Delta R.T. -0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47




Tgt Ion:146 Resp: 434191
Ion Ratio Lower Upper
146 100
148 63.7 51.6 77.4
111 54.5 40.2 60.2





#15
Benzyl Alcohol
Concen: 40.198 ng m
RT: 7.104 min Scan# 853
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Instrument :
BNA_F
ClientSampleId :
PB142146BS



Tgt Ion: 79 Resp: 52863
Ion Ratio Lower Upper
79 100
108 62.6 63.2 94.8
77 64.7 49.4 74.2


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay






01/21/2022
Supervised By :mohammad
ahmed


01/21/2022



#16
2,2'-oxybis(1-Chloropropane)
Concen: 42.756 ng
RT: 7.239 min Scan# 876
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Tgt Ion: 45 Resp: 621029
Ion Ratio Lower Upper
45 100
77 20.7 0.0 32.4
79 14.6 0.0 29.8






#17
2-Methylphenol
Concen: 43.699 ng
RT: 7.210 min Scan# 81
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F

ClientSampleId :


PB142146BS



Tgt Ion:107 Resp: 41836
Ion Ratio Lower Upper
107 100
108 113.8 93.4 140.0
77 57.9 36.1 54.1
79 56.5 34.9 52.3


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay






01/21/2022
Supervised By :mohammad
ahmed


01/21/2022



#18
Hexachloroethane
Concen: 43.178 ng
RT: 7.481 min Scan# 917
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Tgt Ion:117 Resp: 190320
Ion Ratio Lower Upper
117 100
119 96.9 75.4 113.0
201 84.4 56.8 85.2






#19
n-Nitroso-di-n-propylamine
Concen: 41.169 ng
RT: 7.381 min Scan# 900
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F

ClientSampleId :



PB142146BS



Tgt Ion: 70 Resp: 443211
Ion Ratio Lower Upper
70 100
42 43.8 45.8 68.8
101 8.4 6.9 10.3
130 13.8 14.4 21.6#


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/21/2022
Supervised By :mohammad
ahmed



01/21/2022




#20
3+4-Methylphenols
Concen: 41.598 ng
RT: 7.363 min Scan# 897
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Tgt Ion:107 Resp: 516375
Ion Ratio Lower Upper
107 100
108 91.9 72.4 112.4
77 86.2 83.8 123.8
79 38.5 8.5 48.5






#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.251 min Scan# 1048
Delta R.T. 0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNF_F

ClientSampleId :



PB142146BS



Tgt Ion:136	Resp: 553040
Ion Ratio	Lower Upper
136 100	
137 11.0	8.6 13.0
54 8.7	7.8 11.6
68 8.2	6.3 9.5


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay






01/21/2022
Supervised By :mohammad
ahmed


01/21/2022



#22
Acetophenone
Concen: 41.469 ng
RT: 7.375 min Scan# 899
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Tgt Ion:105	Resp: 706775
Ion Ratio	Lower Upper
105 100	
71 8.7	5.4 8.0#
51 26.7	27.4 41.0#
120 20.4	17.0 25.6






#23
Nitrobenzene-d5
Concen: 85.873 ng
RT: 7.533 min Scan# 912
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F

ClientSampleId :



PB142146BS



Tgt Ion: 82 Resp: 1213340
Ion Ratio Lower Upper
82 100
128 30.1 32.7 49.1
54 41.7 41.7 62.5


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay






01/21/2022
Supervised By :mohammad
ahmed


01/21/2022



#24
Nitrobenzene
Concen: 45.579 ng
RT: 7.551 min Scan# 929
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Tgt Ion: 77 Resp: 664835
Ion Ratio Lower Upper
77 100
123 30.8 34.6 52.0
65 13.2 10.6 15.8







#25
Isophorone
Concen: 42.325 ng
RT: 7.786 min Scan# 969
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :
BNA_F
ClientSampleId :
PB142146BS

Tgt Ion: 82 Resp: 115978
Ion Ratio Lower Upper
82 100
95 7.1 5.0 7.4
138 11.7 12.3 18.5



Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay






01/21/2022
Supervised By :mohammad
ahmed


01/21/2022



#26
2-Nitrophenol
Concen: 52.777 ng
RT: 7.863 min Scan# 982
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Tgt Ion:139 Resp: 200816
Ion Ratio Lower Upper
139 100
109 40.9 20.0 30.0#
65 76.5 40.8 61.2#






#27
2,4-Dimethylphenol
Concen: 46.265 ng
RT: 7.892 min Scan# 91
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F

ClientSampleId :



PB142146BS



Tgt Ion:122 Resp: 417760
Ion Ratio Lower Upper
122 100
107 135.2 91.2 136.8
121 60.4 44.4 66.6


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/21/2022
Supervised By :mohammad
ahmed



01/21/2022




#28
bis(2-Chloroethoxy)methane
Concen: 40.234 ng
RT: 7.992 min Scan# 1004
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Tgt Ion: 93 Resp: 687603
Ion Ratio Lower Upper
93 100
95 33.7 25.4 38.2
123 8.9 8.9 13.3





#29

2,4-Dichlorophenol

Concen: 42.095 ng

RT: 8.098 min Scan# 1022

Delta R.T. -0.000 min

Lab File: BF126608.D

Acq: 20 Jan 2022 13:47

Instrument :

BNA_F



ClientSampleId :

PB142146BS

Tgt Ion:162	Resp: 360560
Ion Ratio	Lower Upper
162 100	
164 62.5	43.8 83.8
98 51.3	23.6 63.6



Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay



01/21/2022
Supervised By :mohammad
ahmed

01/21/2022



#30

1,2,4-Trichlorobenzene

Concen: 41.125 ng




RT: 8.186 min Scan# 1037


Delta R.T. -0.000 min

Lab File: BF126608.D

Acq: 20 Jan 2022 13:47

Tgt Ion:180	Resp: 377751
Ion Ratio	Lower Upper
180 100	
182 93.6	75.5 113.3
145 31.1	26.2 39.2






#31
Naphthalene
Concen: 41.260 ng
RT: 8.275 min Scan# 1052
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F

ClientSampleId :



PB142146BS



Tgt Ion:128 Resp: 1232690
Ion Ratio Lower Upper
128 100
129 10.8 8.6 13.0
127 12.8 10.3 15.5


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/21/2022
Supervised By :mohammad
ahmed



01/21/2022




#32
Benzoic acid
Concen: 53.895 ng
RT: 8.016 min Scan# 1008
Delta R.T. 0.012 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Tgt Ion:122 Resp: 276065
Ion Ratio Lower Upper
122 100
105 145.1 101.0 141.0#
77 140.5 74.5 114.5#





#33
4-Chloroaniline
Concen: 17.079 ng
RT: 8.316 min Scan# 1059
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F



ClientSampleId :

PB142146BS

Tgt Ion:127 Resp: 203869
Ion Ratio Lower Upper
127 100
129 31.9 26.5 39.7
65 41.8 26.6 39.8
92 26.6 16.1 24.1#



Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay






01/21/2022
Supervised By :mohammad
ahmed


01/21/2022



#34
Hexachlorobutadiene
Concen: 40.828 ng
RT: 8.386 min Scan# 1071
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Tgt Ion:225 Resp: 238556
Ion Ratio Lower Upper
225 100
223 61.9 48.6 73.0
227 61.8 51.4 77.0






#35
Caprolactam
Concen: 43.210 ng m
RT: 8.692 min Scan# 1123
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F

ClientSampleId :



PB142146BS



Tgt Ion:113 Resp: 132170
Ion Ratio Lower Upper
113 100
55 177.0 183.9 223.9#
56 133.6 129.9 169.9


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/21/2022
Supervised By :mohammad
ahmed



01/21/2022




#36
4-Chloro-3-methylphenol
Concen: 41.855 ng
RT: 8.792 min Scan# 1140
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Tgt Ion:107 Resp: 468823
Ion Ratio Lower Upper
107 100
144 18.3 18.5 27.7#
142 57.6 58.1 87.1#





#37
2-Methylnaphthalene
Concen: 42.628 ng
RT: 8.963 min Scan# 1169
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F



ClientSampleId :

PB142146BS

Tgt Ion:142 Resp: 79205
Ion Ratio Lower Upper
142 100
141 87.6 68.6 102.8



Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay






01/21/2022
Supervised By :mohammad
ahmed


01/21/2022



#38
1-Methylnaphthalene
Concen: 40.466 ng
RT: 9.063 min Scan# 1186
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Tgt Ion:142 Resp: 728762
Ion Ratio Lower Upper
142 100
141 91.8 72.1 108.1






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.010 min Scan# 1197
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F

ClientSampleId :



PB142146BS



Tgt Ion:164 Resp: 304472
Ion Ratio Lower Upper
164 100
162 101.8 81.4 122.0
160 42.8 36.6 54.8


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/21/2022
Supervised By :mohammad
ahmed



01/21/2022




#40
1,2,4,5-Tetrachlorobenzene
Concen: 41.570 ng
RT: 9.127 min Scan# 1197
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47




Tgt Ion:216 Resp: 355003
Ion Ratio Lower Upper
216 100
214 79.1 64.6 96.8
179 22.7 19.5 29.3
108 28.6 21.1 31.7





#41
Hexachlorocyclopentadiene
Concen: 97.985 ng
RT: 9.116 min Scan# 1195
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Instrument :
BNA_F
ClientSampleId :
PB142146BS



Tgt Ion:237 Resp: 50947
Ion Ratio Lower Upper
237 100
235 63.7 38.9 78.9
272 11.8 0.0 33.5


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/21/2022
Supervised By :mohammad
ahmed



01/21/2022




#42
2,4,6-Tribromophenol
Concen: 121.391 ng
RT: 10.804 min Scan# 1482
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Tgt Ion:330 Resp: 345891
Ion Ratio Lower Upper
330 100
332 96.8 76.0 114.0
141 37.2 30.1 45.1






#43
2,4,6-Trichlorophenol
Concen: 41.551 ng
RT: 9.239 min Scan# 1216
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F

ClientSampleId :



PB142146BS



Tgt Ion:196 Resp: 25295
Ion Ratio Lower Upper
196 100
198 95.2 78.5 117.7
200 30.8 24.9 37.3


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/21/2022
Supervised By :mohammad
ahmed



01/21/2022




#44
2,4,5-Trichlorophenol
Concen: 40.729 ng
RT: 9.275 min Scan# 1222
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Tgt Ion:196 Resp: 256804
Ion Ratio Lower Upper
196 100
198 95.3 82.0 123.0
97 75.8 53.5 80.3
132 31.3 28.7 43.1





#45

2-Fluorobiphenyl

Concen: 75.613 ng

RT: 9.327 min Scan# 1231

Delta R.T. -0.000 min

Lab File: BF126608.D


Acq: 20 Jan 2022 13:47

Instrument :

BNA_F

ClientSampleId :

PB142146BS



Tgt Ion:172 Resp: 150323

Ion Ratio Lower Upper

172 100

171 35.8 28.3 42.5



170 23.4 19.0 28.6

Manual Integrations

APPROVED

Reviewed By :Jagrut


Upadhyay



01/21/2022

Supervised By :mohammad
ahmed

01/21/2022



#46

1,1'-Biphenyl

Concen: 41.969 ng

RT: 9.427 min Scan# 1248

Delta R.T. -0.000 min

Lab File: BF126608.D

Acq: 20 Jan 2022 13:47




Tgt Ion:154 Resp: 962707


Ion Ratio Lower Upper

154 100

153 39.5 19.0 59.0

76 19.4 0.0 34.5





#47

2-Chloronaphthalene

Concen: 40.561 ng

RT: 9.457 min Scan# 1253

Delta R.T. -0.000 min

Lab File: BF126608.D


Acq: 20 Jan 2022 13:47

Instrument :

BNA_F

ClientSampleId :

PB142146BS




Tgt Ion:162 Resp: 730972

Ion	Ratio	Lower	Upper
162	100		
127	43.9	33.5	50.3
164	32.8	26.2	39.4


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay



01/21/2022
Supervised By :mohammad
ahmed

01/21/2022



#48

2-Nitroaniline


Concen: 52.325 ng

RT: 9.551 min Scan# 1269

Delta R.T. 0.006 min



Lab File: BF126608.D


Acq: 20 Jan 2022 13:47



Tgt Ion: 65 Resp: 325585

Ion	Ratio	Lower	Upper
65	100		
92	67.3	54.4	81.6
138	74.5	72.5	108.7






#49
Acenaphthylene
Concen: 41.595 ng
RT: 9.874 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F

ClientSampleId :



PB142146BS



Tgt Ion:152 Resp: 117587
Ion Ratio Lower Upper
152 100
151 20.0 15.7 23.5
153 13.4 11.4 17.0


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/21/2022
Supervised By :mohammad
ahmed



01/21/2022




#50
Dimethylphthalate
Concen: 41.168 ng
RT: 9.733 min Scan# 1300
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Tgt Ion:163 Resp: 889028
Ion Ratio Lower Upper
163 100
194 4.1 2.6 3.8#
164 9.9 7.8 11.8





#51
2,6-Dinitrotoluene
Concen: 51.411 ng
RT: 9.792 min Scan# 1310
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F



ClientSampleId :

PB142146BS

Tgt Ion:165 Resp: 191842
Ion Ratio Lower Upper
165 100
63 75.9 48.4 72.6
89 77.8 50.5 75.7



Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay






01/21/2022
Supervised By :mohammad
ahmed


01/21/2022



#52
Acenaphthene
Concen: 45.136 ng
RT: 10.045 min Scan# 1353
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Tgt Ion:154 Resp: 780076
Ion Ratio Lower Upper
154 100
153 111.6 87.8 131.6
152 52.7 39.4 59.2






#53
3-Nitroaniline
Concen: 27.719 ng
RT: 9.963 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F

ClientSampleId :



PB142146BS



Tgt Ion:138 Resp: 11826
Ion Ratio Lower Upper
138 100
108 13.0 8.6 13.0
92 144.9 105.0 157.6


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/21/2022
Supervised By :mohammad
ahmed



01/21/2022




#54
2,4-Dinitrophenol
Concen: 82.010 ng
RT: 10.069 min Scan# 1357
Delta R.T. 0.012 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47




Tgt Ion:184 Resp: 149419
Ion Ratio Lower Upper
184 100
63 75.6 70.4 105.6
154 69.1 49.7 74.5





#55
Dibenzenofuran
Concen: 39.929 ng
RT: 10.222 min Scan# 1382
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Instrument :
BNA_F
ClientSampleId :
PB142146BS



Tgt Ion:168 Resp: 103703
Ion Ratio Lower Upper
168 100
139 41.2 30.6 46.0
169 13.0 10.0 15.0


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay






01/21/2022
Supervised By :mohammad
ahmed


01/21/2022



#56
4-Nitrophenol
Concen: 89.843 ng
RT: 10.116 min Scan# 1365
Delta R.T. 0.017 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Tgt Ion:139 Resp: 305228
Ion Ratio Lower Upper
139 100
109 104.8 44.1 84.1#
65 148.8 85.5 125.5#






#57
2,4-Dinitrotoluene
Concen: 55.369 ng
RT: 10.198 min Scan# 1378
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F

ClientSampleId :



PB142146BS



Tgt Ion:165 Resp: 250369
Ion Ratio Lower Upper
165 100
63 60.8 43.0 64.6
89 101.3 71.0 106.4
182 2.5 1.6 2.4#


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay






01/21/2022
Supervised By :mohammad
ahmed


01/21/2022



#58
Fluorene
Concen: 40.207 ng
RT: 10.563 min Scan# 1441
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47


Tgt Ion:166 Resp: 788431
Ion Ratio Lower Upper
166 100
165 97.8 77.7 116.5
167 13.4 10.7 16.1





#59
2,3,4,6-Tetrachlorophenol
Concen: 42.194 ng
RT: 10.327 min Scan# 1401
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Instrument :
BNA_F
ClientSampleId :
PB142146BS



Tgt Ion:232 Resp: 21750
Ion Ratio Lower Upper
232 100
131 50.8 50.0 75.0
130 2.7 2.2 3.2
166 31.9 29.0 43.4


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay






01/21/2022
Supervised By :mohammad
ahmed


01/21/2022



#60
Diethylphthalate
Concen: 40.447 ng
RT: 10.433 min Scan# 1419
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47


Tgt Ion:149 Resp: 868240
Ion Ratio Lower Upper
149 100
177 22.5 16.7 25.1
150 12.7 9.8 14.8





#61
4-Chlorophenyl-phenylether
Concen: 39.574 ng
RT: 10.551 min Scan# 1439
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Instrument :
BNA_F
ClientSampleId :
PB142146BS



Tgt Ion:204 Resp: 387568
Ion Ratio Lower Upper
204 100
206 34.1 26.3 39.5
141 67.1 59.0 88.6


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/21/2022
Supervised By :mohammad
ahmed



01/21/2022




#62
4-Nitroaniline
Concen: 46.159 ng
RT: 10.580 min Scan# 1444
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47




Tgt Ion:138 Resp: 191126
Ion Ratio Lower Upper
138 100
92 74.4 36.2 76.2
108 104.5 46.7 86.7#





#63
Azobenzene
Concen: 39.434 ng
RT: 10.716 min Scan# 1466
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Instrument :
BNA_F
ClientSampleId :
PB142146BS



Tgt Ion: 77 Resp: 1252729
Ion Ratio Lower Upper
77 100
182 18.2 0.0 39.0
105 18.5 3.2 43.2
51 22.9 8.2 48.2


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/21/2022
Supervised By :mohammad
ahmed



01/21/2022




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.504 min Scan# 1601
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47




Tgt Ion:188 Resp: 505710
Ion Ratio Lower Upper
188 100
94 12.3 10.1 15.1
80 14.1 11.8 17.6





#65
4,6-Dinitro-2-methylphenol
Concen: 43.586 ng
RT: 10.604 min Scan# 1447
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Instrument :
BNA_F
ClientSampleId :
PB142146BS



Tgt Ion:198 Resp: 103372
Ion Ratio Lower Upper
198 100
51 49.7 32.0 72.0
105 54.4 32.7 72.7


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/21/2022
Supervised By :mohammad
ahmed



01/21/2022




#66
n-Nitrosodiphenylamine
Concen: 40.728 ng
RT: 10.674 min Scan# 1460
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Tgt Ion:169 Resp: 695246
Ion Ratio Lower Upper
169 100
168 65.1 53.4 80.0
167 36.9 29.4 44.0





#67
4-Bromophenyl-phenylether
Concen: 40.903 ng
RT: 11.045 min Scan# 1523
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F



ClientSampleId :

PB142146BS

Tgt Ion:248 Resp: 238399
Ion Ratio Lower Upper
248 100
250 97.9 76.2 114.4
141 81.9 66.2 99.4



Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay






01/21/2022
Supervised By :mohammad
ahmed


01/21/2022



#68
Hexachlorobenzene
Concen: 42.733 ng
RT: 11.104 min Scan# 1533
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Tgt Ion:284 Resp: 265731
Ion Ratio Lower Upper
284 100
142 37.6 30.7 46.1
249 33.0 21.1 31.7#





#69
Atrazine
Concen: 43.001 ng
RT: 11.198 min Scan# 1548
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F



ClientSampleId :

PB142146BS

Tgt Ion:200 Resp: 23443
Ion Ratio Lower Upper
200 100
173 25.5 9.2 49.2
215 46.7 23.2 63.2



Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay






01/21/2022
Supervised By :mohammad
ahmed


01/21/2022



#70
Pentachlorophenol
Concen: 84.094 ng
RT: 11.298 min Scan# 1566
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Tgt Ion:266 Resp: 304084
Ion Ratio Lower Upper
266 100
268 63.3 52.3 78.5
264 62.3 50.4 75.6





#71
Phenanthrene
Concen: 40.896 ng
RT: 11.527 min Scan# 1605
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F



ClientSampleId :

PB142146BS

Tgt Ion:178 Resp: 1181550
Ion Ratio Lower Upper
178 100
176 19.7 15.7 23.5
179 15.8 12.3 18.5



Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay






01/21/2022
Supervised By :mohammad
ahmed


01/21/2022



#72
Anthracene
Concen: 42.721 ng
RT: 11.580 min Scan# 1614
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Tgt Ion:178 Resp: 1238409
Ion Ratio Lower Upper
178 100
176 19.0 15.0 22.6
179 15.8 12.5 18.7






#73
 Carbazole
 Concen: 39.265 ng
 RT: 11.733 min Scan# 1640
 Delta R.T. -0.000 min
 Lab File: BF126608.D
 Acq: 20 Jan 2022 13:47

Instrument :

BNA_F

ClientSampleId :



PB142146BS



Tgt Ion:167 Resp: 1068628
 Ion Ratio Lower Upper
 167 100
 166 20.9 16.9 25.3
 139 13.6 11.3 16.9


Manual Integrations
 APPROVED

Reviewed By :Jagrut
 Upadhyay




01/21/2022
 Supervised By :mohammad
 ahmed



01/21/2022




#74
 Di-n-butylphthalate
 Concen: 39.615 ng
 RT: 12.057 min Scan# 1695
 Delta R.T. -0.000 min
 Lab File: BF126608.D
 Acq: 20 Jan 2022 13:47



Tgt Ion:149 Resp: 1300110
 Ion Ratio Lower Upper
 149 100
 150 9.6 7.2 10.8
 104 6.9 4.2 6.2#






#75
Fluoranthene
Concen: 42.016 ng
RT: 12.721 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F

ClientSampleId :


PB142146BS



Tgt Ion:202 Resp: 119902
Ion Ratio Lower Upper
202 100
101 13.0 0.0 35.7
203 17.6 0.0 37.1


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay






01/21/2022
Supervised By :mohammad
ahmed


01/21/2022



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.151 min Scan# 2051
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47


Tgt Ion:240 Resp: 368618
Ion Ratio Lower Upper
240 100
120 12.2 14.4 21.6#
236 25.5 20.5 30.7





#77
Benzidine
Concen: 30.755 ng
RT: 12.839 min Scan# 1827
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Instrument :
BNA_F
ClientSampleId :
PB142146BS



Tgt Ion:184 Resp: 391090
Ion Ratio Lower Upper
184 100
185 13.9 11.8 17.8
183 11.3 8.2 12.2


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay






01/21/2022
Supervised By :mohammad
ahmed


01/21/2022



#78
Pyrene
Concen: 40.646 ng
RT: 12.951 min Scan# 1847
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Tgt Ion:202 Resp: 1211626
Ion Ratio Lower Upper
202 100
200 21.7 16.6 24.8
203 17.7 13.8 20.8






#79
Terphenyl-d14
Concen: 75.590 ng
RT: 13.092 min Scan# 1871
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F

ClientSampleId :



PB142146BS



Tgt Ion:244 Resp: 166126
Ion Ratio Lower Upper
244 100
212 7.6 5.0 7.4
122 10.6 13.3 19.9


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/21/2022
Supervised By :mohammad
ahmed



01/21/2022




#80
Butylbenzylphthalate
Concen: 40.977 ng
RT: 13.562 min Scan# 1951
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Tgt Ion:149 Resp: 530686
Ion Ratio Lower Upper
149 100
91 104.4 70.5 105.7
206 19.5 12.6 19.0






#81
Benzo(a)anthracene
Concen: 41.376 ng
RT: 14.145 min Scan# 2049
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F

ClientSampleId :



PB142146BS



Tgt Ion:228 Resp: 1036679
Ion Ratio Lower Upper
228 100
226 27.3 21.4 32.0
229 19.6 15.4 23.2


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/21/2022
Supervised By :mohammad
ahmed



01/21/2022




#82
3,3'-Dichlorobenzidine
Concen: 25.564 ng
RT: 14.104 min Scan# 2043
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Tgt Ion:252 Resp: 210408
Ion Ratio Lower Upper
252 100
254 62.8 51.0 76.4
126 9.5 13.4 20.0#






#83
Chrysene
Concen: 41.981 ng
RT: 14.180 min Scan# 2056
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F

ClientSampleId :



PB142146BS



Tgt Ion:228 Resp: 1012089
Ion Ratio Lower Upper
228 100
226 30.8 23.7 35.5
229 20.2 15.5 23.3


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/21/2022
Supervised By :mohammad
ahmed



01/21/2022




#84
Bis(2-ethylhexyl)phthalate
Concen: 40.596 ng
RT: 14.121 min Scan# 2046
Delta R.T. -0.000 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47




Tgt Ion:149 Resp: 712027
Ion Ratio Lower Upper
149 100
167 26.0 21.4 32.2
279 3.3 2.4 3.6





#85
Di-n-octyl phthalate
Concen: 42.629 ng
RT: 14.757 min Scan# 2153
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Instrument :
BNA_F
ClientSampleId :
PB142146BS



Tgt Ion:149 Resp: 1144718
Ion Ratio Lower Upper
149 100
167 1.4 1.1 1.7
43 11.0 9.9 14.9


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/21/2022
Supervised By :mohammad
ahmed



01/21/2022




#86
Perylene-d12
Concen: 20.000 ng
RT: 15.680 min Scan# 2311
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Tgt Ion:264 Resp: 291394
Ion Ratio Lower Upper
264 100
260 23.7 19.2 28.8
265 21.7 17.4 26.2






#87
Indeno(1,2,3-cd)pyrene
Concen: 43.256 ng
RT: 17.250 min Scan# 21
Delta R.T. 0.012 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNA_F

ClientSampleId :


PB142146BS



Tgt Ion:276 Resp: 778785
Ion Ratio Lower Upper
276 100
138 24.6 29.2 43.8
277 25.0 19.8 29.8


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay






01/21/2022
Supervised By :mohammad
ahmed


01/21/2022



#88
Benzo(b)fluoranthene
Concen: 46.095 ng
RT: 15.233 min Scan# 2235
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Tgt Ion:252 Resp: 890723
Ion Ratio Lower Upper
252 100
253 21.8 17.8 26.8
125 9.1 12.4 18.6





#89

Benzo(k)fluoranthene

Concen: 43.965 ng

RT: 15.262 min Scan# 21

Delta R.T. 0.006 min

Lab File: BF126608.D

Acq: 20 Jan 2022 13:47

Instrument :

BNA_F

ClientSampleId :



PB142146BS

Tgt Ion:252	Resp: 83415
Ion Ratio	Lower Upper
252	100
253	21.7 17.5 26.3
125	9.5 11.8 17.6

Manual Integrations



APPROVED

Reviewed By :Jagrut
Upadhyay



01/21/2022
Supervised By :mohammad
ahmed

01/21/2022



#90

Benzo(a)pyrene

Concen: 50.850 ng




RT: 15.621 min Scan# 2301


Delta R.T. 0.006 min

Lab File: BF126608.D

Acq: 20 Jan 2022 13:47

Tgt Ion:252	Resp: 799487
Ion Ratio	Lower Upper
252	100
253	21.7 17.1 25.7
125	9.7 13.0 19.6






#91
Dibenzo(a,h)anthracene
Concen: 43.820 ng
RT: 17.274 min Scan# 2580
Delta R.T. 0.012 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47

Instrument :

BNF

ClientSampleId :


PB142146BS



Tgt Ion:278 Resp: 65358
Ion Ratio Lower Upper
278 100
139 15.5 18.0 27.0
279 24.0 18.6 27.8


Manual Integrations
APPROVED

Reviewed By :Jagrut
Upadhyay




01/21/2022
Supervised By :mohammad
ahmed

01/21/2022



#92
Benzo(g,h,i)perylene
Concen: 44.023 ng
RT: 17.727 min Scan# 2659
Delta R.T. 0.006 min
Lab File: BF126608.D
Acq: 20 Jan 2022 13:47



Tgt Ion:276 Resp: 643843
Ion Ratio Lower Upper
276 100
277 24.0 18.5 27.7
138 21.5 25.9 38.9

