

Data Path : Z:\HPCHEM1\BNA F\DATA\BF012215\
 Data File : BF077019.D
 Acq On : 22 Jan 2015 19:04
 Operator : TP/IZ
 Sample : G1136-08
 Misc : S
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-30-COMP

Quant Time: Jan 23 10:03:48 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF011415.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jan 23 00:19:18 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.85	152	23973	20.00	ng	0.00
21) Naphthalene-d8	10.76	136	102518	20.00	ng	0.00
38) Acenaphthene-d10	14.88	164	56237	20.00	ng	-0.01
63) Phenanthrene-d10	17.69	188	92015	20.00	ng	0.00
75) Chrysene-d12	21.19	240	86516	20.00	ng	0.00
86) Perylene-d12	22.84	264	80414	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	4.89	112	194726	133.55	ng	0.00
7) Phenol-d6	7.26	99	254397	138.31	ng	0.00
23) Nitrobenzene-d5	9.14	82	155013	83.77	ng	-0.01
41) 2,4,6-Tribromophenol	16.59	330	61362	134.42	ng	0.00
44) 2-Fluorobiphenyl	13.41	172	320075	86.61	ng	-0.01
78) Terphenyl-d14	19.92	244	324411	86.33	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	14.48	163	20238	5.07	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF012215\
Data File : BF077019.D
Acq On : 22 Jan 2015 19:04
Operator : TP/IZ
Sample : G1136-08
Misc : S
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-30-COMP

Quant Time: Jan 23 10:03:48 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF011415.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jan 23 00:19:18 2015
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.85 min Scan# 592
Delta R.T. 0.00 min
Lab File: BF077019.D
Acq: 22 Jan 2015 19:04

Instrument :
BNA_F
ClientSampleId :
SB-30-COMP

Tot Ion:152 Resp: 23973
Ion Ratio Lower Upper
152 100
150 151.6 121.7 182.5
115 62.8 47.0 70.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 133.55 ng
RT: 4.89 min Scan# 333
Delta R.T. 0.00 min
Lab File: BF077019.D
Acq: 22 Jan 2015 19:04

Tgt Ion:112 Resp: 194726
Ion Ratio Lower Upper
112 100
64 62.2 54.2 81.4
63 34.6 28.4 42.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 138.31 ng

RT: 7.26 min Scan# 540

Delta R.T. 0.00 min

Lab File: BF077019.D

Acq: 22 Jan 2015 19:04

Instrument :

BNA_F

ClientSampleId :

SB-30-COMP


Tot Ion: 99 Resp: 254397

Ion Ratio Lower Upper

99 100

42 17.1 15.0 22.4




71 36.4 30.5 45.7



Abundance Ion 99.00 (98.70 to 99.70): BF076858.D (-551) (-)

Ion 42.00 (41.70 to 42.70): BF076858.D (-551) (-)

Ion 71.00 (70.70 to 71.70): BF076858.D (-551) (-)



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.76 min Scan# 846

Delta R.T. 0.00 min

Lab File: BF077019.D

Acq: 22 Jan 2015 19:04

Tgt Ion: 136 Resp: 102518


Ion Ratio Lower Upper

136 100

137 10.7 8.1 12.1

54 8.5 7.0 10.4

68 4.4 3.7 5.5





Abundance Ion 136.00 (135.70 to 136.70): BF076858.D (-857) (-)

Ion 137.00 (136.70 to 137.70): BF076858.D (-857) (-)

Ion 54.00 (53.70 to 54.70): BF076858.D (-857) (-)

Ion 68.00 (67.70 to 68.70): BF076858.D (-857) (-)








#23
 Nitrobenzene-d5
 Concen: 83.77 ng
 RT: 9.14 min Scan# 705
 Delta R.T. -0.01 min
 Lab File: BF077019.D
 Acq: 22 Jan 2015 19:04

Instrument :
 BNA_F
 ClientSampleId :
 SB-30-COMP

Tot Ion	82	Resp	155013
Ion Ratio	Lower	Upper	
82	100		
128	40.6	33.1	49.7
54	58.2	48.3	72.5




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.88 min Scan# 1207
 Delta R.T. -0.01 min
 Lab File: BF077019.D
 Acq: 22 Jan 2015 19:04

Tgt Ion	164	Resp	56237
Ion Ratio	Lower	Upper	
164	100		
162	103.2	82.4	123.6
160	46.8	34.8	52.2



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 134.42 ng
 RT: 16.59 min Scan# 1356
 Delta R.T. 0.00 min
 Lab File: BF077019.D
 Acq: 22 Jan 2015 19:04

Instrument :
 BNA_F
 ClientSampleId :
 SB-30-COMP

Tot Ion:330 Resp: 61362
 Ion Ratio Lower Upper
 330 100
 332 97.9 77.8 116.6
 141 49.5 38.5 57.7




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 86.61 ng
 RT: 13.41 min Scan# 1078
 Delta R.T. -0.01 min
 Lab File: BF077019.D
 Acq: 22 Jan 2015 19:04

Tgt Ion:172 Resp: 320075
 Ion Ratio Lower Upper
 172 100
 171 34.6 26.6 40.0
 170 23.3 18.0 27.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 5.07 ng
RT: 14.48 min Scan# 1172
Delta R.T. -0.01 min
Lab File: BF077019.D
Acq: 22 Jan 2015 19:04




Instrument :
BNA_F
ClientSampleId :
SB-30-COMP


Tot Ion:163 Resp: 20238
Ion Ratio Lower Upper
163 100
194 3.0 2.6 4.0
164 8.4 7.5 11.3



#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.69 min Scan# 1453
Delta R.T. 0.00 min
Lab File: BF077019.D
Acq: 22 Jan 2015 19:04

Tgt Ion:188 Resp: 92015
Ion Ratio Lower Upper
188 100
94 7.0 6.0 9.0
80 7.1 6.9 10.3









#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.19 min Scan# 1759
Delta R.T. 0.00 min
Lab File: BF077019.D
Acq: 22 Jan 2015 19:04




Instrument :
BNA_F
ClientSampleId :
SB-30-COMP


Tot Ion:240 Resp: 86516
Ion Ratio Lower Upper
240 100
120 7.9 10.4 15.6#
236 23.9 20.2 30.2



#78
Terphenyl-d14
Concen: 86.33 ng
RT: 19.92 min Scan# 1648
Delta R.T. 0.00 min
Lab File: BF077019.D
Acq: 22 Jan 2015 19:04

Tgt Ion:244 Resp: 324411
Ion Ratio Lower Upper
244 100
212 7.6 6.3 9.5
122 12.7 10.1 15.1






#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 22.84 min Scan# 1903
 Delta R.T. -0.05 min
 Lab File: BF077019.D
 Acq: 22 Jan 2015 19:04

Instrument :
 BNA_F
 ClientSampleId :
 SB-30-COMP

Tot Ion: 264 Resp: 80414
 Ion Ratio Lower Upper
 264 100
 260 22.8 19.0 28.4
 265 19.6 18.1 27.1



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

