

Data Path : Z:\HPCHEM1\BNA F\DATA\BF012417\
 Data File : BF092442.D
 Acq On : 24 Jan 2017 21:23
 Operator : UM/SJ
 Sample : I1363-04
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 BLDG-3-BLOCK-WALL-COMP

Quant Time: Jan 25 00:16:43 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF012417.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jan 24 13:48:07 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.97	152	148415	20.00	ng	0.00
21) Naphthalene-d8	8.26	136	594641	20.00	ng	-0.01
38) Acenaphthene-d10	10.03	164	312029	20.00	ng	0.00
63) Phenanthrene-d10	11.52	188	512958	20.00	ng	-0.01
75) Chrysene-d12	14.16	240	374117	20.00	ng	-0.01
86) Perylene-d12	15.63	264	296762	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.55	112	492618	51.64	ng	0.00
7) Phenol-d6	6.58	99	805699	66.31	ng	-0.01
23) Nitrobenzene-d5	7.53	82	503918	46.29	ng	-0.01
41) 2,4,6-Tribromophenol	10.82	330	226703	106.62	ng	0.00
44) 2-Fluorobiphenyl	9.34	172	1157876	68.62	ng	-0.01
78) Terphenyl-d14	13.12	244	1341066	95.45	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.73	163	48482	2.44	ng	Qvalue # 97
83) Bis(2-ethylhexyl)phthalate	14.15	149	90872	6.57	ng	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF012417\
Data File : BF092442.D
Acq On : 24 Jan 2017 21:23
Operator : UM/SJ
Sample : I1363-04
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
BLDG-3-BLOCK-WALL-COMP

Quant Time: Jan 25 00:16:43 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF012417.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jan 24 13:48:07 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.97 min Scan# 427

Delta R.T. 0.00 min

Lab File: BF092442.D

Acq: 24 Jan 2017 21:23

Instrument :

BNA_F

ClientSampleId :

BLDG-3-BLOCK-WALL-COMP


Tot Ion:152 Resp: 148415

Ion Ratio Lower Upper

152 100

150 156.9 124.9 187.3




115 58.2 46.0 69.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 51.64 ng

RT: 5.55 min Scan# 303

Delta R.T. 0.00 min

Lab File: BF092442.D

Acq: 24 Jan 2017 21:23


Tgt Ion:112 Resp: 492618

Ion Ratio Lower Upper

112 100

64 71.0 46.1 69.1#



63 36.0 23.8 35.6#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 66.31 ng

RT: 6.58 min Scan# 393

Delta R.T. -0.01 min

Lab File: BF092442.D

Acq: 24 Jan 2017 21:23

Instrument :

BNA_F

ClientSampleId :

BLDG-3-BLOCK-WALL-COMP


Tot Ion: 99 Resp: 805699

Ion Ratio Lower Upper

99 100

42 22.4 15.6 23.4




71 33.3 27.5 41.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.26 min Scan# 540

Delta R.T. -0.01 min

Lab File: BF092442.D

Acq: 24 Jan 2017 21:23

Tgt Ion: 136 Resp: 594641


Ion Ratio Lower Upper

136 100

137 11.1 8.4 12.6

54 10.1 4.5 6.7#

68 7.0 3.6 5.4#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
Nitrobenzene-d5
Concen: 46.29 ng
RT: 7.53 min Scan# 476
Delta R.T. -0.01 min
Lab File: BF092442.D
Acq: 24 Jan 2017 21:23

Instrument :
BNA_F
ClientSampleId :
BLDG-3-BLOCK-WALL-COMP

Tot Ion: 82 Resp: 503918
Ion Ratio Lower Upper
82 100
128 38.9 34.6 52.0
54 60.7 39.5 59.3#




Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): B
Ion 54.00 (53.70 to 54.70): BF0






#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 10.03 min Scan# 695
Delta R.T. 0.00 min
Lab File: BF092442.D
Acq: 24 Jan 2017 21:23

Tgt Ion:164 Resp: 312029
Ion Ratio Lower Upper
164 100
162 101.1 80.2 120.2
160 42.3 36.9 55.3



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 106.62 ng
 RT: 10.82 min Scan# 764
 Delta R.T. 0.00 min
 Lab File: BF092442.D
 Acq: 24 Jan 2017 21:23

Instrument :
 BNA_F
 ClientSampleId :
 BLDG-3-BLOCK-WALL-COMP

Tot Ion:330 Resp: 226703
 Ion Ratio Lower Upper
 330 100
 332 97.5 77.4 116.2
 141 40.1 34.1 51.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 68.62 ng
 RT: 9.34 min Scan# 635
 Delta R.T. -0.01 min
 Lab File: BF092442.D
 Acq: 24 Jan 2017 21:23

Tgt Ion:172 Resp: 1157876
 Ion Ratio Lower Upper
 172 100
 171 35.9 29.4 44.0
 170 24.3 20.2 30.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 2.44 ng
RT: 9.73 min Scan# 669
Delta R.T. -0.02 min
Lab File: BF092442.D
Acq: 24 Jan 2017 21:23




Instrument :
BNA_F
ClientSampleId :
BLDG-3-BLOCK-WALL-COMP


Tot Ion:163 Resp: 48482
Ion Ratio Lower Upper
163 100
194 2.9 3.0 4.4#
164 11.1 8.0 12.0



#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.52 min Scan# 825
Delta R.T. -0.01 min
Lab File: BF092442.D
Acq: 24 Jan 2017 21:23

Tgt Ion:188 Resp: 512958
Ion Ratio Lower Upper
188 100
94 11.7 10.0 15.0
80 12.7 11.2 16.8





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.16 min Scan# 1056

Delta R.T. -0.01 min

Lab File: BF092442.D

Acq: 24 Jan 2017 21:23

Instrument :

BNA_F

ClientSampleId :

BLDG-3-BLOCK-WALL-COMP


Tot Ion:240 Resp: 374117

Ion Ratio Lower Upper

240 100

120 13.5 12.9 19.3




236 26.5 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 95.45 ng

RT: 13.12 min Scan# 965

Delta R.T. 0.00 min

Lab File: BF092442.D

Acq: 24 Jan 2017 21:23


Tgt Ion:244 Resp: 1341066

Ion Ratio Lower Upper

244 100

212 7.7 6.2 9.2



122 11.3 11.4 17.2#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#83

Bis(2-ethylhexyl)phthalate

Concen: 6.57 ng

RT: 14.15 min Scan# 1055

Delta R.T. -0.01 min

Lab File: BF092442.D

Acq: 24 Jan 2017 21:23

Instrument :

BNA_F

ClientSampleId :

BLDG-3-BLOCK-WALL-COMP


Tot Ion:149 Resp: 90872

Ion Ratio Lower Upper




149 100

167 27.8 20.2 30.4

279 2.6 1.8 2.8



Abundance Ion 149.00 (148.70 to 149.70): E
Ion 167.00 (166.70 to 167.70): E
Ion 279.00 (278.70 to 279.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.63 min Scan# 1185

Delta R.T. -0.01 min

Lab File: BF092442.D

Acq: 24 Jan 2017 21:23


Tgt Ion:264 Resp: 296762

Ion Ratio Lower Upper

264 100

260 23.6 19.2 28.8

265 22.1 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

