

Data Path : Z:\HPCHEM1\BNA F\DATA\BF012517\
 Data File : BF092474.D
 Acq On : 25 Jan 2017 14:10
 Operator : SJ/MA
 Sample : PB96090BL
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB96090BL

Quant Time: Jan 25 17:26:22 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF012417.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jan 24 13:48:07 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.97	152	188202	20.00	ng	0.00
21) Naphthalene-d8	8.26	136	754060	20.00	ng	-0.01
38) Acenaphthene-d10	10.03	164	424755	20.00	ng	0.00
63) Phenanthrene-d10	11.52	188	728593	20.00	ng	-0.01
75) Chrysene-d12	14.16	240	602364	20.00	ng	-0.01
86) Perylene-d12	15.63	264	481384	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.57	112	1354377	111.96	ng	0.02
7) Phenol-d6	6.59	99	1656808	107.53	ng	0.00
23) Nitrobenzene-d5	7.53	82	1187953	86.06	ng	-0.01
41) 2,4,6-Tribromophenol	10.82	330	370214	127.90	ng	0.00
44) 2-Fluorobiphenyl	9.34	172	1913967	83.32	ng	-0.01
78) Terphenyl-d14	13.11	244	1669782	73.82	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF012517\
Data File : BF092474.D
Acq On : 25 Jan 2017 14:10
Operator : SJ/MA
Sample : PB96090BL
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB96090BL

Quant Time: Jan 25 17:26:22 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF012417.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jan 24 13:48:07 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.97 min Scan# 427
Delta R.T. 0.00 min
Lab File: BF092474.D
Acq: 25 Jan 2017 14:10

Instrument :
BNA_F
ClientSampleId :
PB96090BL

Tot Ion:152 Resp: 188202
Ion Ratio Lower Upper
152 100
150 154.2 124.9 187.3
115 58.3 46.0 69.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 111.96 ng
RT: 5.57 min Scan# 305
Delta R.T. 0.02 min
Lab File: BF092474.D
Acq: 25 Jan 2017 14:10

Tgt Ion:112 Resp: 1354377
Ion Ratio Lower Upper
112 100
64 67.5 46.1 69.1
63 34.3 23.8 35.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 107.53 ng

RT: 6.59 min Scan# 394

Delta R.T. -0.00 min

Lab File: BF092474.D

Acq: 25 Jan 2017 14:10

Instrument :

BNA_F

ClientSampleId :

PB96090BL


Tot Ion: 99 Resp: 1656808

Ion Ratio Lower Upper

99 100

42 21.3 15.6 23.4




71 33.6 27.5 41.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.26 min Scan# 540

Delta R.T. -0.01 min

Lab File: BF092474.D

Acq: 25 Jan 2017 14:10

Tgt Ion:136 Resp: 754060


Ion Ratio Lower Upper

136 100

137 10.9 8.4 12.6

54 9.9 4.5 6.7#

68 7.1 3.6 5.4#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0





#23

Nitrobenzene-d5

Concen: 86.06 ng

RT: 7.53 min Scan# 476

Delta R.T. -0.01 min

Lab File: BF092474.D

Acq: 25 Jan 2017 14:10

Instrument :

BNA_F

ClientSampleId :

PB96090BL


Tot Ion: 82 Resp: 1187953

Ion Ratio Lower Upper




82 100

128 40.6 34.6 52.0

54 60.1 39.5 59.3#



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 10.03 min Scan# 695

Delta R.T. -0.00 min

Lab File: BF092474.D

Acq: 25 Jan 2017 14:10


Tgt Ion:164 Resp: 424755

Ion Ratio Lower Upper



164 100


162 100.0 80.2 120.2

160 42.6 36.9 55.3



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 127.90 ng
 RT: 10.82 min Scan# 764
 Delta R.T. -0.00 min
 Lab File: BF092474.D
 Acq: 25 Jan 2017 14:10

Instrument :
 BNA_F
 ClientSampleId :
 PB96090BL

Tot Ion:330 Resp: 370214
 Ion Ratio Lower Upper
 330 100
 332 96.4 77.4 116.2
 141 42.8 34.1 51.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 83.32 ng
 RT: 9.34 min Scan# 635
 Delta R.T. -0.01 min
 Lab File: BF092474.D
 Acq: 25 Jan 2017 14:10

Tgt Ion:172 Resp: 1913967
 Ion Ratio Lower Upper
 172 100
 171 36.8 29.4 44.0
 170 24.5 20.2 30.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.52 min Scan# 825
Delta R.T. -0.01 min
Lab File: BF092474.D
Acq: 25 Jan 2017 14:10

Instrument :
BNA_F
ClientSampleId :
PB96090BL

Tot Ion	Ratio	Lower	Upper
188	100		
94	8.8	10.0	15.0#
80	9.1	11.2	16.8#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.16 min Scan# 1056
Delta R.T. -0.01 min
Lab File: BF092474.D
Acq: 25 Jan 2017 14:10

Tgt Ion	Ratio	Lower	Upper
240	100		
120	7.8	12.9	19.3#
236	26.2	20.9	31.3



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E






#78
 Terphenyl-d14
 Concen: 73.82 ng
 RT: 13.11 min Scan# 964
 Delta R.T. -0.01 min
 Lab File: BF092474.D
 Acq: 25 Jan 2017 14:10




Instrument :
 BNA_F
 ClientSampleId :
 PB96090BL

Tot Ion:244 Resp: 1669782

Ion	Ratio	Lower	Upper
244	100		
212	7.8	6.2	9.2
122	13.2	11.4	17.2




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.63 min Scan# 1185
 Delta R.T. -0.01 min
 Lab File: BF092474.D
 Acq: 25 Jan 2017 14:10

Tgt Ion:264 Resp: 481384

Ion	Ratio	Lower	Upper
264	100		
260	24.4	19.2	28.8
265	21.3	17.4	26.0



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

