

Data Path : Z:\HPCHEM1\BNA F\DATA\BF012517\
 Data File : BF092491.D
 Acq On : 25 Jan 2017 21:57
 Operator : SJ/MA
 Sample : I1398-06
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-7-012017

Quant Time: Jan 26 10:35:41 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF012417.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jan 24 13:48:07 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.97	152	164146	20.00	ng	0.00
21) Naphthalene-d8	8.26	136	643399	20.00	ng	-0.01
38) Acenaphthene-d10	10.02	164	333305	20.00	ng	-0.01
63) Phenanthrene-d10	11.50	188	580446	20.00	ng	-0.02
75) Chrysene-d12	14.15	240	520431	20.00	ng	-0.02
86) Perylene-d12	15.62	264	447074	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.55	112	533231	50.54	ng	0.00
7) Phenol-d6	6.58	99	503417	37.46	ng	-0.01
23) Nitrobenzene-d5	7.53	82	879511	74.67	ng	-0.01
41) 2,4,6-Tribromophenol	10.82	330	339897	149.65	ng	0.00
44) 2-Fluorobiphenyl	9.34	172	1583210	87.84	ng	-0.01
78) Terphenyl-d14	13.10	244	1629786	83.39	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF012517\
Data File : BF092491.D
Acq On : 25 Jan 2017 21:57
Operator : SJ/MA
Sample : I1398-06
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-7-012017

Quant Time: Jan 26 10:35:41 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF012417.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jan 24 13:48:07 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.97 min Scan# 427

Delta R.T. -0.00 min

Lab File: BF092491.D

Acq: 25 Jan 2017 21:57

Instrument :

BNA_F

ClientSampleId :

MW-7-012017


Tot Ion:152 Resp: 164146

Ion Ratio Lower Upper

152 100

150 153.3 124.9 187.3




115 54.2 46.0 69.0



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 50.54 ng

RT: 5.55 min Scan# 303

Delta R.T. -0.00 min

Lab File: BF092491.D

Acq: 25 Jan 2017 21:57


Tgt Ion:112 Resp: 533231

Ion Ratio Lower Upper

112 100

64 70.6 46.1 69.1#



63 35.7 23.8 35.6#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 37.46 ng

RT: 6.58 min Scan# 393

Delta R.T. -0.01 min

Lab File: BF092491.D

Acq: 25 Jan 2017 21:57

Instrument :

BNA_F

ClientSampleId :

MW-7-012017


Tot Ion: 99 Resp: 503417

Ion Ratio Lower Upper

99 100

42 18.7 15.6 23.4




71 30.7 27.5 41.3



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.26 min Scan# 540

Delta R.T. -0.01 min

Lab File: BF092491.D

Acq: 25 Jan 2017 21:57

Tgt Ion: 136 Resp: 643399


Ion Ratio Lower Upper

136 100

137 11.1 8.4 12.6

54 9.8 4.5 6.7#

68 6.6 3.6 5.4#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
Nitrobenzene-d5
Concen: 74.67 ng
RT: 7.53 min Scan# 476
Delta R.T. -0.01 min
Lab File: BF092491.D
Acq: 25 Jan 2017 21:57




Instrument :
BNA_F
ClientSampleId :
MW-7-012017


Tot Ion: 82 Resp: 879511
Ion Ratio Lower Upper
82 100
128 40.1 34.6 52.0
54 59.2 39.5 59.3



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 10.02 min Scan# 694
Delta R.T. -0.01 min
Lab File: BF092491.D
Acq: 25 Jan 2017 21:57

Tgt Ion: 164 Resp: 333305
Ion Ratio Lower Upper
164 100
162 102.9 80.2 120.2
160 43.7 36.9 55.3





#41

2,4,6-Tribromophenol

Concen: 149.65 ng

RT: 10.82 min Scan# 764

Delta R.T. -0.00 min

Lab File: BF092491.D

Acq: 25 Jan 2017 21:57

Instrument :

BNA_F

ClientSampleId :

MW-7-012017


Tot Ion:330 Resp: 339897

Ion Ratio Lower Upper

330 100

332 97.4 77.4 116.2




141 34.3 34.1 51.1



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 87.84 ng

RT: 9.34 min Scan# 635

Delta R.T. -0.01 min

Lab File: BF092491.D

Acq: 25 Jan 2017 21:57


Tgt Ion:172 Resp: 1583210

Ion Ratio Lower Upper

172 100

171 36.8 29.4 44.0



170 24.5 20.2 30.4




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.50 min Scan# 824
Delta R.T. -0.02 min
Lab File: BF092491.D
Acq: 25 Jan 2017 21:57

Instrument :
BNA_F
ClientSampleId :
MW-7-012017

Tot Ion	Ratio	Lower	Upper
188	100		
94	13.0	10.0	15.0
80	14.2	11.2	16.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.15 min Scan# 1055
Delta R.T. -0.02 min
Lab File: BF092491.D
Acq: 25 Jan 2017 21:57

Tgt Ion	Ratio	Lower	Upper
240	100		
120	14.5	12.9	19.3
236	26.4	20.9	31.3



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 83.39 ng

RT: 13.10 min Scan# 964

Delta R.T. -0.01 min

Lab File: BF092491.D

Acq: 25 Jan 2017 21:57

Instrument :

BNA_F

ClientSampleId :

MW-7-012017


Tot Ion:244 Resp: 1629786

Ion Ratio Lower Upper

244 100

212 7.4 6.2 9.2




122 9.1 11.4 17.2#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.62 min Scan# 1184

Delta R.T. -0.02 min

Lab File: BF092491.D

Acq: 25 Jan 2017 21:57


Tgt Ion:264 Resp: 447074

Ion Ratio Lower Upper

264 100

260 24.9 19.2 28.8

265 21.4 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

