

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012522\
 Data File : BF126659.D
 Acq On : 25 Jan 2022 13:21
 Operator : CG/JU
 Sample : N1235-05
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-2

Quant Time: Jan 26 00:20:17 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF011822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 19 07:04:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	97647	20.000	ng	0.00
21) Naphthalene-d8	8.245	136	380962	20.000	ng	0.00
39) Acenaphthene-d10	10.004	164	206933	20.000	ng	0.00
64) Phenanthrene-d10	11.498	188	332701	20.000	ng	0.00
76) Chrysene-d12	14.145	240	227134	20.000	ng	# 0.00
86) Perylene-d12	15.668	264	205280	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.593	112	883221	119.024	ng	0.01
7) Phenol-d6	6.581	99	1081220	104.871	ng	0.00
23) Nitrobenzene-d5	7.528	82	972612	99.929	ng	0.00
42) 2,4,6-Tribromophenol	10.798	330	276254	142.651	ng	0.00
45) 2-Fluorobiphenyl	9.322	172	1253830	92.795	ng	0.00
79) Terphenyl-d14	13.086	244	1262936	93.261	ng	0.00
Target Compounds						Qvalue
9) Benzaldehyde	6.581	77	2237	Below Cal	#	3
19) n-Nitroso-di-n-propyla...	7.528	70	134063	17.816	ng	# 69
25) Isophorone	7.528	82	972600	51.527	ng	# 69
51) 2,6-Dinitrotoluene	10.004	165	26160	10.315	ng	# 21
57) 2,4-Dinitrotoluene	10.004	165	26160	8.512	ng	# 15
65) 4,6-Dinitro-2-methylph...	10.792	198	535	7.656	ng	# 1
67) 4-Bromophenyl-phenylether	10.792	248	19099	4.981	ng	# 1
77) Benzidine	13.086	184	17853	2.278	ng	# 92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012522\
Data File : BF126659.D
Acq On : 25 Jan 2022 13:21
Operator : CG/JU
Sample : N1235-05
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-2

Quant Time: Jan 26 00:20:17 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF011822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 19 07:04:14 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF126659.D
Acq: 25 Jan 2022 13:21




Instrument :
BNA_F
ClientSampleId :
TP-2


Tgt Ion:152 Resp: 97647
Ion Ratio Lower Upper
152 100
150 158.2 128.1 192.1
115 75.1 56.7 85.1



#5
2-Fluorophenol
Concen: 119.024 ng
RT: 5.593 min Scan# 596
Delta R.T. 0.012 min
Lab File: BF126659.D
Acq: 25 Jan 2022 13:21

Tgt Ion:112 Resp: 883221
Ion Ratio Lower Upper
112 100
64 68.2 49.5 74.3
63 35.2 23.9 35.9









#7
Phenol-d6
Concen: 104.871 ng
RT: 6.581 min Scan# 764
Delta R.T. -0.000 min
Lab File: BF126659.D
Acq: 25 Jan 2022 13:21




Instrument :
BNA_F
ClientSampleId :
TP-2


Tgt Ion: 99 Resp: 1081220
Ion Ratio Lower Upper
99 100
42 16.4 14.2 21.4
71 41.7 24.3 36.5#



#9
Benzaldehyde
Concen: Below Cal
RT: 6.581 min Scan# 764
Delta R.T. 0.059 min
Lab File: BF126659.D
Acq: 25 Jan 2022 13:21

Tgt Ion: 77 Resp: 2237
Ion Ratio Lower Upper
77 100
105 0.0 74.9 114.9#
106 0.0 72.4 112.4#









#19
n-Nitroso-di-n-propylamine
Concen: 17.816 ng
RT: 7.528 min Scan# 91
Delta R.T. 0.147 min
Lab File: BF126659.D
Acq: 25 Jan 2022 13:21




Instrument :
BNA_F
ClientSampleId :
TP-2


Tgt Ion: 70 Resp: 134063
Ion Ratio Lower Upper
70 100
42 34.6 45.8 68.8#
101 0.0 6.9 10.3#
130 1.5 14.4 21.6#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.245 min Scan# 1047
Delta R.T. -0.006 min
Lab File: BF126659.D
Acq: 25 Jan 2022 13:21

Tgt Ion: 136 Resp: 380962
Ion Ratio Lower Upper
136 100
137 10.4 8.6 13.0
54 8.4 7.8 11.6
68 8.6 6.3 9.5









#23
Nitrobenzene-d5
Concen: 99.929 ng
RT: 7.528 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF126659.D
Acq: 25 Jan 2022 13:21




Instrument :
BNA_F
ClientSampleId :
TP-2


Tgt Ion: 82 Resp: 972612
Ion Ratio Lower Upper
82 100
128 31.7 32.7 49.1#
54 41.0 41.7 62.5#



#25
Isophorone
Concen: 51.527 ng
RT: 7.528 min Scan# 925
Delta R.T. -0.259 min
Lab File: BF126659.D
Acq: 25 Jan 2022 13:21

Tgt Ion: 82 Resp: 972600
Ion Ratio Lower Upper
82 100
95 0.0 5.0 7.4#
138 0.0 12.3 18.5#









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.004 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF126659.D
Acq: 25 Jan 2022 13:21




Instrument :
BNA_F
ClientSampleId :
TP-2


Tgt Ion:164 Resp: 206933
Ion Ratio Lower Upper
164 100
162 97.1 81.4 122.0
160 40.7 36.6 54.8



#42
2,4,6-Tribromophenol
Concen: 142.651 ng
RT: 10.798 min Scan# 1481
Delta R.T. -0.000 min
Lab File: BF126659.D
Acq: 25 Jan 2022 13:21

Tgt Ion:330 Resp: 276254
Ion Ratio Lower Upper
330 100
332 98.0 76.0 114.0
141 36.5 30.1 45.1





#45

2-Fluorobiphenyl

Concen: 92.795 ng

RT: 9.322 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF126659.D

Acq: 25 Jan 2022 13:21

Instrument :

BNA_F

ClientSampleId :

TP-2





Tgt Ion:172 Resp: 1253830

Ion Ratio Lower Upper

172 100

171 35.7 28.3 42.5

170 23.8 19.0 28.6



#51

2,6-Dinitrotoluene

Concen: 10.315 ng

RT: 10.004 min Scan# 1346

Delta R.T. 0.212 min

Lab File: BF126659.D

Acq: 25 Jan 2022 13:21




Tgt Ion:165 Resp: 26160


Ion Ratio Lower Upper

165 100

63 1.3 48.4 72.6#

89 1.7 50.5 75.7#









#57
2,4-Dinitrotoluene
Concen: 8.512 ng
RT: 10.004 min Scan# 11
Delta R.T. -0.188 min
Lab File: BF126659.D
Acq: 25 Jan 2022 13:21




Instrument :
BNA_F
ClientSampleId :
TP-2


Tgt Ion:165 Resp: 26160
Ion Ratio Lower Upper
165 100
63 1.3 43.0 64.6#
89 1.7 71.0 106.4#
182 0.0 1.6 2.4#



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.498 min Scan# 1600
Delta R.T. 0.000 min
Lab File: BF126659.D
Acq: 25 Jan 2022 13:21

Tgt Ion:188 Resp: 332701
Ion Ratio Lower Upper
188 100
94 11.7 10.1 15.1
80 12.9 11.8 17.6









#65
4,6-Dinitro-2-methylphenol
Concen: 7.656 ng
RT: 10.792 min Scan# 1447
Delta R.T. 0.194 min
Lab File: BF126659.D
Acq: 25 Jan 2022 13:21




Instrument :
BNA_F
ClientSampleId :
TP-2


Tgt Ion:198 Resp: 535
Ion Ratio Lower Upper
198 100
51 152.8 32.0 72.0#
105 228.9 32.7 72.7#



#67
4-Bromophenyl-phenylether
Concen: 4.981 ng
RT: 10.792 min Scan# 1480
Delta R.T. -0.253 min
Lab File: BF126659.D
Acq: 25 Jan 2022 13:21

Tgt Ion:248 Resp: 19099
Ion Ratio Lower Upper
248 100
250 203.9 76.2 114.4#
141 556.1 66.2 99.4#









#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.145 min Scan# 2050
Delta R.T. -0.006 min
Lab File: BF126659.D
Acq: 25 Jan 2022 13:21




Instrument :
BNA_F
ClientSampleId :
TP-2


Tgt Ion:240 Resp: 227134
Ion Ratio Lower Upper
240 100
120 10.4 14.4 21.6#
236 25.6 20.5 30.7



#77
Benzidine
Concen: 2.278 ng
RT: 13.086 min Scan# 1870
Delta R.T. 0.253 min
Lab File: BF126659.D
Acq: 25 Jan 2022 13:21

Tgt Ion:184 Resp: 17853
Ion Ratio Lower Upper
184 100
185 18.0 11.8 17.8#
183 6.6 8.2 12.2#









#79
 Terphenyl-d14
 Concen: 93.261 ng
 RT: 13.086 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF126659.D
 Acq: 25 Jan 2022 13:21

Instrument :
 BNA_F
 ClientSampleId :
 TP-2

Tgt Ion:244 Resp: 1262936
 Ion Ratio Lower Upper
 244 100
 212 7.3 5.0 7.4
 122 10.8 13.3 19.9#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.668 min Scan# 2309
 Delta R.T. -0.006 min
 Lab File: BF126659.D
 Acq: 25 Jan 2022 13:21

Tgt Ion:264 Resp: 205280
 Ion Ratio Lower Upper
 264 100
 260 24.3 19.2 28.8
 265 21.8 17.4 26.2

