

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012522\
 Data File : BF126658.D
 Acq On : 25 Jan 2022 12:43
 Operator : CG/JU
 Sample : N1237-01
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 P-PARK-SCREENINGS

Quant Time: Jan 26 00:20:08 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF011822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 19 07:04:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	100825	20.000	ng	0.00
21) Naphthalene-d8	8.245	136	384751	20.000	ng	0.00
39) Acenaphthene-d10	10.004	164	203171	20.000	ng	0.00
64) Phenanthrene-d10	11.492	188	322972	20.000	ng	0.00
76) Chrysene-d12	14.139	240	221634	20.000	ng	#-0.01
86) Perylene-d12	15.663	264	218646	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.581	112	719778	93.941	ng	0.00
7) Phenol-d6	6.575	99	967669	90.899	ng	0.00
23) Nitrobenzene-d5	7.522	82	720355	73.282	ng	-0.01
42) 2,4,6-Tribromophenol	10.792	330	183367	96.440	ng	0.00
45) 2-Fluorobiphenyl	9.322	172	917534	69.163	ng	0.00
79) Terphenyl-d14	13.086	244	784620	59.378	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012522\
Data File : BF126658.D
Acq On : 25 Jan 2022 12:43
Operator : CG/JU
Sample : N1237-01
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
P-PARK-SCREENINGS

Quant Time: Jan 26 00:20:08 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF011822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 19 07:04:14 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF126658.D
Acq: 25 Jan 2022 12:43




Instrument :
BNA_F
ClientSampleId :
P-PARK-SCREENINGS


Tgt Ion:152 Resp: 100825
Ion Ratio Lower Upper
152 100
150 155.7 128.1 192.1
115 71.7 56.7 85.1



#5
2-Fluorophenol
Concen: 93.941 ng
RT: 5.581 min Scan# 594
Delta R.T. 0.000 min
Lab File: BF126658.D
Acq: 25 Jan 2022 12:43

Tgt Ion:112 Resp: 719778
Ion Ratio Lower Upper
112 100
64 69.1 49.5 74.3
63 36.1 23.9 35.9#









#7
Phenol-d6
Concen: 90.899 ng
RT: 6.575 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF126658.D
Acq: 25 Jan 2022 12:43




Instrument :
BNA_F
ClientSampleId :
P-PARK-SCREENINGS


Tgt Ion: 99 Resp: 967669
Ion Ratio Lower Upper
99 100
42 16.6 14.2 21.4
71 42.7 24.3 36.5#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.245 min Scan# 1047
Delta R.T. -0.006 min
Lab File: BF126658.D
Acq: 25 Jan 2022 12:43

Tgt Ion:136 Resp: 384751
Ion Ratio Lower Upper
136 100
137 10.2 8.6 13.0
54 8.5 7.8 11.6
68 8.3 6.3 9.5









#23
Nitrobenzene-d5
Concen: 73.282 ng
RT: 7.522 min Scan# 91
Delta R.T. -0.012 min
Lab File: BF126658.D
Acq: 25 Jan 2022 12:43




Instrument :
BNA_F
ClientSampleId :
P-PARK-SCREENINGS


Tgt Ion: 82 Resp: 720355
Ion Ratio Lower Upper
82 100
128 30.4 32.7 49.1#
54 41.9 41.7 62.5



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.004 min Scan# 1346
Delta R.T. -0.006 min
Lab File: BF126658.D
Acq: 25 Jan 2022 12:43

Tgt Ion:164 Resp: 203171
Ion Ratio Lower Upper
164 100
162 98.3 81.4 122.0
160 43.1 36.6 54.8





#42

2,4,6-Tribromophenol

Concen: 96.440 ng

RT: 10.792 min Scan# 1480

Delta R.T. -0.006 min

Lab File: BF126658.D


Acq: 25 Jan 2022 12:43

Instrument :

BNA_F

ClientSampleId :

P-PARK-SCREENINGS






Tgt Ion:330 Resp: 183367

Ion Ratio Lower Upper

330 100

332 96.8 76.0 114.0

141 38.3 30.1 45.1



#45

2-Fluorobiphenyl

Concen: 69.163 ng

RT: 9.322 min Scan# 1230

Delta R.T. -0.006 min

Lab File: BF126658.D

Acq: 25 Jan 2022 12:43




Tgt Ion:172 Resp: 917534


Ion Ratio Lower Upper

172 100

171 34.6 28.3 42.5

170 23.3 19.0 28.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.492 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF126658.D
Acq: 25 Jan 2022 12:43




Instrument :
BNA_F
ClientSampleId :
P-PARK-SCREENINGS


Tgt Ion:188 Resp: 322972
Ion Ratio Lower Upper
188 100
94 13.7 10.1 15.1
80 15.9 11.8 17.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.139 min Scan# 2049
Delta R.T. -0.012 min
Lab File: BF126658.D
Acq: 25 Jan 2022 12:43

Tgt Ion:240 Resp: 221634
Ion Ratio Lower Upper
240 100
120 11.1 14.4 21.6#
236 23.7 20.5 30.7









#79
 Terphenyl-d14
 Concen: 59.378 ng
 RT: 13.086 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF126658.D
 Acq: 25 Jan 2022 12:43

Instrument :
 BNA_F
 ClientSampleId :
 P-PARK-SCREENINGS

Tgt Ion:244 Resp: 784620
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.0 7.4
 122 8.9 13.3 19.9#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.663 min Scan# 2308
 Delta R.T. -0.012 min
 Lab File: BF126658.D
 Acq: 25 Jan 2022 12:43

Tgt Ion:264 Resp: 218646
 Ion Ratio Lower Upper
 264 100
 260 24.2 19.2 28.8
 265 21.9 17.4 26.2

