

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012921\
 Data File : BF123089.D
 Acq On : 29 Jan 2021 18:47
 Operator : JU/CG
 Sample : M1263-06
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 0054-051-COMP-H-ELUTRIATE

Quant Time: Jan 29 22:37:15 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF012721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jan 29 12:29:00 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.892	152	252309	20.00	ng	0.00
21) Naphthalene-d8	8.175	136	973996	20.00	ng	0.00
39) Acenaphthene-d10	9.933	164	517979	20.00	ng	0.00
64) Phenanthrene-d10	11.427	188	948466	20.00	ng	0.00
76) Chrysene-d12	14.074	240	759751	20.00	ng	-0.01
86) Perylene-d12	15.562	264	585769	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.510	112	1247147	76.25	ng	0.00
7) Phenol-d6	6.510	99	1128832	50.92	ng	0.00
23) Nitrobenzene-d5	7.457	82	1630090	84.23	ng	0.00
42) 2,4,6-Tribromophenol	10.727	330	787223	140.00	ng	0.00
45) 2-Fluorobiphenyl	9.257	172	2787516	80.00	ng	0.00
79) Terphenyl-d14	13.021	244	3134867	81.07	ng	0.00
Target Compounds						Qvalue
10) Phenol	6.522	94	120255	5.47	ng	84
50) Dimethylphthalate	9.645	163	340897	8.39	ng	99
74) Di-n-butylphthalate	11.986	149	213641	3.44	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012921\
Data File : BF123089.D
Acq On : 29 Jan 2021 18:47
Operator : JU/CG
Sample : M1263-06
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
0054-051-COMP-H-ELUTRIATE

Quant Time: Jan 29 22:37:15 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF012721.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jan 29 12:29:00 2021
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.892 min Scan# 817
 Delta R.T. 0.000 min
 Lab File: BF123089.D
 Acq: 29 Jan 2021 18:47




Instrument :
 BNA_F
 ClientSampleId :
 0054-051-COMP-H-ELUTRIATE


Tgt Ion:152 Resp: 252309
 Ion Ratio Lower Upper
 152 100
 150 154.1 125.8 188.6
 115 58.9 49.3 73.9



#5
 2-Fluorophenol
 Concen: 76.25 ng
 RT: 5.510 min Scan# 582
 Delta R.T. 0.006 min
 Lab File: BF123089.D
 Acq: 29 Jan 2021 18:47

Tgt Ion:112 Resp: 1247147
 Ion Ratio Lower Upper
 112 100
 64 58.2 46.9 70.3
 63 29.2 24.5 36.7









#7
Phenol-d6
Concen: 50.92 ng
RT: 6.510 min Scan# 752
Delta R.T. -0.006 min
Lab File: BF123089.D
Acq: 29 Jan 2021 18:47




Instrument :
BNA_F
ClientSampleId :
0054-051-COMP-H-ELUTRIATE


Tgt Ion: 99 Resp: 1128832
Ion Ratio Lower Upper
99 100
42 17.3 13.8 20.6
71 32.8 26.9 40.3



#10
Phenol
Concen: 5.47 ng
RT: 6.522 min Scan# 754
Delta R.T. -0.012 min
Lab File: BF123089.D
Acq: 29 Jan 2021 18:47

Tgt Ion: 94 Resp: 120255
Ion Ratio Lower Upper
94 100
65 24.4 11.2 51.2
66 33.6 25.8 65.8









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.175 min Scan# 1035
Delta R.T. -0.006 min
Lab File: BF123089.D
Acq: 29 Jan 2021 18:47




Instrument :
BNA_F
ClientSampleId :
0054-051-COMP-H-ELUTRIATE


Tgt Ion:	136	Resp:	973996
Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.8	13.2
54	8.2	5.5	8.3
68	6.3	4.6	6.8



#23
Nitrobenzene-d5
Concen: 84.23 ng
RT: 7.457 min Scan# 913
Delta R.T. -0.006 min
Lab File: BF123089.D
Acq: 29 Jan 2021 18:47

Tgt Ion:	82	Resp:	1630090
Ion	Ratio	Lower	Upper
82	100		
128	48.0	37.0	55.4
54	48.2	38.4	57.6









#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.933 min Scan# 1334
Delta R.T. -0.006 min
Lab File: BF123089.D
Acq: 29 Jan 2021 18:47




Instrument :
BNA_F
ClientSampleId :
0054-051-COMP-H-ELUTRIATE


Tgt Ion:164 Resp: 517979
Ion Ratio Lower Upper
164 100
162 103.4 80.8 121.2
160 45.4 35.4 53.0



#42
2,4,6-Tribromophenol
Concen: 140.00 ng
RT: 10.727 min Scan# 1469
Delta R.T. -0.006 min
Lab File: BF123089.D
Acq: 29 Jan 2021 18:47

Tgt Ion:330 Resp: 787223
Ion Ratio Lower Upper
330 100
332 95.8 77.5 116.3
141 30.3 23.8 35.8









#45
2-Fluorobiphenyl
Concen: 80.00 ng
RT: 9.257 min Scan# 1219
Delta R.T. -0.006 min
Lab File: BF123089.D
Acq: 29 Jan 2021 18:47




Instrument :
BNA_F
ClientSampleId :
0054-051-COMP-H-ELUTRIATE


Tgt Ion:172 Resp: 2787516
Ion Ratio Lower Upper
172 100
171 37.8 29.6 44.4
170 25.0 19.5 29.3



#50
Dimethylphthalate
Concen: 8.39 ng
RT: 9.645 min Scan# 1285
Delta R.T. -0.018 min
Lab File: BF123089.D
Acq: 29 Jan 2021 18:47

Tgt Ion:163 Resp: 340897
Ion Ratio Lower Upper
163 100
194 3.8 3.4 5.0
164 9.8 8.1 12.1









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.427 min Scan# 1588
Delta R.T. -0.006 min
Lab File: BF123089.D
Acq: 29 Jan 2021 18:47




Instrument :
BNA_F
ClientSampleId :
0054-051-COMP-H-ELUTRIATE


Tgt Ion:188 Resp: 948466
Ion Ratio Lower Upper
188 100
94 9.5 7.4 11.2
80 10.1 8.2 12.4



#74
Di-n-butylphthalate
Concen: 3.44 ng
RT: 11.986 min Scan# 1683
Delta R.T. -0.012 min
Lab File: BF123089.D
Acq: 29 Jan 2021 18:47

Tgt Ion:149 Resp: 213641
Ion Ratio Lower Upper
149 100
150 8.8 7.8 11.6
104 4.6 4.2 6.4









#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.074 min Scan# 2038
Delta R.T. -0.012 min
Lab File: BF123089.D
Acq: 29 Jan 2021 18:47




Instrument :
BNA_F
ClientSampleId :
0054-051-COMP-H-ELUTRIATE


Tgt Ion:240 Resp: 759751
Ion Ratio Lower Upper
240 100
120 11.5 8.6 12.8
236 25.8 20.3 30.5



#79
Terphenyl-d14
Concen: 81.07 ng
RT: 13.021 min Scan# 1859
Delta R.T. -0.006 min
Lab File: BF123089.D
Acq: 29 Jan 2021 18:47


Tgt Ion:244 Resp: 3134867
Ion Ratio Lower Upper
244 100
212 7.4 5.7 8.5
122 11.2 8.3 12.5





#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.562 min Scan# 2291
 Delta R.T. -0.006 min
 Lab File: BF123089.D
 Acq: 29 Jan 2021 18:47

Instrument :
 BNA_F
 ClientSampleId :
 0054-051-COMP-H-ELUTRIATE



Tgt Ion:264 Resp: 585769
 Ion Ratio Lower Upper
 264 100
 260 24.4 18.6 28.0
 265 21.5 17.0 25.6

